



*Led*

THE COMPLETE LIGHTING SOLUTION



**PRICE LIST**

**W.E.F. 01.04.2026**  
MAX RETAIL PRICE (Inclusive of gst)



LUKER, J.V. Luker USA has built one of the largest LED manufacturing plant in Asia under "MAKE IN INDIA" concept to promote energy saving products in India.

The manufacturing facility is spread over 21 acres of land with more than 8,00,000 Sq. ft. of built-up area in the Green City of South India, Coimbatore.



## LED BULBS & TUBES

Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.	Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.	
<b>SPARK DOB LED BULBS</b>								<b>GIALLO LED CANDLE &amp; FILAMENT BULB</b>								
SPARK DOB Bulb B22/E27		3 W	WH,WW	LBPCD03B	100	100	100	GIALLO A60 LED FILAMENT BULB		4 W	WW	LBFA60AM B22 LBFA60AM E27	190	190	100	
		5 W	WH,WW	LBPCD05B	120	120	100									
SPARK DOB Bulb B22/E27		7 W	WH,WW	LBPCD07B	140	140	100	GIALLO-ST64 Filament Bulb E27		4 W	Clear (2200K)	LBFE2704 CL ST64	180	180	20	
		9 W	WH,WW	LBPCD09B	160	160	100				Amber (2200K)	LBFE2704 AM ST64	220	220	20	
SPARK DOB Bulb B22/E27		12 W	WH,WW	LBPCD12B	220	220	50	GIALLO-T225 Filament Bulb E27		4 W	Amber (2200K)	LBFE2704 AM T225	430	430	20	
		15 W	WH,WW	LBPCD15B	310	310	50									
SPARK DOB Bulb B22/E27		18 W	WH,WW	LBPCD18B	430	430	50	<b>RADAR SENSOR LED BULB</b>								
SPARK DOB Bulb B22/E27		20 W	WH,WW	LBPCD20B	470	470	50	RADAR SENSOR Bulb		9 W	WH	LBPCD09BSEN B22 2S WH	390	390	100	
SPARK DOB Bulb B22/E27		30 W	WH,WW	LBPCD30	590	590	25									<b>IP65 LED BULB</b>
SPARK DOB Bulb B22/E27		36 W	WH,WW	LBPCD36	640	640	8	IP65 LED Bulb		20 W	WH	LBPC20IP65	680	680	20	
		40 W	WH,WW	LBPCD40	680	680	8			40 W	WH	LBPC40IP65	960	960	20	
SPARK DOB Bulb B22/E27		48 W	WH,WW	LBPCD48	780	780	8	<b>STELLO MOON GLOW LED BULB</b>								
SPARK DOB Bulb B22/E27		50W	WH,WW	LBPCD50	810	810	8	STELLO MOON GLOW B22/E27		20 W	WH	LBML20B LBML20E	390	390	20	
										50 W	WH	LBML50B LBML50E	790	790	20	
SPARK DOB Candle Bulb B22/E27/E14		5 W	WH,WW	LBGCD05	150	150	100	<b>LUMOS ECCO PC TUBES</b>								
Color Bulb B22		0.5 W	WH, BL GR,YL,RD,PK	LBCOL05	70	70	50	LUMOS ECCO 280 mm Tubeset (T5)		5 W	WH,WW	LT505P	250	250	30	
								FOCO Bulb B22/E27			9 W	WH, WW	LBPC09CL	180	180	100
FOCO Bulb B22/E27		26 W	WH, WW	LBPC26	550	550	30	LUMOS ECCO 560 mm Tubeset (T5)		20 W	WH	LT-20	320	320	30	
FOCO Bulb B22/E27		30 W	WH, WW	LBPC30	590	590	30	LUMOS ECCO 1100 mm Tube Set (T5)		20 W	WH,WW	LT520P	380	380	30	
FOCO High Wattage Bulb B22/E27		36 W	WH, WW	LBPC36N	640	640	8	LUMOS ECCO 1100 mm Tube Set (T5)		24 W	WH,WW	LT524P	480	480	30	
<b>FOCO EMERGENCY BULB</b>										24 W	WH,WWW,NW	LT5-24P	480	480	30	
FOCO Emergency Bulb		9 W	WH	LBGB09 DB	590	590	50			26 W	WH	LT-26	580	580	20	
		12 W	WH	LBGB12 DB	780	780	50			26 W	WH	LT-26N	580	580	20	
<b>STELLO HIGHGLOW BULB</b>								LUMOS LED 3-IN-1 Tube Set		20W	3-IN-1 WH+NW+WWW	LT520P 3-IN-1	490	490	30	
STELLO Highglow Bulb B22/E27		12 W	WH	LBPC12ST	260	260	50	<b>LUMOS PRIMO ALUMINIUM TUBES</b>								
		15 W	WH	LBPC15ST	310	310	50	LUMOS PRIMO Alu. Tube Set (T5)			22W	WH	LTA522	540	490	30
		18 W	WH	LBPC18ST	460	460	50	LUMOS PRIMO Alu. Tube Set	52W		WH	LT52 PR	1280	1280	20	
GIALLO Candle Bulb B22/E27/E14		5 W	WH, WW	LBGCD05	150	150	100	<b>LUMOS T8 ALUMINIUM TUBE SET</b>								
GIALLO Filament Bulb B22 E27 E14		4 W	AM, WH, WW	LBFB2204	150	150	100	LUMOS (T8) Tube Set		36W	WH	LT836	1080	1080	30	
		4 W	WH, WW	LBFE2704	150	150	100									
		4 W	WH, WW	LBFE1404	150	150	100									
GIALLO A60 LED FILAMENT BULB		4 W	WH	LBFA60CL4 B22 LBFA60CL4 E27	170	170	100									

\*C: Commercial Luminaries and Fixtures | Suitable for operating 12-16 Hrs./day.

▲ NOTE: All other products mentioned here in pricelist are for domestic usage only. Suitable for operating 10-12 Hrs./day.

# LUMOS TUBES

Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.	Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
<b>LUMOS PRIMO MUSHROOM ALUMINIUM TUBES</b>								<b>LUMOS NEO TUBE SET (OUTDOOR - IP65)</b>							
LUMOS PRIMO MUSHROOM Tube Set (T5)		24W	WH	LT5M24	590	590	30	LUMOS Double Tube Set-IP65		20 W	WH	LTOD20N	1090	1060	40
		40W	WH,NW,WW	LT5M40	1150	1150	30	LUMOS Double Tube Set-IP65		36 W	WH	LTOD36N	1490	1470	20
<b>LUMOS DOUBLE TUBE SET (OUTDOOR) </b>								<b>LUMOS SENZA SENSOR TUBE SET</b>							
LUMOS Double Tube Set (Outdoor) IP65		36 W	WH, WW	LTOD40	3250	2780	20	LUMOS SENZA - 2 ft Tube Set (T8) with Sensor		9 W	WH	LT809SR	950	950	30
<b>LUMOS DOUBLE TUBE SET </b>								<b>LUMOS LED HIGH LUMEN TUBES </b>							
LUMOS Double Tube Set		36 W	WH, WW	LTH36	1580	1390	20	LUMOS High Lumen 2 ft Tube		40 W	WH	LT12402	1300	1250	20
LUMOS Double Tube Set		40 W	WH,WW,NW	LTH40	3150	2600	16	LUMOS High Lumen 2 ft Tube with Reflector		40 W	WH	LT12402R	1670	1560	10
<b>LUMOS HIGH LUMEN PC TUBE SET</b>								<b>LUMOS LED RETROFIT TUBES</b>							
<b>NEW</b> LUMOS NEO PC Tube Set		36 W	WH	LT536	690	690	20	LUMOS Retrofit 4 ft Tube		18 W	WH,WW,NW	LT1818T	795	720	25
LUMOS NEO PC Tube Set		36 W	WH	LT-36N	750	690	20	LUMOS Retrofit Tube PC		20 W	WH,WW	LTP820N (Single side connection)	420	340	20
LUMOS NEO PC Tube Set		50 W	WH	LT-50	1050	980	15	LUMOS Retrofit Tube PC		20 W	WH	LTP820 (Double side connection)	420	380	20
<b>PORTABLE INVERTER LED LAMP</b>								<b>LUMOS LED RETROFIT TUBES</b>							
Portable Inverter Lamp		14 WHr	WH	LPEL14 (5hrs backup)	1170	1080	--	LUMOS Retrofit Sensor Tube		18 W	WH	LT1818TSR	1060	960	30
<b>LUMOS INVERTER LED TUBES</b>								<b>STATO LED RETROFIT BATTENS</b>							
LUMOS Inverter - 4 ft T5 Tube		20W	WH	LTGT520N	890	890	30	Retrofit Tube Batten Industrial		1x18 W	Powder Coated White Finish	LLTS1NS LLTS1N1SL	480 440	320 290	40
<b>NEW UNIS LED LINKABLE ALUMINIUM TUBE SET</b>								<b>CASO LED RETROFIT LUMINAIRES** (IP65) </b>							
UNIS LED Linkable Alu. Tube Set		8W	WH,WW,NW	LTA509 LK Dimension - L: 440 x W:23 x H: 35 mm	450	390	-	Retrofit Tube Batten Industrial		1x18 W	Powder Coated White Finish	LLTS1ND	480	480	40
Y - Type Connector		-	-	LLKTCY	190	165	-	Retrofit Tube Batten Industrial		2x18 W	Powder Coated White Finish	LLTS2	530	480	40
V - Type Connector		-	-	LLKTCV	170	150	-	<b>LUMOS LED RETROFIT TUBES</b>							
Plus - Type Connector		-	-	LLKTCP	230	205	-	LUMOS Retrofit 4 ft Tube		18 W	WH,WW,NW	LT1818T	795	720	25
T - Type Connector		-	-	LLKTCT	180	155	-	LUMOS Retrofit Tube PC		20 W	WH,WW	LTP820N (Single side connection)	420	340	20
L - Type Connector		-	-	LLKTCL	170	150	-	LUMOS Retrofit Tube PC		20 W	WH	LTP820 (Double side connection)	420	380	20
Mounting Hanging Wire Set		-	-	LLKTHS Length: 1.5 mtr.	280	225	-	<b>STATO LED RETROFIT BATTENS</b>							
Input Wire Connector		-	-	LLKTIW	210	190	-	Retrofit Tube Batten Industrial		1x18 W	Powder Coated White Finish	LLTS1NS LLTS1N1SL	480 440	320 290	40

# IRIS LED SLIM PANEL LIGHTS



Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
IRIS Slim Panel		3 W	WH, NW, WW	LNPS03 Dimension : 90mm x 90mm x 20mm Ceiling Cut-out : 73mm x 73mm	380	320	40
		6 W	WH, NW, WW 3-IN-1	LNPS06 Dimension : 120mm x 120mm x 20mm Ceiling Cut-out : 102mm x 102mm	650 970	560 840	40 40
IRIS Slim Panel		9 W	WH, NW, WW	LNPS09 Dimension : 145mm x 145mm x 20mm Ceiling Cut-out : 132mm x 132mm	900	790	20
		12 W	WH, NW, WW 3-IN-1	LNPS12 Dimension : 173mm x 173mm x 20mm Ceiling Cut-out : 153mm x 153mm	1030 1390	890 1230	20 20
IRIS Slim Panel		15 W	WH, NW, WW	LNPS15 Dimension : 173mm x 173mm x 20mm Ceiling Cut-out : 153mm x 153mm	1160	990	20
		18 W	WH, NW, WW	LNPS18 Dimension : 224mm x 224mm x 20mm Ceiling Cut-out : 203mm x 203mm	1440	1220	20
IRIS Slim Panel		30 W	WH, NW, WW	LNPS30 Dimension : 298mm x 298mm x 20mm Ceiling Cut-out : 275mm x 275mm	2490	2060	10
IRIS Slim Panel		40 W	WH, NW, WW	LPS40 Dimension : 600mm x 600mm x 11mm Ceiling Cut-out : 570mm x 570mm	4510	4100	5
IRIS Slim Panel		3 W	WH, NW, WW	LNPR03 Dimension : Ø 90mm x 20mm Ceiling Cut-out : Ø 73mm	380	320	40
		6 W	WH, NW, WW 3-IN-1	LNPR06 Dimension : Ø 120mm x 20mm Ceiling Cut-out : Ø 102mm	650 970	560 840	40 40
IRIS Slim Panel		9 W	WH, NW, WW	LNPR09 Dimension : Ø 145mm x 20mm Ceiling Cut-out : Ø 132mm	900	790	20
		12 W	WH, NW, WW 3-IN-1	LNPR12 Dimension : Ø 173mm x 20mm Ceiling Cut-out : Ø 153mm	1030 1390	890 1230	20 20
IRIS Slim Panel		15 W	WH, NW, WW	LNPR15 Dimension : Ø 178mm x 20mm Ceiling Cut-out : Ø 153mm	1160	990	20
		18 W	WH, NW, WW	LNPR18 Dimension : Ø 224mm x 20mm Ceiling Cut-out : Ø 203mm	1440	1220	20
IRIS Slim Panel		30 W	WH, NW, WW	LNPR30 Dimension : Ø 301mm x 20mm Ceiling Cut-out : Ø 272mm	2490	2060	10

## IRIS DIMMABLE LED PANEL \*\*\*



IRIS Analogue (1-10V) Dimmable Slim Panel		40 W	WH, NW	LPSD40 Dimension : 595mm x 595mm Ceiling Cut-out : 570mm x 570mm	7840	7350	6	1-10V
Analogue 1-10V Touch Panel Dimmer		1 CH (50mA Output)	I/P: 90-265V AC O/P: 0-10V DC/50mA	LLDIM110V Dimension : 86mm x 86mm x 38mm	7690	7390	1	

## IRIS CLEANROOM LED PANEL (IP65)



CLEANROOM SLIM PANEL							
IRIS IP65 Slim Panel		40 W	NW	LPS40IP65 Dimension : 595mm x 595mm x 19mm	8800	8100	4
CLEANROOM BACKLIT PANEL							
IRIS IP65 Backlit Panel		40 W	WH	LKM2240IP65 Dimension : 595mm x 595mm x 35mm	4900	4750	4

# IRIS SURFACE PANEL LED LIGHTS



Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
IRIS Surface Panel		3 W	WH, WW	LNPSRS03 Dimension : 88mm x 88mm x 35mm	580	480	50
		3 W	WH, WW	LNPSRR03 Dimension : Ø 88mm x 35mm	580	480	50
		6 W	WH, NW, WW	LNPSRS06 Dimension : 118mm x 118mm x 35mm	780	670	50
		6 W	WH, NW, WW	LNPSRR06 Dimension : Ø 118mm x 35mm	780	670	50
		12 W	WH, NW, WW	LNPSRS12 Dimension : 178mm x 178mm x 35mm	1140	970	20
		12 W	WH, NW, WW	LNPSRR12 Dimension : Ø 178mm x 35mm	1140	970	20
IRIS Surface Panel		18 W	WH, NW, WW	LNPSRS18 Dimension : 240mm x 240mm x 35mm	1590	1370	20
		18 W	WH, NW, WW	LNPSRR18 Dimension : Ø 240mm x 35mm	1590	1370	20
		30 W	WH, NW, WW	LNPSRS30 Dimension : 300mm x 300mm x 35mm	2740	2270	10
IRIS Surface Panel		30 W	WH, NW, WW	LNPSRR30 Dimension : Ø 300mm x 35mm	2740	2270	10
		40 W	WH, NW, WW	LNPSRS40 Dimension : 600mm x 600mm x 35mm	7570	6880	4/6
IRIS Surface Panel		6 W	WH, NW, WW	LNPSRS06N Dimension : 110mm x 110mm x 30mm	780	670	50
		6 W	WH, NW, WW	LNPSRR06N Dimension : Ø 110mm x 30mm	780	670	50
		12 W	WH, NW, WW	LNPSRS12N Dimension : 160mm x 160mm x 30mm	1140	970	20
		12 W	WH, NW, WW	LNPSRR12N Dimension : Ø 160mm x 30mm	1140	970	20
		18 W	WH, NW, WW	LNPSRS18N Dimension : 205mm x 205mm x 30mm	1590	1370	20
		18 W	WH, NW, WW	LNPSRR18N Dimension : Ø 205mm x 30mm	1590	1370	20

## IRIS SLEEK LED SURFACE PANEL

IRIS SLEEK LED SURFACE PANEL		12 W	WH, WW, NW	LNPSLR12	1630	1390	20	Dimension : Ø 150 x 15 mm
------------------------------	--	------	------------	----------	------	------	----	---------------------------

## ELEGANT NEO LED SLIM PANELS

ELEGANT NEO Slim Panel		3 W	WH, NW, WW	LNPS03N Dimension : 83mm x 83mm x 12mm Cut-Out : 73mm x 73mm	290	260	40
		3 W	WH, NW, WW	LNPR03N Dimension : Ø 83mm x 12mm Cut-Out : Ø 73mm	290	260	40
ELAGANT NEO Slim Panel		6 W	WH, NW, WW	LNPS06N Dimension : 119mm x 119mm x 12mm Cut-Out : 105mm x 105mm	410	370	40
		6 W	WH, NW, WW	LNPR06N Dimension : Ø 119mm x 12mm Cut-Out : Ø 105mm	410	370	40
ELAGANT NEO Slim Panel		9 W	WH, NW, WW	LNPS09N Dimension : 146mm x 146mm x 12mm Cut-Out : 130mm x 130mm	520	470	20
		9 W	WH, NW, WW	LNPR09N Dimension : Ø 146mm x 12mm Cut-Out : Ø 130mm	520	470	20
ELAGANT NEO Slim Panel		12 W	WH, NW, WW	LNPS12N Dimension : 146mm x 146mm x 12mm Cut-Out : 130mm x 130mm	560	490	20
		12 W	WH, NW, WW	LNPR12N Dimension : Ø 146 x 12mm Cut-Out : Ø 130mm	560	490	20
ELAGANT NEO Slim Panel		15 W	WH, NW, WW	LNPS15N Dimension : 170mm x 170mm x 14mm Cut-Out : 157mm x 157mm	590	520	20
		15 W	WH, NW, WW	LNPR15N Dimension : Ø 170mm x 14mm Cut-Out : Ø 157mm	590	520	20
ELAGANT NEO Slim Panel		18 W	WH, NW, WW	LNPS18N Dimension : 188mm x 188mm x 12mm Cut-Out : 176mm x 176mm	820	690	20
		18 W	WH, NW, WW	LNPR18N Dimension : Ø 188mm x 12mm Cut-Out : Ø 174mm	820	690	20
ELAGANT NEO Slim Panel		24 W	WH, NW, WW	LNPS24N Dimension : 294mm x 294mm x 12mm Cut-Out : 276mm x 276mm	1280	1180	10
		24 W	WH, NW, WW	LNPR24N Dimension : Ø 296mm x 12mm Cut-Out : Ø 278mm	1280	1180	10

\*C: Commercial Luminaries and Fixtures | Suitable for operating 12-16 Hrs./day.

▲ NOTE: All other products mentioned here in pricelist are for domestic usage only. Suitable for operating 10-12 Hrs./day.

## HALO BI-COLOR SLIM & SURFACE PANELS

Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
HALO 3+3 Slim Panel		6 W	WH+PGB, WW+PGB	LHPR3P3	360	340	60
Dimension : Ø 102 x 25mm, Cut-Out: Ø 76mm							
HALO 6+6 Slim Panel		12 W	WH+PGB, WW+PGB, WH+WW/BL/GR/RD/PK	LHPR6P6	480	460	40
Dimension : Ø 143 x 25mm, Cut-out: Ø 106mm							
HALO BI-COLOR Surface Panel		12 W	WH+PGB, WW+PGB	LHPSRR6P6	540	540	40
Dimension : Ø 144 x 28mm							

## DURO BACKLIT LED PANELS / DOWNLIGHTS

Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
<b>JUNCTION BOX LED LIGHTS</b>							
DURO Normal Junction Box Down Lights		3 W	WH,NW,WW, BL,GR,PK,RD	LDRJB03N	140	110	100
Dimension : Ø 79 x 28mm Ceiling Cut-out : Ø 40mm							
HALO Deep Junction Box Down Lights		3 W	WH,WW, RD,GR,BL,PK	HALO 3W	130	115	50
Dimension : Ø 80 x 30mm Ceiling Cut-out : Ø 55mm							
DURO Deep Junction Box Down Lights		3 W	WH RD	LDRJB03	330	330	100
Dimension : Ø 65mm x 32mm Ceiling Cut-out : Ø 38mm							
DURO Deep Junction Box Down Lights Tilttable		3 W	WH,WW,NW RD,BL,GR,PK	LDRJBCOB03	220	190	100
Dimension : Ø 70 x 35mm Ceiling Cut-out : Ø 55mm (Non-tiltable : 41mm)							
DURO Deep Junction Box Down Lights Metal Body		3 W	WH, PK,GR,BL,RD	LDR03 MTL	250	240	60
Dimension : Ø 70mm x 35mm Ceiling Cut-out : Ø 45mm							
DURO Down Lights Metal Body		5 W	WW, GR,BL,RD	LDR05 MTL	330	320	60
Dimension : Ø 98 x 45mm Ceiling Cut-out : Ø 65mm							

## APTO ADJUSTABLE CUTOUT LED DOWNLIGHTS

Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
APTO Downlight		6 W	WH, WW	LDAR06	530	530	100
		Dimension: Ø90mmx22mm Ceiling Cut-out: Ø50mm to 70mm					
APTO Downlight		12 W	WH, WW	LDAR12	740	740	50
		Dimension: Ø120mmx22mm Ceiling Cut-out: Ø50mm to 100mm					
APTO Downlight		6 W	WH, WW	LDAS06	530	530	100
		Dimension: 90mmx90mmx22mm Ceiling Cut-out: 50mm to 70mm					
APTO Downlight		12 W	WH, WW	LDAS12	740	740	50
		Dimension: 120x120mmx22mm Ceiling Cut-out: 50mm to 100mm					

## DOWNLIGHTS - CONCEALED

DURO Down Lights PC Body		5 W	RD,BL,PK	LDR05D	170	160	36
		Dimension : Ø 108mm x 25mm Ceiling Cut-out : Ø 68mm					
DURO Down Lights PC Body		7 W	WH,WW	LDR07D	190	180	36
		Dimension : Ø 108mm x 25mm Ceiling Cut-out : Ø 68mm					
HALO Down Lights		7 W	WH,WW, RD,GR,BL,PK	HALO 7W	190	160	30
Dimension : Ø 107 x 25mm Ceiling Cut-out : Ø 76mm							
DURO Down Lights PC Body		20 W	WW	LDR20	1160	1160	30
Dimension: 220mmx36mm Ceiling Cut-out: Ø205mm							
DURO Down Lights PC Body		7 W	WH,WW,NW	LDS07	630	630	40
Dimension : 116mm x 116mm x 36mm Ceiling Cut-out : 100mm x 100mm							
DURO Down Lights PC Body		15 W	WH,WW,NW	LDS15	990	990	30
Dimension : 166mm x 166mm x 36mm Ceiling Cut-out : 150mm x 150mm							
DURO Down Lights PC Body		22 W	WW,NW	LDS22	1160	1160	40/20
Dimension : 220mm x 220mm x 36mm Ceiling Cut-out : 205mm x 205mm							

## LIVIANO SLIM PANEL LED LIGHTS

LIVIANO Slim Panel		3 W	WH, NW, WW	LIPR03 / LIPR03 N	250	225	60	
		Dimension : Ø 82mm x 22mm Cut-Out : Ø 66mm						
		6 W	WH, NW, WW	LIPR06 / LIPR06 N	340	295	40	
		Dimension : Ø 120mm x 22mm Cut-Out : Ø 103mm						
		12 W	WH, NW, WW	LIPR12 / LIPR12 N	630	525	40/20	
Dimension : Ø 168mm x 22mm Cut-Out : Ø 155mm								
LIVIANO Slim Panel		15 W	WH, NW, WW	LIPR15 / LIPR15 N	680	540	40/20	
		Dimension : Ø 168mm x 22mm Cut-Out : Ø 155mm						
		18 W	WH, NW, WW	LIPR18 / LIPR18 N	890	830	40/10	
		Dimension : Ø 220mm x 22mm Cut-Out : Ø 200mm						
LIVIANO Slim Panel		3 W	WH, NW, WW	LIPS03 / LIPS03 N	250	225	60	
		Dimension : 82mm x 82mm x 22mm Cut-Out : 66mm x 66mm						
		6 W	WH, NW, WW	LIPS06 / LIPS06 N	340	295	40	
		Dimension : 120mm x 120mm x 22mm Cut-Out : 103mm x 103mm						
		12 W	WH, NW, WW	LIPS12 / LIPS12 N	630	525	40/20	
Dimension : 168mm x 168mm x 22mm Cut-Out : 155mm x 155mm								
LIVIANO Slim Panel		15 W	WH, NW, WW	LIPS15 / LIPS15 N	680	540	40/20	
		Dimension : 168mm x 168mm x 22mm Cut-Out : 155mm x 155mm						
		18 W	WH, NW, WW	LIPS18 / LIPS18 N	890	830	40/10	
Dimension : 220mm x 220mm x 22mm Cut-Out : 200mm x 200mm								






## DURO METAL BODY ANTI-GLARE LED DOWNLIGHTS

DURO Down Lights Metal Body		12 W	WH,WW,NW	LDR12 MTL	950	830	36
Dimension : Ø 120mm X 40mm Ceiling Cut-out : Ø 95mm							
DURO Down Lights Metal Body		18 W	WH,WW,NW	LDR18 MTL	1340	1130	36
Dimension : Ø 145mm X 40mm Ceiling Cut-out : Ø 120mm							
DURO Down Lights Metal Body		24 W	WH,WW,NW	LDR24 MTL	1580	1340	36
Dimension : Ø 175mm X 40mm Ceiling Cut-out : Ø 145mm							
DURO Down Lights Metal Body		30 W	WH,WW,NW	LDR30 MTL	1680	1460	36
Dimension : Ø 175mm X 40mm Ceiling Cut-out : Ø 145mm							
DURO Down Lights Metal Body		12 W	WH,WW,NW	LDS12 MTL	950	830	36
Dimension : 120 X 120 X 40mm Ceiling Cut-out : 95 X 95mm							
DURO Down Lights Metal Body		18 W	WH,WW,NW	LDS18 MTL	1340	1130	36
Dimension : 145 X 145 X 40mm Ceiling Cut-out : 120 x 120mm							
DURO Down Lights Metal Body		24 W	WH,WW,NW	LDS24 MTL	1580	1340	36
Dimension : 175 X 175 X 40mm Ceiling Cut-out : 145 X 145mm							
DURO Down Lights Metal Body		30 W	WH,WW,NW	LDS30 MTL	1680	1460	36
Dimension : 175 X 175 X 40mm Ceiling Cut-out : 145 X 145mm							
DURO Down Lights Metal Body		36 W	WH,WW,NW	LDS36 MTL	2340	1890	36
Dimension : 220 X 220 X 40mm Ceiling Cut-out : 195 X 195mm							





## DURO NEO PANEL LED LIGHTS

DURO Panel		3 W	WH,WW,NW	LDN03 RD	210	210	100
Dimension : Ø 85mm Ceiling Cut-out : Ø 75mm							
DURO Panel		6 W	WW,NW	LDN06 RD	260	260	100
Dimension : Ø 120mm Ceiling Cut-out : Ø 105mm							
DURO Panel		6 W	WW,NW	LDN06 SQ	260	260	100
Dimension : 120mm x 120mm Ceiling Cut-out : 105mm x 105mm							



## DURO METAL BODY DOWNLIGHTS - CONCEALED

Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
DURO Down Light Metal Body		15 W	WH,WW,NW	LDR15 MTLN	1190	1190	30
		Dimension:170mmx32m m Ceiling Cut-out:Ø135mm					
DURO 2'x2' Backlit Panel		20 W	WH,WW	LDR20 MTLN	1450	1450	30
		Dimension: 185mmx32mm Ceiling Cut-out: Ø145mm					
DURO 2'x2' Backlit Panel		36 W	WH	LKM2236N	2720	2150	6
		40 W	WH,NW,WW	LKM2240N	2780	2190	6
Dimension : 595mm x 595mm x 35mm Ceiling Cut-out : 570mm x 570mm							
DURO 2'x2' Backlit Panel		45 W	WH, WW	LKM2245	3300	2460	6
		60 W	WH,NW,WW	LKM2260	4950	3280	6
Dimension : 595mm x 595mm x 35mm Ceiling Cut-out : 570mm x 570mm							
DURO 4'x1' Backlit Panel		45 W	WH	LKM4145	3950	3480	6
Dimension : 1195mm x 295mm x 35mm Ceiling Cut-out : 1175mm x 275mm							







## LISO DOB LED TRIMLESS SURFACE PANELS

Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.	
LISO Surface Panel		8 W	WH,WW,NW	LCL8NS	390	320	60	
		Dimension : 90mm x 90mm x 25 mm						
		12 W	WH,WW,NW	LCL12NS	630	470	40	
Dimension : 120mm x 120 mm x 25 mm								
LISO Surface Panel		18 W	WH,WW,NW	LCL18NS	980	630	20	
		Dimension : 155mm x 155 mm x 25 mm						
		8 W	WH,WW,NW	LCL8NR	390	320	60	
Dimension : Ø 90mm x 25 mm								
LISO Surface Panel		12 W	WH,WW,NW	LCL12NR	630	470	40	
		Dimension : Ø 120mm x 25 mm						
LISO Surface Panel		18 W	WH,WW,NW	LCL18NR	980	630	20	
		Dimension : Ø 155mm x 25 mm						

## GESTO IP65 LED SURFACE PANEL

Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
GESTO IP65 Surface Panel		10 W	WH, WW	LBKRDSL10	680	680	20
Dimension : Ø 154mm x 57mm							
GESTO IP65 Surface Panel		20 W	WH, WW	LOR65-20S	1180	1170	20
		30 W	WH, WW	LOR65-30S	1580	1510	20
Dimension : Ø 185mm x 35mm / Ø 225mm x 35mm							




## DURO BACKLIT LED SURFACE PANELS / DOWNLIGHTS

Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
DURO 2'x2' NON ISOLATED Backlit Surface Panel		40 W	WH, WW	LKMSRS40N	3720	3230	6
		Dimension : 595mm x 595mm x 40mm					
DURO 2'x2' Backlit Surface Panel		45 W	WH, WW	LKMSRS45N	3850	3350	6
		Dimension : 600mm x 600mm x 38mm					
DURO 2'x2' Backlit Surface Panel		40 W	WH, WW	LKMSRS40	3950	3550	6
		Dimension : 595mm x 595mm x 65mm					
DURO 2'x2' Backlit Surface Panel		45 W	WH, WW	LKMSRS45	4750	3550	6
		Dimension : 595mm x 595mm x 65mm					
DURO 4'x1' NON ISOLATED Backlit Surface Panel		48 W	WH, WW	LKMSRS4145N	4250	3650	6
Dimension : 1200mm x 300mm x 35mm							
DURO 4'x1' Backlit Surface Panel		45 W	WH	LKMSRS4145	4960	3850	6
Dimension : 1200mm x 300mm x 35mm							

## RICO SLEEK CEILING LED LIGHTS

Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
RICO Ceiling Light Sleek		3 W	WH	LCL03SSQ	280	230	100
		Dimension : 100mm x 100mm x 25mm					
RICO Ceiling Light Sleek		3 W	WH	LCL03SSW	290	260	100
		Dimension : 100mm x 100mm x 25mm					
RICO Ceiling Light Sleek		3 W	WH, WW	LCL03SRD	280	230	100
		BL/GR/RD/Pink					
RICO Ceiling Light Sleek		15 W	WH, NW	LCL15R SLK	1180	990	40
		Dimension : 150mm x 150mm x 25mm					




## VITO LED PANELS

Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
VITO Downlights		8W	WH, NW, WW	LVR08D	260	210	40
		Dimension : Ø 100 x 30mm Cut-out: Ø 75mm					
VITO Downlights		12W	WH, NW, WW	LVR12D	360	310	30
		Dimension : Ø 130 x 30mm Cut-out: Ø 100mm					
VITO Downlights		18W	WH, NW, WW	LVR18D	460	430	20
		Dimension : Ø 155 x 30mm Cut-out: Ø 125mm					


















## CORVUS CONCEALED COB / SPOT LED LIGHTS

Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
CORVUS Spot Light COB 24°		1 W	WH,WW,NW	LSCOB0S01	295	250	100
Dimension : 30mm x 30mm, H : 15mm Ceiling Cut-out : Ø 25mm							
CORVUS Spot Light COB 24°		1 W	WH,WW,NW	LSCOB0R01	290	240	100
Dimension : 32mm, H : 16mm Ceiling Cut-out : Ø 25mm							
CORVUS Spot Light Chrome		1 W	WH, WW, NW, BL,RD,GR	LSCOR01	390	340	100
Dimension : Ø 32mm x 15mm Ceiling Cut-out : Ø 25mm							
CORVUS Spot Light Chrome		1 W	WH, WW	LSCS01	390	340	100
Dimension : 31mm x 31mm x 21mm Ceiling Cut-out : Ø 27mm							
CORVUS Spot Light Tilttable		1 W	WH, WW	LSCOBM01	540	420	100
Dimension : Ø 42mm x 18mm (H) Ceiling Cut-out : Ø 34mm							
CORVUS COB Spot Light		3 W	WH, WW	LCOB03	390	280	200
Dimension : Ø 40mm x 23mm (H) Ceiling Cut-out : Ø 28mm							
CORVUS COB Light Satin Nickel		3 W	WH, WW, NW	LSCS03	690	590	50
Dimension : 50mm x 50mm x 25mm (H) Ceiling Cut-out : Ø 35mm							
CORVUS COB Light Satin Nickel		3 W	WH	LSCOR03	690	590	50
Dimension : Ø 48mm x 25mm (H) Ceiling Cut-out : Ø 35mm							








## LISO LED TRIMLESS SURFACE PANELS

Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
LISO Surface Panel		6 W	3 IN 1	LCL6NS	790	690	40
		Dimension : 100mm x 100mm x 30 mm					
LISO Surface Panel		20 W	3 IN 1	LCL20NS	1440	1220	20
		Dimension : 180mm x 180 mm x 30 mm					
LISO Surface Panel		15 W	3 IN 1	LCL15NR	1160	860	30
		15 W	3 IN 1	LCL15NR BK	1160	890	30
		Dimension : Ø 140mm x 30 mm					








## CORVUS CONCEALED COB / SPOT LED LIGHTS

Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
CORVUS COB Light Satin Nickel		3 W	WH,WW,NW	LSCR03N Dimension : Ø 48mm x 25mm (H) Ceiling Cut-out : Ø 35mm	450	390	50
CORVUS COB		3 W	WH,WW,NW	LCOBR03 Dimension : Ø 65mm x 20mm (H) Ceiling Cut-out : Ø 55mm	590	530	50
CORVUS COB 24°		4 W	WH,WW,NW	LCOBR04 Dimension : Ø 84 x 43mm (H) Ceiling Cut-out : Ø 65mm	740	650	50
CORVUS COB 24° Satin Nickel		7 W	WH	LCOBR07SN Dimension : Ø 85mm x 63mm (H) Ceiling Cut-out : Ø 70mm	1090	1090	100
CORVUS COB 60°		7 W	WH, WW, NW	LCOBR07 N Dimension : Ø 84 x 43mm (H) Ceiling Cut-out : Ø 65mm	780	680	50
CORVUS COB 24°		12 W	WH	LCOBR12 Dimension : Ø 107mm x 78mm (H) Ceiling Cut-out : Ø 92mm	1180	1080	20
CORVUS COB 60°		12 W	WH, WW, NW	LCOBR12 N Dimension : Ø 84 x 63mm (H) Ceiling Cut-out : Ø 67mm	1180	1080	50
CORVUS COB 24°		18 W	WW	LCOBR18 Dimension : Ø 128mm x 80mm (H) Ceiling Cut-out : Ø 110mm	1680	1480	20
CORVUS COB 60°		18 W	WH,WW,NW	LCOBR18 N Dimension : Ø 108 x 64mm (H) Ceiling Cut-out : Ø 86mm	1680	1480	20
CORVUS COB 60°		24 W	WH,WW,NW	LCOBR24 N Dimension : Ø 127 x 73mm (H) Ceiling Cut-out : Ø 111mm	1880	1660	20
CORVUS COB 60°		30 W	WW	LCOBR30 Dimension : Ø 172mm x 110mm (H) Ceiling Cut-out : Ø 155mm	2370	2080	20
CORVUS COB 60°		30 W	WH,WW,NW	LCOBR30 N Dimension : Ø 160 x 92mm (H) Ceiling Cut-out : Ø 133mm	2370	2080	20
CORVUS COB 60°		50 W	WH,WW,NW	LCOBR50 NL Dimension : Ø 160 x 109mm (H) Ceiling Cut-out : Ø 133mm	3380	3190	10
CORVUS COB 60°		30 W	NW	LCOB30SQ Dimension : 174 x 174 x 106mm Ceiling Cut-out : 160 x 160mm	3850	3320	10
CORVUS COB 60°		60 W	NW	LCOB230SQ Dimension : 324 x 174 x 110mm Ceiling Cut-out : 301 x 170mm	5980	5450	10
CORVUS COB 60°		18W	WH,WW,NW	LCOB18SQ Dimension : 137 x 137 x 88mm (H) Ceiling Cut-out : 125 x 125mm	2650	2280	20
CORVUS COB 60°		36W	WH,WW,NW	LCOB218SQ Dimension : 250 x 137 x 88mm (H) Ceiling Cut-out : 235 x 125mm	4980	4460	20



## CORVUS ANTI-GLARE LED COB LIGHTS - TRIMLESS

WHITE BODY							
CORVUS COB 20°		7W	WH,WW,NW	LAGCOB07 Dimension : Ø 60mm x 70mm (H) Ceiling Cut-out : Ø 48mm	730	680	50
CORVUS COB 25°		12W	WH,WW,NW	LAGCOB12 Dimension : Ø 79mm x 80mm (H) Ceiling Cut-out : Ø 69mm	970	920	20
CORVUS COB 60°		18W	WH,WW,NW	LAGCOB18 Dimension : Ø 91mm x 100mm (H) Ceiling Cut-out : Ø 81mm	1340	1220	20
CORVUS COB 60°		30W	WH,WW,NW	LAGCOB30 Dimension : Ø 119mm x 130mm (H) Ceiling Cut-out : Ø 104mm	2680	2490	20
WHITE BODY WITH CHROME REFLECTOR							
CORVUS COB 40°		7W	WH,WW,NW	LAGRCOB07 Dimension : Ø 58mm x 69mm (H) Ceiling Cut-out : Ø 48mm	1180	1040	50
CORVUS COB 38°		12W	WH,WW,NW	LAGRCOB12 Dimension : Ø 85mm x 78mm (H) Ceiling Cut-out : Ø 74mm	1480	1290	20
CORVUS COB 60°		18W	WH,WW,NW	LAGRCOB18 Dimension : Ø 96mm x 99mm (H) Ceiling Cut-out : Ø 85mm	1980	1790	20

## CORVUS ANTI-GLARE LED COB LIGHTS - TRIMLESS

BLACK BODY							
CORVUS COB 38°		3W	WH,WW,NW	LCOB03N BK Dimension : Ø 37mm x 26mm (H) Ceiling Cut-out : Ø 28mm	360	310	100
CORVUS COB 38°		7W	WH,WW,NW	LAGBCOB07 BK Dimension : Ø 59mm x 69mm (H) Ceiling Cut-out : Ø 48mm	730	680	100
CORVUS COB 38°		12W	WH,WW,NW	LAGBCOB12 BK Dimension : Ø 79mm x 79mm (H) Ceiling Cut-out : Ø 69mm	970	920	20
CORVUS COB 38°		18W	WH,WW,NW	LAGBCOB18 BK Dimension : Ø 91mm x 100mm (H) Ceiling Cut-out : Ø 81mm	1340	1220	20
BLACK BODY WITH ROSE GOLD REFLECTOR							
CORVUS COB 38°		3W	WH,WW,NW	LCOB03N RG Dimension : Ø 37mm x 26mm (H) Ceiling Cut-out : Ø 28mm	390	350	100
CORVUS COB 38°		7W	WH,WW,NW	LAGBCOB07 RG Dimension : Ø 59mm x 70mm (H) Ceiling Cut-out : Ø 49mm	1180	1040	100
CORVUS COB 38°		12W	WH,WW,NW	LAGBCOB12RG Dimension : Ø 85mm x 79mm (H) Ceiling Cut-out : Ø 74mm	1480	1290	20
CORVUS COB 60°		18W	WH,WW,NW	LAGBCOB18RG Dimension : Ø 95mm x 96mm (H) Ceiling Cut-out : Ø 85mm	1980	1790	20
BLACK BODY WITH GUN BLACK REFLECTOR							
CORVUS COB 38°		7W	WH,WW,NW	LAGBCOB07 GBK Dimension : Ø 59mm x 70mm (H) Ceiling Cut-out : Ø 49mm	1180	1040	50
CORVUS COB 38°		12W	WH,WW,NW	LAGBCOB12 GBK Dimension : Ø 85mm x 79mm (H) Ceiling Cut-out : Ø 74mm	1480	1290	20
CORVUS COB 38°		18W	WH,WW,NW	LAGBCOB18 GBK Dimension : Ø 95mm x 96mm (H) Ceiling Cut-out : Ø 85mm	1980	1790	20


## CORVUS CCT TUNABLE SMART COB LIGHT

 <p>CORVUS CCT TUNABLE SMART DOWNLIGHT</p>		7W	2200K - 6500K	LAGCOB07SMT Dimension : Ø 60 x 70 mm Cut-out: Ø 48 mm	2660	2450	-
		12W	2200K - 6500K	LAGCOB12SMT Dimension : Ø 79 x 80 mm Cut-out: Ø 69 mm	3150	2980	-

Download SMART LIFE app on Play Store & App Store

### FEATURES

- Light CCT tunable from 2200K - 6500K
- Dimmable smoothly from 100% - 0%
- Group Control function available to operate multiple devices together
- Customised Off-Timer Function available
- Scene Control available for quick ambience change



## CORVUS S - SERIES LED COB LIGHTS

 <p>WH BK SL RG GD</p>	7 W	WH,WW,NW	LAGCOB07S Dimension : Ø 67mm x 53mm (H) Ceiling Cut-out : Ø 55mm	850	760	20
 <p>WH BK SL RG GD</p>	12 W	WH,WW,NW	LAGCOB12S Dimension : Ø 84mm x 61mm (H) Ceiling Cut-out : Ø 75mm	1090	980	20
 <p>WH BK SL RG GD</p>	18 W	WH,WW,NW	LAGCOB18S Dimension : Ø 98mm x 69mm (H) Ceiling Cut-out : Ø 85mm	1490	1230	12
 <p>WH BK SL RG GD</p>	7 W	WH,WW,NW	LAGBCOB07S Dimension : Ø 67mm x 53mm (H) Ceiling Cut-out : Ø 55mm	850	760	20
 <p>WH BK SL RG GD</p>	12 W	WH,WW,NW	LAGBCOB12S Dimension : Ø 84mm x 61mm (H) Ceiling Cut-out : Ø 75mm	1090	980	20
 <p>WH BK SL RG GD</p>	18 W	WH,WW,NW	LAGBCOB18S Dimension : Ø 98mm x 69mm (H) Ceiling Cut-out : Ø 85mm	1490	1230	12

## CORVUS S1 SERIES LED COB LIGHT

Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
CORVUS LED COB LIGHT BEAM ANGLE 38°		7W	WH,WW,NW	LAGCOB07 S1 RG LAGCOB07 S1 BK	930	840	50
		Dimension: Ø 70 x 55 mm Cut-out: Ø 55 mm					
		12W	WH,WW,NW	LAGCOB12 S1 RG LAGCOB12 S1 BK	1170	1080	20
Dimension: Ø 85 x 61 mm Cut-out: Ø 75 mm							
18W	WH,WW,NW	LAGCOB18 S1 RG LAGCOB18 S1 BK	1580	1380	20		
Dimension: Ø 100 x 70 mm Cut-out: Ø 85 mm							

## CORVUS SURFACE LED COB LIGHTS - TILTABLE

Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
CORVUS SURFACE COB 36°		12 W	WH,WW,NW	LCOBSP12	1860	1590	-
		12 W	WH,WW,NW	LCOBBS12	1860	1590	-
Dimension: Ø 70mm x 108mm							
CORVUS SURFACE COB 36°		18 W	WH,WW,NW	LCOBSP18	2380	2170	-
		18 W	WH,WW,NW	LCOBBS18	2380	2170	-
Dimension: Ø 88mm x 105mm (H)							

## CORVUS NEO COB DOWNLIGHTS

CORVUS NEO		7 W	WH,WW,NW	LCOB07NI	680	550	50
Dimension: Ø 91 x 38mm, Cut-Out: Ø 64mm							
CORVUS NEO		10 W	WH,WW,NW	LCOB10NI	880	740	50
Dimension: Ø 128 x 47mm, Cut-Out: Ø 99mm							
CORVUS NEO		15 W	WH,WW,NW	LCOB15NI	1080	990	50
Dimension: Ø 163 x 48mm Cut-Out: Ø 130mm							

## CORVUS IP54 COB DOWNLIGHT

CORVUS LED DOWNLIGHT		24 W	WW	LCOBR5424	5450	4950	20
		Dimension: Ø 135 x 92 mm Cut-out: Ø 125 mm					
		30 W	WW	LCOBR5430	5650	5160	20
Dimension: Ø 135 x 92 mm Cut-out: Ø 125 mm							

## CORVUS SURFACE LED COB LIGHTS - TRIMLESS

CORVUS COB 45°		3 W	WH,WW,NW	LCOBSRR03 SL LCOBSRR03 BKG	520	470	50
		Dimension: Ø 35mm x 50mm (H)			520	470	50
CORVUS COB 45°		7 W	WH,WW,NW	LCOBSRR07 SS LCOBSRR07 BKG LCOBSRR07 GBK	980	880	50
		Dimension: Ø 55mm x 75mm (H)			980	880	50
CORVUS COB 45°		12 W	WH,WW,NW	LCOBSRR12 SS LCOBSRR12 BKG LCOBSRR12 GBK	1460	1420	50
		Dimension: Ø 76mm x 100mm (H)			1460	1420	50
CORVUS COB 45°		7 W	WH,WW,NW	LCOBSRS07 SS LCOBSRS07 BKG	1260	1090	50
		Dimension: 54mm x 54mm x 67mm (H)			1260	1090	50
CORVUS COB 45°		12 W	WH,WW,NW	LCOBSRS12 SS LCOBSRS12 BKG	1850	1560	50
		Dimension: 74mm x 74mm x 90mm (H)			1850	1560	50
CORVUS COB 45°		18 W	WH,WW,NW	LCOBSRR18 SS LCOBSRR18 BKG LCOBSRR18 GBK	2250	1980	20
		Dimension: Ø 93mm x 120mm (H)			2250	1980	20
CORVUS COB 45°		30 W	WH,WW,NW	LCOBSRR30 SS LCOBSRR30 BKG LCOBSRR30 GBK	3430	2980	20
		Dimension: Ø 115mm x 130mm (H)			3430	2980	20

## CORVUS LED SURFACE DOWN LIGHTS

CORVUS LED SURFACE DOWNLIGHT (OVAL)		12 W	WW	LCOBOSRR12 WHBK LCOBOSRR12 BKRG	1460	1290	50
CORVUS LED SURFACE DOWNLIGHT		12 W	WH,NW	LDSRR12 WH LDSRR12 BK	950	860	50
CORVUS LED SURFACE DOWNLIGHT		18 W	WH,NW	LDSRR18 WH LDSRR18 BK	1360	1190	50

## CORVUS HANGING LED COB LIGHTS

CORVUS COB 36°		12 W	WW,NW	LCOBHL12SK	2200	1940	50
		12 W	WW,NW	LCOBHL12SK	2200	1940	50
Dimension: Ø 50mm x 300mm							

## CORVUS OUTDOOR SURFACE LED COB LIGHTS (IP54)

CORVUS COB 40°		6W	WW	LCOBSRR5406	1650	1440	50
Dimension: Ø 53mm x 59mm (H)							
CORVUS COB		7 W	WW	LCOBSRR5407	990	890	100
Dimension: Ø 58mm x 17mm (H)							
CORVUS COB 36°		12 W	WW	LCOBSRR5412	2150	1880	50
		12 W	WW	LCOBSRR5412	2150	1880	50
Dimension: Ø 58mm x 80mm (H)							

## CORVUS DIMMABLE LED COB LIGHTS (TRIAC DIMMING)\*

CORVUS COB 60°		7 W	WH,WW,NW	LCOBD07	1950	1680	20
Dimension: 85mm x 63mm Ceiling Cut-out: Ø 70mm							
CORVUS COB 60°		12 W	WH,WW,NW	LCOBD12	2300	2090	20
		Dimension: 107mm x 78mm Ceiling Cut-out: Ø 92mm					
CORVUS COB 60°		18 W	WH,WW,NW	LCOBD18	2850	2690	20
		Dimension: 135mm x 80mm Ceiling Cut-out: Ø 115mm					
		24 W	WH,WW,NW	LCOBD24	3750	3580	20
Dimension: 136mm x 88mm Ceiling Cut-out: Ø 116mm							
30W	WH,WW,NW	LCOBD30	3950	3790	20		
Dimension: 160mm x 98mm Ceiling Cut-out: Ø 140mm							

## CORVUS DEEP COB LED LIGHTS

CORVUS Pin Hole Deep COB 24°		12 W	WH,WW,NW	LCOBPH12	2090	1890	20
Dimension: Ø 88mm x 100mm (H) Ceiling Cut-out: Ø 73mm							
CORVUS Honey Comb Deep COB 24°		12 W	WH,WW,NW	LCOBHC12	2480	2140	20
Dimension: Ø 88mm x 110mm (H) Ceiling Cut-out: Ø 70mm							
CORVUS Square Deep COB 24°		12 W	WH,WW,NW	LCOB12SQ	2350	1990	20
Dimension: 92mm x 92mm x 85mm (H) Cut-out: 80mm x 80mm							
CORVUS Square Deep COB 24°		24 W	WH,WW,NW	LCOB212SQ	4460	3980	10
Dimension: 172mm x 92mm x 85mm (H) Cut-out: 155mm x 80mm							


































## CORVUS MINI LINEAR LED COB LIGHTS

CORVUS LINEAR COB Lights		2 W	WH,WW,NW	LCOB102SQ	490	440	50
		2 W	WH,WW,NW	LCOBB102SQ	490	440	50
Dimension: 35mm x 35mm x 35mm (H) Ceiling Cut-out: 32mm x 32mm							
CORVUS LINEAR COB Lights		8 W	WH,WW,NW	LCOB402SQ	990	910	50
		8 W	WH,WW,NW	LCOBB402SQ	990	910	50
Dimension: 54mm (L) x 36mm (H) Ceiling Cut-out: 45mm x 45mm							
CORVUS LINEAR COB Lights		6 W	WH,WW,NW	LCOB302SQ	860	750	50
		6 W	WH,WW,NW	LCOBB302SQ	860	750	50
Dimension: 67mm x 29mm x 36mm (H) Ceiling Cut-out: 65mm x 25mm							
CORVUS LINEAR COB Lights		12 W	WH,WW,NW	LCOB602SQ	1090	980	50
		12 W	WH,WW,NW	LCOBB602SQ	1090	980	50
Dimension: 125mm x 30mm x 36mm Ceiling Cut-out: 120mm X 25mm							
CORVUS LINEAR COB Lights		18 W	WH,WW,NW	LCOBB902 BK	1590	1480	50
		18 W	WH,WW,NW	LCOBB902 RG	1590	1480	50
Dimension: 73mm x 73mm x 37mm Ceiling Cut-out: 67mm x 67mm							

\*C: Commercial Luminaries and Fixtures | Suitable for operating 12-16 Hrs./day.

▲ NOTE: All other products mentioned here in pricelist are for domestic usage only. Suitable for operating 10-12 Hrs./day.

\*Dimmer to be purchased separately.

CORVUS LINEAR LED COB LIGHTS 								CORVUS MINI LINEAR SURFACE LED COB LIGHT							
Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.	Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
CORVUS Linear COB Light		6 W	WH,WW,NW	LCOB106SQ Dimension : 65mm (L) x 65mm (W) x 45mm (H) Ceiling Cut-out : 55mm (L) x 55mm (W)	1180	1040	50	CORVUS Linear Surface COB Light		7 W	WW, NW	LCOBBSRR515SQ LCOBBSRR515SQ Dimension : 136mm x 35mm x 55mm	1250	1140	50
CORVUS Linear COB Light		18 W	WH,WW,NW	LCOB306SQ Dimension : 155mm (L) x 63mm (W) x 47mm (H) Ceiling Cut-out : 146mm (L) x 53mm (W)	2380	1940	50								
CORVUS Linear COB Light		30 W	WH,WW,NW	LCOB506SQ Dimension : 250mm (L) x 62.5mm (W) x 49mm (H) Ceiling Cut-out : 240mm (L) x 55mm (W)	3670	3190	50								
FERMO FOCUS LED LIGHTS															
FERMO Focus Light		1 W	WH, WW, NW	LSP01 SL LSP01 BK	860	740	100	FERMO Focus Light		3 W	WH, WW	LSP03	1180	980	50
FERMO Focus Light		1 W	WH, WW	LSP02 SL LSP02 PKW	860	740	100	FERMO Focus Light		18 W	WH, WW, NW	LSP18	3890	3420	8
FERMO Focus Light		3 W	WH, WW	LSP04 LSP04 BK	1040	940	50								
FISSO ZOOM LED LIGHTS 															
FISSO Zoom Light 24°		7 W	WH, WW, NW	LZCOB07 Dimension : 89mm x 55mm Ceiling Cut-Out : Ø 80mm	1680	1260	20	FISSO Zoom Light 24°		50 W	WH, WW, NW	LZCOB50 Dimension : 200mm x 150mm Ceiling Cut-Out : Ø 180mm	6850	5940	8
		18 W	WH, WW, NW	LZCOB18 Dimension : 140mm x 115mm Ceiling Cut-Out : Ø 125mm	2680	1880	20	FISSO Zoom Light 80°		50 W	WH, WW, NW	LZCOB50SQ Dimension : 245mm x 146mm x 100mm Ceiling Cut-Out : 213mm x 213mm	6850	5940	8
		35 W	WH, WW, NW	LZCOB35 Dimension : 155mm x 120mm Ceiling Cut-Out : Ø 148mm	3780	3370	12	FISSO Zoom Light 24° (Anti-glare)		12 W	WH, WW, NW	LAZCOB12 Dimension : Ø 100mm x 124mm Ceiling Cut-Out : Ø 98mm	3890	3390	20
DOMO CEILING LED LIGHTS															
DOMO Ceiling Light		18 W	WH / WW	LCL18S	1690	1690	12/6	Modular Ceiling Light		7 W	WH / WW	LCL07R	490	490	100
FUERA LED DOWNLIGHTS - OUTDOOR Series – IP54															
FUERA Downlight		5 W	WH	LDR4405 Dimension: 88mmx26mm Ceiling Cut-out: Ø90mm	1650	1390	30	FUERA Downlight		12 W	WH, NW	LDR4412 Dimension : 145mm x 27mm Ceiling Cut-out : Ø 130mm	2980	2650	30
		5 W	NW	LCOB4405 Dimension: 64mmx47mm Ceiling Cut-out: Ø55mm	1980	1850	50								
FUOCO FOCUS COB LED LIGHTS 															
FUOCO Focus COB Light 60°		7 W	WH, WW, NW	LSP07N	1285	1190	20	FUOCO Focus COB Light 60°		7 W	WH, WW, NW	LSP07N BK	1285	1190	20
FUOCO Focus COB Light 60°		18 W	WH, WW, NW	LSP18N	2190	1890	10	FUOCO Focus COB Light 60°		18 W	WH, WW, NW	LSP18N BK	2190	1890	10
FUOCO Focus COB Light 60°		30 W	WH, WW, NW	LSP30	3240	2790	10	FUOCO Focus COB Light 60°		30 W	WH, WW, NW	LSP30 BK	3240	2790	10
FUOCO TRACK LED LIGHTS 															
FUOCO Track Light (Body Color BK, WH)		24 W	WH,WW,NW	LSPT24 (60°)	1980	1750	8	Track Connector		Straight	WH BK	LTJS LTJS BK	240 240	195 195	100 100
		24 W	WH,WWW,NW	LSPT24S (36°)	1980	1750	20			L Shape	WH BK	LTJL LTJL BK	290 290	240 240	100 100
Channel for Track Light		1 meter	WH BK	1 MTR TRACK	630	530	20		T Shape		WH BK	LTJT LTJT BK	380 380	330 330	100 100
			BK	1 MTR TRACK BLACK	630	530	20								
		2 meter	WH BK	2 MTR TRACK	1350	1050	20								
			BK	2 MTR TRACK BLACK	1350	1050	20								

# FUOCO TRACK LED LIGHTS (New Model)



Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.	Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
FUOCO Track Light 60°		12W	WH,WW,NW	LSPT12S N	1280	1060	50	FUOCO Track Light 60°		12W	WH,WW,NW	LSPT12S B N	1280	1060	50
		18 W	WH,WW,NW	LSPT18S N	1590	1390	30			18 W	WH,WW,NW	LSPT18S B N	1590	1390	30
		24W	WH,WW,NW	LSPT24S N	1980	1750	20			24W	WH,WW,NW	LSPT24S B N	1980	1750	20
		30 W	WH,WW,NW	LSPT30S N	2360	2070	20			30 W	WH,WW,NW	LSPT30S B N	2360	2070	20

## FUOCO LINEAR LED TRACK LIGHTS



FUOCO LINEAR Track Light		26W	WW, NW	LSPTLN26	2550	2150	--
		Dimension : 466mm x 45mm x 33mm					

## FUOCO MAGNETIC LED TRACK LIGHTS



FUOCO MAGNETIC Diffuser Type Track Light		20W	WW, NW	LMTLN20	2190	1980	--
		Dimension: L: 600 x W: 22 x H: 25mm					

## FUOCO MAGNETIC LED TRACK LIGHTS



FUOCO MAGNETIC LENS Type Track Light		6W	WW, NW	LMTLN06	1370	1190	--
		Dimension: L:108 x W: 22 x H: 25 mm					
FUOCO MAGNETIC LENS Type Track Light		18W	WW, NW	LMTLN18	2270	1980	--
		Dimension: L: 322 x W: 22 x H: 25 mm					
FUOCO MAGNETIC LENS Type FOLDABLE Track Light		12W	WW, NW	LMTLN12A	2740	2480	--
		Dimension : L: 220 x W: 22 x H: 115 mm					

FUOCO MAGNETIC SPOT Track Light		10W	WW, NW	LMTSP10	2870	2540	--
		Dimension: 48mm x 125mm					
FUOCO MAGNETIC SPOT Track Light		20W	WW, NW	LMTSP20	3780	3350	--
		Dimension : 58mm x 155mm					
FUOCO MAGNETIC SPOT Track Light		9W	WW, NW	LMTSP09	4460	3890	--
		Dimension: 95mm x 34mm					

## MAGNETIC CONCEALED TRACK CHANNEL

FUOCO MAGNETIC CONCEALED Track Channel		1 mtr	BLACK	LMTCHRC1MBK	1990	1750	--
		Dimension: 1000 mm (L) x 70 mm (W) x 53.5 mm (H)					
FUOCO MAGNETIC CONCEALED Track Channel		2 mtr	BLACK	LMTCHRC2MBK	3980	3560	--
		Dimension: 2000 mm (L) x 70 mm (W) x 53.5 mm (H)					

## MAGNETIC SURFACE TRACK CHANNEL

FUOCO MAGNETIC SURFACE Track Channel		1 mtr	BLACK	LMTCH1MBK	2950	2580	--
		Dimension: 1000 mm (L) x 26.5 mm (W) x 53.5 mm (H)					
FUOCO MAGNETIC SURFACE Track Channel		2 mtr	BLACK	LMTCH2MBK	5940	5160	--
		Dimension: 2000 mm (L) x 26.5 mm (W) x 53.5 mm (H)					

## CONCEALED PROFILE FIXING CLAMP

FUOCO CONCEALED PROFILE Fixing Clamp		--	--	LMTRCL	150 per Set	130 per Set	--
--------------------------------------	--	----	----	--------	-------------	-------------	----

## SURFACE PROFILE FIXING CLAMP

FUOCO MAGNETIC PROFILE Fixing Clamp		--	--	LMTCL	150	140	--
-------------------------------------	--	----	----	-------	-----	-----	----

## MAGNETIC CONCEALED CORNER

FUOCO CONCEALED CORNER Horizontal		--	--	LMTRHCR	1390	1140	--
FUOCO CONCEALED CORNER Vertical		--	--	LMTRVCR	1390	1140	--

## MAGNETIC SURFACE CORNER

FUOCO MAGNETIC HORIZONTAL Corner Surface			BLACK	LMTHCR	890	790	--
		Dimension: 80 mm x 80 mm					
FUOCO MAGNETIC VERTICAL Corner Surface			BLACK	LMTVCR	890	790	--
		Dimension: 80 mm x 80 mm					

## WIRE CONNECTOR - START / STRAIGHT / CORNER

WIRE CONNECTOR START		--	BLACK	LMTHCNC	530	460	--
WIRE CONNECTOR STRAIGHT		--	BLACK	LMTICNC	640	570	--
WIRE CONNECTOR CORNER		--	BLACK	LMTH4CNC	830	730	--

## HANGING ACCESSORIES FOR SURFACE PROFILE

FUOCO HANGING ACCESSORIES for Surface Profile		--	--	LMTSHK	760 per Set	680 per Set	--
---	--	----	----	--------	-------------	-------------	----

## MAGNETIC LED DRIVER

FUOCO MAGNETIC LED DRIVER		48V 100W	BLACK	LMTDR100	3180	2860	--
		Dimension : L: 220 x W: 23 x H: 26 mm					
FUOCO MAGNETIC LED DRIVER		48V 200W	BLACK	LMTDR200	4920	4380	--
		Dimension : L: 310 x W: 23 x H: 26mm					

\*C: Commercial Luminaries and Fixtures | Suitable for operating 12-16 Hrs./day.

▲ NOTE: All other products mentioned here in pricelist are for domestic usage only. Suitable for operating 10-12 Hrs./day.

# FUOCO ULTRA-THIN MAGNETIC LED TRACK LIGHTS (Available in White / Black Body)



Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.	Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
FUOCO Ultra-thin Magnetic Track Rail		1 M	WHITE	LMTCH1MUT WH	1130	980	--	FUOCO Ultra-thin Magnetic Track Rail		2 M	WHITE	LMTCH2MUT WH	2150	1890	--
			BLACK	LMTCH1MUT BK	1130	980	--				BLACK	LMTCH2MUT BK	2150	1890	--
FUOCO Ultra-thin Magnetic Track Light		8 W	WH, WW, NW 400mm (L)	LMTLN08UT WH	2150	1880	-	FUOCO Starting Connector		-	-	LMTSCUT WH	380	330	-
				LMTLN08UT BK								LMTSCUT BK			
FUOCO Ultra-thin Magnetic Track Light		16 W	WH, WW, NW 600mm (L)	LMTLN16UT WH	3690	3270	-	FUOCO I-Connector		-	-	LMTICUT WH	295	270	-
				LMTLN16UT BK								LMTICUT BK			
FUOCO Ultra-thin Magnetic Track Light		6 W	WH, WW, NW 300mm (L)	LMTLN06UT WH	1890	1680	-	FUOCO Horizontal L-Connector		-	-	LMTLHCUT WH	380	340	-
				LMTLN06UT BK								LMTLHCUT BK			
FUOCO Ultra-thin Magnetic Track Light		5 W	WH, WW, NW 115mm (L)	LMTSP05UT WH	2490	2260	-	FUOCO Vertical L-Connector		-	-	LMTVLCUT WH	390	350	-
				LMTSP05UT BK								LMTVLCUT BK			
FUOCO Ultra-thin Magnetic Track Light		10 W	WH, WW, NW 115mm (L)	LMTSP10UT WH	2870	2560	-	FUOCO T-Connector		-	-	LMTTCUT WH	420	370	-
				LMTSP10UT BK								LMTTCUT BK			
FUOCO Ultra-thin Magnetic Track Light		6 W	WH, WW, NW 132mm (L)	LMTLN06AUT WH	2870	2560	-	FUOCO		100 W	WHITE	LMTDR100UT WH	4280	3860	-
				LMTLN06AUT BK							BLACK	LMTDR100UT BK			
FUOCO Ultra-thin Magnetic Track Light		12 W	WH, WW, NW 245mm (L)	LMTLN12AUT WH	3740	3370	-	FUOCO		200 W	WHITE	LMTDR200UT WH	5950	5420	-
				LMTLN12AUT BK						200 W	BLACK	LMTDR200UT BK			

## AMPIO STRIP DRIVER - 12V DC



Product Name	Photo	Ampere	Product Code	MRP ₹	*DLP ₹	Std. Pkg.	Product Name	Photo	Ampere	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
AMPIO Strip Driver 12V		2 Amps / 24W Dimension : 97 x 37 x 26mm	LSD02	750	540	100	AMPIO Strip Driver 12V		12.5 Amps / 150W Dimension : 217 x 52 x 30mm	LSD12	1890	1650	40
		3 Amps / 36W Dimension : 134 x 40 x 30mm	LSD03	940	690	100			16 Amps / 192W Dimension : 212 x 63 x 30mm	LSD16	2380	1980	30
AMPIO Strip Driver 12V		5 Amps / 60W Dimension : 135 x 40 x 30mm	LSD05	1140	880	50	AMPIO Strip Driver 12V		20 Amps / 240W Dimension : 212 x 63 x 30mm	LSD20	2880	2360	30
		8 Amps / 96W Dimension : 176 x 46 x 30mm	LSD08	1680	1360	50			30 Amps / 360W Dimension : 282 x 63 x 30mm	LSD30	3480	3090	30

## AMPIO STRIP DRIVER - 24V DC (IP20)



AMPIO Strip Driver 24V (IP20)		3 Amps / 72W Dimension : 151 x 47 x 30mm	LSD0324	1340	1160	100	AMPIO Strip Driver 24V		10 Amps / 240W Dimension : 212 x 63 x 30mm	LSD1024	2890	2370	100
		5 Amps / 120W Dimension : 217 x 63 x 30mm	LSD0524	1980	1640	100	AMPIO Strip Driver 24V		12.5 Amps / 300W Dimension : 252 x 61 x 30mm	LSD1224	3280	2780	100

## AMPIO OUTDOOR LED STRIP DRIVE - 24V DC (IP65)



AMPIO Outdoor LED Drive 24V DC (IP65)		3 Amps / 72W Dimension : 80 x 60 x 25mm	LUWD3	1540	1360	1	AMPIO Strip Driver 24V		8 Amps / 192W Dimension : 124 x 62 x 28mm	LUWD8	3100	2650	1
		5 Amps / 120W Dimension : 100 x 62 x 25mm	LUWD5	2260	1950	1							

## LED STRIP - INDOOR

Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.	Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
<b>VERO INDOOR STRIP - 2835 - 12V</b> <span style="float: right;">C*</span>								<b>LORO INDOOR STRIP - 5050 - 12V</b> <span style="float: right;">C*</span>							
VERO LED Strip Indoor		6 W 12V 60 LED per meter	WH,WW,NW Blue, Red, Green	LS2835	90 per mtr	80 per mtr	25 mtr	LORO LED Strip Indoor		14.6 W 12V 60 LED per meter	WH,WW,NW Blue, Green Red	LS5050	290 per mtr	250 per mtr	20 mtr
VERO LED Strip Indoor		6 W 12V 60 LED per meter	Pink	LSI2835	98 per mtr	90 per mtr	25 mtr	LORO LED Strip Indoor		14.6 W 12V 60 LED per meter	Pink/RGB	LSI5050	380 per mtr	340 per mtr	20 mtr
<b>VERO INDOOR STRIP - 24V</b> <span style="float: right;">C*</span>															
VERO LED Strip Indoor (24V)		10 W 24V 120 LED per meter	WW,NW	LPLS120 24V	290 per mtr	220 per mtr	5 mtr	VERO LED Strip Indoor (24V)		18 W 24V 240 LED per meter	WW,NW	LPLS240 24V	450 per mtr	310 per mtr	5 mtr

## LED STRIP - OUTDOOR - IP65

CAPO OUTDOOR STRIP - IP65															
CAPO LED Strip Outdoor		8W/220V 120 LED per mtr 10W/220V	WH,RD,GR,PK	LSO2835 220V	180 per mtr	140 per mtr	50 mtr	CAPO LED Strip Outdoor		14.4 W 220V 60 LED per meter	RGB	LSO5050 RGB	560 per mtr	490 per mtr	50 mtr
CAPO LED Strip Outdoor		10W/MTR	WH,WW,NW RD,BL,PK,GR	LSO2835 N2 220V	160 per mtr	150 per mtr	50 mtr	CAPO LED Strip Outdoor		10W/MTR	RGB	LSO2835 N 220V RGB	240 per mtr	190 per mtr	50 mtr
CAPO LED Strip Outdoor		14.4 W 220V 60 LED per mtr	WH, WW Blue, Red, Green	LSO5050	370 per mtr	320 per mtr	50 mtr	CAPO LED Strip (24V) IP54		6W 24V 120 LED per meter	WH WW	LSO54	380 per mtr	340 per mtr	50 mtr

### NERO - NEON FLEXIBLE STRIP OUTDOOR - IP65

NERO Neon LED Strip Outdoor		8W 220V 120 LED per mtr	WH,WW,NW,BL Red,Green,Pink	LSO2835	360 per mtr	310 per mtr	50mtr.
				LSO2835	460 per mtr	390 per mtr	50mtr.

### OUTDOOR STRIP IP65 24V

LED Strip Outdoor 24V		20W 24V	RGBW (W=6000K)	LSO68 RGBW	1350 per mtr	1160 per mtr	10 mtr.
-----------------------	--	------------	-------------------	------------	-----------------	-----------------	------------

### CAPO OUTDOOR RUNNING STRIP - IP65 24V

CAPO Outdoor Running Strip Set (24V)		8Wx10mtr 24V 120 LED per mtr Running Strip set (10 mtr. Strip + 1 no. controller)**	WW, BL	LSO68 RN CTL	9590	9590	1 Set	CAPO LED Running Strip 24V		8W 24V 120 LED per meter	WW, BL	LSO68 RN	830 per mtr	660 per mtr	10 mtr.
--------------------------------------	--	--	--------	--------------	------	------	----------	----------------------------	--	--------------------------------	--------	----------	----------------	----------------	------------

## LED STRIP - OUTDOOR - IP68 24V

CAPO OUTDOOR STRIP - IP68								CAPO OUTDOOR SILICONE PROFILE with LED STRIP (IP68)							
CAPO LED Strip Outdoor (24V) IP68		12W 24V 120 LED per mtr	WW	LSO68	650 per mtr	560 per mtr	10 mtr	CAPO Outdoor Silicone Profile (24V)		10W/24V	WW	LSO2835X24V	950 per mtr	840 per mtr	50
<b>NERO - NEON FLEXIBLE STRIP OUTDOOR - IP68</b>								<b>120 LED per mtr Silicone Profile with LED Strip (Ip68)</b>							
NERO Neon LED Strip Outdoor (24V) IP68		7W 24V 120 LED per mtr	WW,NW	LSO283524V	580 per mtr	520 per mtr	50 mtr								

## ACCESSORIES

RGB CONTROLLER															
AMPIO RGB Controller		6 Amps		LSRGB06	550	480	90	AMPIO RGB Controller		12 Amps		LSRGB12	1380	1220	50
										30 Amps		LSRGB30	2960	2290	50
STRIP CONNECTOR - OUTDOOR															
Neon LED Strip Connector		220V	All colors	LSOC2835	180	160	1	LED Strip Outdoor Connector		220V	WH, WW, Blue	LSOC5050	180	160	1
										220V	RGB	LSOC5050RGB	390	390	1
LED OUTDOOR STRIP (IP68) - ACCESSORIES															
CAPO LED Outdoor Strip Connector		-	-	LSOC2835 ECN2 220V	190	190	-	CAPO LED Outdoor Strip Connector		-	-	LSOC2835 ECN 220 RGB	290	290	-
CAPO LED Outdoor Strip Connector		220V	All colors	LSO2835 220V* LSOC2835 ECN 220V*	150	150	1	LSO68 Connector with End Cap			WH	LSOC68	80	40	1
				LSO2835N 220V*	190	190	1								
CAPO OUTDOOR RUNNING STRIP (IP65), CONTROLLER & ACCESSORIES**															
CAPO End Cap			End Cap (Big / Small)	LSO68RN EC	25	25	1	CAPO Running Strip Controller				LSO68 CTL	1550	1380	1
Mounting Clamp				LSOCL2835	15	15	per piece	CAPO Connecting Wire		Connecting Wire (Male/Female) +Big End Cap+ Small End Cap		LSO68RN WR	90	80	1
				LSOCLP5050	10	10									

\*C: Commercial Luminaries and Fixtures | Suitable for operating 12-16 Hrs./day.

▲ NOTE: All other products mentioned here in pricelist are for domestic usage only. Suitable for operating 10-12 Hrs./day.

\*LSOC2835 220V to be used with Orange Packing Strip. LSOC2835ECN220V to be used with Black packing Strip.

\*\* To be used with 24V Power Supply.

CAPO RUNNING STRIP AMPLIFIER 								STRADA SLEEK NEO LED STREET LIGHTS 							
Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.	Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
CAPO Running Strip Amplifier		24V	4 OUTPUT (Rating)	LSO68RNAMP	1950	1780	1	STRADA SLEEK NEO Street Light  (Integrated PC, lens optics, ADC Body)		50 W	WH, WW	LSTE050S	2150	1730	10
<b>AMPIO RGB STRIP AMPLIFIER </b>										60 W	WH, WW	LSTE060S	2370	1930	10
AMPIO RGB Strip Amplifier		12V/24V	10A x 3CH (Max 30A) (Rating)	LSRGB30AMP	1980	1850	1			90 W	WH, WW	LSTE090S	3550	3170	10
<b>NEW STRADA P1 SENSOR LED STREET LIGHTS </b>										100 W	WH, WW	LSTE100S	3740	3280	10
STRADA P1 Street Light		30 W	Light Sensor	LST030LN P1 SENSOR	3970	3450	1			120 W	WH, WW	LSTE120S	3950	3580	10
STRADA P1 Street Light		45 W	Light Sensor	LST045LN P1 SENSOR	4250	3690	1			150 W	WH, WW	LSTE150S	5890	4980	10
STRADA P1 Street Light		60 W	Light Sensor	LST060LN P1 SENSOR	4890	4350	1	<b>ALCOR SG LED FLOOD LIGHTS </b>							
<b>STRADA LNS LED STREET LIGHTS </b>								ALCOR SG Flood Light		10 W	WH, WW	LFLSL10NSG	1380	1090	20
Toughened Glass, Secondary lens optics, ADC Body		60 W	WH	LST060 LN S	3700	3250	-	ALCOR SG Flood Light		20 W	WH, WW GR, BL RGB	LFLSL20NSG LFLSLR20N SG	1980 1980 2420	1740 1850 2200	20
		90 W	WH	LST090 LN S	5760	4980	-	ALCOR SG Flood Light		30 W	WH, WW GR RGB	LFLSL30NSG LFLSLR30N SG	2790 2790 2680	2240 2240 2680	10
		120 W	WH	LST120 LN S	6350	5490	-	ALCOR SG Flood Light		50 W	WH, WW GR, BL RGB	LFLSL50NSG LFLSLR50N SG	3450 3140 3440	2880 2840 3440	10
<b>STRADA SLEEK LED STREET LIGHTS </b>								ALCOR SG Flood Light		80 W	WH	LFLSL80NSG	5750	4950	10
Integrated PC lens optics, ADC Body		80 W	WH	LSTE080	3450	3180	10	ALCOR SG Flood Light		100 W	WH, WW	LFLSL100NSG	6480	5060	5
		200 W	WH, WW	LSTE200	8900	7950	8	ALCOR SG Flood Light		150 W	WH, WW	LFLSL150NSG	9950	7940	5
<b>STRADA SLEEK NEO LED STREET LIGHTS </b>								ALCOR SG Flood Light		200 W	WH, WW	LFLSL200NSG	13700	10700	5
STRADA SLEEK NEO Street Light		20 W	WH, WW	LSTE020S	1350	1150	10	ALCOR SG Flood Light		250 W	WH	LFLSL250NSG	18800	16300	1
		30 W	WH, WW	LSTE030S	1580	1340	10	ALCOR SG Flood Light		300 W	WH	LFLSL300NSG	22500	19740	1
		36 W	WH, WW	LSTE036S	1790	1470	10	ALCOR SG Flood Light		400 W	WH	LFLSL400NSG	27800	24300	1
										500 W	WH	LFLSL500NSG	32800	28740	1

ALCOR LN LED FLOOD LIGHTS – LENS 								ALCOR LNS SLEEK (LENS TYPE) LED FLOOD LIGHTS							
Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.	Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
ALCOR LN Flood Light		30 W	WW	LFL30LN	2780	2430	--	ALCOR LNS SLEEK Flood Light		100 W	WH, WW	LFL100LNS	3930	3440	10
ALCOR LN Flood Light		50 W	WH, WW	LFL50LN	3350	2820	--	ALCOR LNS SLEEK Flood Light		150 W	WH, WW	LFL150LNS	5960	5190	10
ALCOR LN Flood Light		100 W	WH, WW BL, GR	LFL100LN	5450 5600	4850 5090	- -		ALCOR LNS SLEEK Flood Light		200 W	WH, WW	LFL200LNS	6980	5990
ALCOR LN Flood Light		150 W	WH, WW	LFL150LN	7550	6850	-	300 W		WH	LFL300LNS	11970	10750	10	
								400 W		WH	LFL400LNS	16600	14570	10	
ALCOR SLEEK LED FLOOD LIGHT 								ENDEAVOUR LED FLOOD LIGHTS 							
ALCOR Sleek Flood Light		10 W	WH	LFLSL10 BK	990	970	20	ENDEAVOUR Flood Light High Lumen		150 W	WH	LFLHL150	19890	19890	1
ALCOR Sleek Flood Light		120 W	WH, WW	LFLSL120 BK	7960	7900	1		200 W	WH	LFLHL200	23990	23990	1	
ALCOR Sleek Flood Light		300 W	WH	LFLSL300 BK	18800	18500	1	ENDEAVOUR Flood Light High Lumen		300 W	WH	LFLHL300	36980	36980	1
									350 W	WH	LFLHL350	42990	42990	1	
ALCOR LFL LED FLOOD LIGHTS								NELLA IP65 LED TUNNEL LIGHTS 							
ALCOR LFL Flood Light		10 W	BL	LFL10	1480	1390	--	NELLA Tunnel Light High Lumen		30 W	WH	LFLHL30	5970	5970	10
ALCOR LFL Flood Light		20 W	BL, GR	LFL20	2750	2620	16		NELLA Tunnel Light High Lumen		50 W	WH	LFLHL50	6860	6860
ALCOR LFL Flood Light		30 W	WH BL, GR	LFL30	2590 2980	2410 2890	16								
ALCOR LFL Flood Light		50 W	WH, BL, GR	LFL50 LFLR50	3480 4650	3370 4310	10								
ALCOR LFL Flood Light SENSOR		50 W	WH	LFL50SEN***	4850	4710	10								
ALCOR Flood Light COB 9°		20 W	WH	LFLCOB20	2435	2390	10								
		50 W	WH, WW	LFLCOB50	5350	5290	10								
ALCOR LNS SLEEK (LENS TYPE) LED FLOOD LIGHTS								FARO WELL GLASS LED LIGHTS 							
ALCOR LNS SLEEK Flood Light		30 W	WH, WW	LFL30LNS	1790	1580	10	FARO Well Glass Lights (2 Year Warranty)		40 W	WH	LW040	2750	2360	12
ALCOR LNS SLEEK Flood Light		50 W	WH, WW	LFL50LNS	2190	1940	10	FARO Well Glass Lights (2 Year Warranty)		70 W	WH	LW070	3990	3480	8

\*C: Commercial Luminaries and Fixtures | Suitable for operating 12-16 Hrs./day.

▲ NOTE: All other products mentioned here in pricelist are for domestic usage only. Suitable for operating 10-12 Hrs./day.

\*\*\*In-built Ambient light sensor.

## CENNO CANOPY LED LIGHTS C\* AVIOR HIGH BAY LED LIGHTS - OUTDOOR C\*

Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
CENNO Canopy Lights		80 W	WH	LPBO80	11800	11800	1
CENNO Canopy Lights		80 W	WH	LPBO80N	9450	7680	1

Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
AVIOR High Bay Outdoor		50 W	WH WW	LOHY050 LN	4350	4240	1
		100 W	WH WW NW	LOHY100 LN	5560	5320	1
		120 W	WH	LOHY120 LN	6460	6220	1
		150 W	WH	LOHY150 LN	5780	5680	1
		200 W	WH	LOHY200 LN	8260	7730	1

### ARCO WALL WASHER LED LIGHTS (IP-65) C\*

ARCO Narrow Beam Light 10°		10 W	WH	LODWW10R	3760	3560	20
		10 W	BL, GR	LODWW10	3760	3760	20
		18 W	BL	LODWW18R	4650	4650	20
ARCO Narrow Beam Light 10°		12 W	WW	LODWW12R	2850	2450	20
ARCO Narrow Beam Light 10°		18 W	BL, GYD	LODWW18SQ	12860	10700	20
ARCO Linear Wall Washer (0.5 mtr) 30°		12 W	BL, WW	LODWW12	4250	4250	20
ARCO Linear Wall Washer (1 mtr) 30°		36 W	WH	LODWW36	9980	8950	10
24V LED 1 Meter Linkable Linear Wall Washer (IP65)		36 W	WW	LLWW36-24V	4480	4350	-

\* Suitable with 24V DC power supply only  
 \* Maximum number of linkable fixtures can only be 4  
 Drive is not included and must be purchased separately.

### AVIOR OUTDOOR LED HIGHBAY LIGHT (WATTAGE SELECTABLE / DIMMABLE) C\*

AVIOR High Bay Outdoor (3-IN-1 Wattage Selectable)		100W / 150W / 200W	WH	LOHY200 N3	10800	9980	1
				Reflector Type	12960	11480	1

1-10V DIMMABLE  
 Optional : Microwave sensor for dimming

### AVIOR LOW BAY & HIGH BAY LED LIGHTS - INDOOR C\*

AVIOR Low Bay Commercial Indoor		40 W	WH	LHBYC40	3950	3440	4
AVIOR High Bay Industrial Indoor		100 W	WH	LHBY100 N	9280	7970	6
AVIOR High Bay Industrial Indoor		150 W	WH	LHBY150	12900	11780	1
		200 W	WH	LHBY200	16500	12850	1

### AVIOR HIGH BAY LED LIGHTS - OUTDOOR

AVIOR Low Bay Industrial Lights (IP54)		(Suitable for Hanging Installation)	150 W	WH	LHBY150HL	19800	19800	1
--	--	-------------------------------------	-------	----	-----------	-------	-------	---

### AVIOR HIGH BAY LED LIGHTS - OUTDOOR C\*






























AVIOR High Bay Outdoor		50 W	WH	LOHY50FL	4790	4490	1
		100 W	WH	LOHY100FL	6680	5780	1
		150 W	WH	LOHY150FL	9250	7990	1

### SOLTERO LED SOLAR LIGHTS

SOLTERO Solar Sensor Wall Light		20Lm	WW	LWLSOL01	1180	930	80
SOLTERO Solar Sensor Premium Wall Light		132Lm	WH	LWLSOL02	1290	1040	100
SOLTERO Solar Sensor Premium Wall Light		240Lm	WH	LWLSOL04	2650	2090	50
SOLTERO Solar Sensor Mini-Flood Light		1600Lm	WH	LFLSOL01	3870	3180	60
SOLTERO Solar Garden Light		120Lm	WW	LGLSOL01	2450	1950	10
SOLTERO Solar Garden Light		120Lm	WW	LGLSOL02	2450	1950	10
SOLTERO Solar Wall Light		3 W	WW	LWLSOL03	2480	2250	20
SOLTERO Solar Garden Light		6 W	WH+WW (2-IN-1)	LGLSOL03	5450	4480	10

PIR Sensor: Light will automatically turn ON upon detecting movement and turn OFF afterward.



SOLTERO LED SOLAR LIGHTS								MIRROR LIGHTS							
Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.	Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
SOLTERO LED SOLAR STREET LIGHT  (MULTIPLE FUNCTION MODES / TIMER / BRIGHTNESS CONTROL USING REMOTE)		3300LM	WH	LSTDSOL250	11870	10400	1	LITA T10		14 W	3 IN 1	LMR14 3 IN 1	970	780	-
	Dimension: 486 x 210 x 70 mm (Fixing bracket included)								LITA T11		12W	3 IN 1	LMAD12 3 IN 1 WH	1980	1690
SOLTERO LED SOLAR FLOOD LIGHT  (MULTIPLE FUNCTION MODES / TIMER / BRIGHTNESS CONTROL USING REMOTE)		4800LM	WH	LSTSOL240	9980	8950	4	YOTA F1			12 W	WH, WW	LMR10	2960	2580
	Dimension: 300 x 452 x 62 mm Pipe Dia.: 50mm 								YOTA F2		12 W	WH, WW	LMJL12	4550	3850
SOLTERO LED SOLAR STREET LIGHT  (MULTIPLE FUNCTION MODES / TIMER / BRIGHTNESS CONTROL USING REMOTE)		650LM	WH	LFLSOL50	3480	2990	10	YOTA F3			6 W	WW	LIWL6	4130	3440
	Dimension: 232 x 175 x 53 mm								YETTA I-1		6 W	WH, WW	LADMR6	2870	2390
SOLTERO LED SOLAR STREET LIGHT  (MULTIPLE FUNCTION MODES / TIMER / BRIGHTNESS CONTROL USING REMOTE)		2700LM	WH	LFLSOL200	8850	7750	5	YETTA I-2			12 W	WH, WW	LADMR12	3560	3080
	Dimension: 352 x 280 x 62 mm								YETTA I-3		6 W	WW	LIMR6	3440	2860
SOLTERO Solar Street Light		24 W	WW	LSTSOL24N	7790	6280	8	YETTA I-4 Light			12 W	WW	LIMR12	4540	3780
SOLTERO Solar Street Light		18 W	WH	LSTSOL18NL	5940	4750	8		ZITA ADJUSTABLE ARCHITECTURAL MIRROR LIGHT		6W	3 IN 1	LMZR1	1680	1360
SOLTERO Solar Street Light		24 W	WH	LSTSOL24NL	7790	6280	8	ZITA ADJUSTABLE ARCHITECTURAL MIRROR LIGHT			12W	3 IN 1	LMZR2	2580	2150
SOLTERO Solar Street Light		30 W	WH	LSTSOL30NL	9680	7880	10		Dimension: 335 x 51x 107 mm Body Color: Matt Black with Rose Gold Trim						
MIRROR LIGHTS								INDOOR WALL LIGHTS							
Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹		Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
LITA T1		9 W	3 IN 1	LM3C9 3 IN 1	1390	1120		NERA SINGLE		9 W	WH, WW	LWL102-1	2780	2450	-
LITA T2		18 W	3 IN 1	LM3C18 3 IN 1	1750	1490			NERA DOUBLE		18 W	WH, WW	LWL102-2	5580	4915
LITA T5		12 W	3 IN 1	LMR12 3IN1	2280	1890		ZORA SINGLE			12 W	WW	LWL103-1	2680	2330
LITA T7		12 W	WH, WW	LMCL12	4850	3980									
LITA T8		18 W	WH, WW	LMCL18	5950	4980									
LITA T9		9 W	3 in 1	LMRT9 3 IN 1	1490	1280									

# INDOOR WALL LIGHTS

Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹
ZORA DOUBLE		22 W	WW	LWL103-2	4980	4530	MABEL GWL 2		E-27 Holder (Without lamp)		LWL31-2 Base: Oakwood	3270	2850
LEORA R1		12 W	WW	LWL104	2070	1820	BELLA GBL 1		E-27 Holder (Without lamp)		LWL32-1 Base: Rosewood	1890	1650
LEORA F1		12 W	WW	LWL105	2070	1820	BELLA GBL 2		E-27 Holder (Without lamp)		LWL32-2 Base: Rosewood	3640	3170
ANORA R3		30 W	WW	LWL106	3950	3680	BELLA GBC 1		E-27 Holder (Without lamp)		LWL33-1 Base: Rosewood	1890	1650
ANORA F3		30 W	WW	LWL107	3490	3180	BELLA GBC 2		E-27 Holder (Without lamp)		LWL33-2 Base: Rosewood	3640	3170
ANORA S2		20 W	WW	LWL108	3180	2860	BELLA GBA 1		E-27 Holder (Without lamp)		LWL34-1 Base: Rosewood	1890	1650
MAIRA GPS1		7 W	WH, WW	LWL110-1	2090	1790	BELLA GBA 2		E-27 Holder (Without lamp)		LWL34-2 Base: Rosewood	3640	3170
MAIRA GPS2		14 W	WH, WW	LWL110-2	3990	3480	BELLA GBT 1		E-27 Holder (Without lamp)		LWL35-1 Base: Rosewood	1680	1460
MAIRA GPR1		7 W	WH, WW	LWL111-1	1410	1280	BELLA GBT 2		E-27 Holder (Without lamp)		LWL35-2 Base: Rosewood	3270	2850
MAIRA GPR2		14 W	WH, WW	LWL111-2	2630	2390	BELLA GBW 1		E-27 Holder (Without lamp)		LWL36-1 Base: Rosewood	1740	1460
MAIRA GSS1		7 W	WH, WW	LWL112-1	1530	1390	BELLA GBW 2		E-27 Holder (Without lamp)		LWL36-2 Base: Rosewood	3630	3170
MAIRA GSS2		14 W	WH, WW	LWL112-2	2850	2590	BELLA GBG 1		E-27 Holder (Without lamp)		LWL107-1 Base: Sand Silver	1740	1520
MAIRA G3D S1		7 W	WH, WW	LWL113-1	1940	1760	BELLA GBS 1		E-27 Holder (Without lamp)		LWL10-1 Base: Coffee Brown	1680	1480
MAIRA G3D S2		14 W	WH, WW	LWL113-2	3830	3480	BELLA GBS 2		E-27 Holder (Without lamp)		LWL10-2 Base: Coffee Brown	3190	2780
MAIRA G3D R1		7 W	WH, WW	LWL114-1	1970	1790	MIO GBS 1		E-27 Holder (Without lamp)		LWL23-1 Base: Coffee Brown	1680	1480
MAIRA G3D R2		14 W	WH, WW	LWL114-2	3720	3380	MIO GBS 2		E-27 Holder (Without lamp)		LWL23-2 Base: Coffee Brown	3190	2780
MABEL GWA 1		E-27 Holder (Without lamp)		LWL30-1 Base: Oakwood	1660	1460							
MABEL GWA 2		E-27 Holder (Without lamp)		LWL30-2 Base: Oakwood	3270	2850							
MABEL GWL 1		E-27 Holder (Without lamp)		LWL31-1 Base: Oakwood	1660	1460							

\*C: Commercial Luminaries and Fixtures | Suitable for operating 12-16 Hrs./day.

▲ NOTE: All other products mentioned here in pricelist are for domestic usage only. Suitable for operating 10-12 Hrs./day.

## INDOOR WALL LIGHTS

Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹
BONITO WS1		E-27 Holder (Without lamp)		LWL266-1 Base: Antique Gold	2980	2590	BONITO WS17		E-27 Holder (Without lamp)		LWL5225-1 Base: Antique Gold	1960	1770
BONITO WS2		E-27 Holder (Without lamp)		LWL268-1 Base: Antique Gold	2460	2150	BONITO WS18		E-27 Holder (Without lamp)		LWL414-1 Base: Antique Gold	2390	2080
BONITO WS3		E-27 Holder (Without lamp)		LWL46-1 Base: Gold	3170	2750	BONITO WS19		E-27 Holder (Without lamp)		LWL575-1 Base: Antique Gold	2270	2080
BONITO WS4		E-27 Holder (Without lamp)		LWL47-1 Base: Antique Gold	2480	2260	BONITO WS20		E-27 Holder (Without lamp)		LWL567-1 Base: Antique Brass	2270	2080
BONITO WS5		E-27 Holder (Without lamp)		LWL48-1 Base: Antique Gold	2170	1980	BONITO WS26		E-27 Holder (Without lamp)		LWLAG301-1 Base: Antique Gold	1980	1770
BONITO WS6		E-27 Holder (Without lamp)		LWL32-1 AG Base: Antique Gold	2280	2050	BONITO WS21 (Brass Body)		E-27 Holder (Without lamp)		LWL6001-1 Base: Antique Brass	4980	4750
BONITO WS7		E-27 Holder (Without lamp)		LWL57-1 Base: Antique Gold	2290	2080	BONITO WS22 (Brass Body)		E-27 Holder (Without lamp)		LWL60071 Base: Antique Brass	8950	8580
BONITO WS8		E-27 Holder (Without lamp)		LWL66-1 Base: Antique Gold	2960	2750	BONITO WS23 (Brass Body)		E-27 Holder (Without lamp)		LWL9099-1 Base: Antique Brass	7890	7570
BONITO WS9		E-27 Holder (Without lamp)		LWL67-1 Base: Antique Gold	2170	1980	BONITO WS24		E-27 Holder (Without lamp)		LWLAG36-1 Base: Antique Gold	2680	2470
BONITO WS10		E-27 Holder (Without lamp)		LWL75-1 Base: Antique Gold	2380	2070	BONITO WS25		E-27 Holder (Without lamp)		LWLAG84-1 Base: Antique Gold	1990	1780
BONITO WS11		E-27 Holder (Without lamp)		LWL115-1 Base: Antique Gold	1870	1690	MIKA WS1		E-27 Holder (Without lamp)		LWL271-1A Base: Antique Gold	1760	1580
BONITO WS12		E-27 Holder (Without lamp)		LWL135-1 Base: Antique Gold	2480	2270	MIKA WS2		E-27 Holder (Without lamp)		LWL271-2A Base: Antique Gold	2740	2580
BONITO WS13		E-27 Holder (Without lamp)		LWL58-1 Base: Antique Gold	1960	1780	MIKA WS3		E-27 Holder (Without lamp)		LWL130-1 Base: Antique Gold	1980	1770
BONITO WS14		E-27 Holder (Without lamp)		LWL68-1 Base: Antique Gold	1760	1590	MIKA WS4		E-27 Holder (Without lamp)		LWL8862 Base: Antique Gold	2750	2460
BONITO WS15		E-27 Holder (Without lamp)		LWL1132-1 Base: Antique Brass	1860	1670	MIKA WS5		E-27 Holder (Without lamp)		LWL7476 Base: Antique Gold	2750	2460
BONITO WS16		E-27 Holder (Without lamp)		LWL1127-1 Base: Antique Brass	1860	1650	MIKA WS6		E-27 Holder (Without lamp)		LWL9803-1 Base: Antique Gold	2240	1980

# INDOOR WALL LIGHTS

Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹
BEDSIDE LAMP		E-27 Holder (Without lamp)	-	LBL8502	1950	1775	ORIA		E-27 Holder (Without lamp)	Light Wood Color	LWL205-2S	2960	2590
ORA RW1		B-22 Holder (Without lamp)	Rosewood Finish Dimension: L: 118 x B: 104 x H: 215mm	LWLTRW1	1990	1780	Product Name ORIA		E-27 Holder (Without lamp)	Light Wood Color	LWLW55-1	1860	1590
ORA RW2		B-22 Holder (Without lamp)	Rosewood Finish Dimension: L: 173 x B: 120 x H: 235mm	LWLTRW2	2250	1760	CHIARA WOOD F4		5 W	WW	LWL120-1	2960	2590
ORA RW3		B-22 Holder (Without lamp)	Rosewood Finish Dimension: L: 190 x B: 78 x H: 235mm	LWLTRW3	2460	2090	CHIARA WOOD F5-2		10 W	WW	LWL118-2	4950	4460
ORA TW1		B-22 Holder (Without lamp)	Teakwood Finish Dimension: L: 190 x B: 79 x H: 236mm	LWLTRW4	1990	1780	CHIARA WOOD F6		3 W	WW	LWL121-1	2980	2780
ORIA		E-27 Holder (Without lamp)	Light Wood Color	LWL200-1R	1390	1240	CHIARA WOOD F7		3 W	WW	LWL122-1	3360	2975
ORIA		E-27 Holder (Without lamp)	Light Wood Color	LWL200-2R	2790	2460	CHIARA WOOD F7-2		6 W	WW	LWL122-2	5980	5650
ORIA		E-27 Holder (Without lamp)	Light Wood Color	LWL201-1S	1780	1570	CHIARA F8		5 W	WW	LWLGW39-1	2490	2190
ORIA		E-27 Holder (Without lamp)	Light Wood Color	LWL201-2S	3380	2980	CHIARA WOOD F8		5 W	WW	LWL025-1	2990	2640
ORIA		E-27 Holder (Without lamp)	Dark Wood Color	LWL202-1R	1480	1290	CHIARA WOOD F8-2		10 W	WW	LWL025-2	5750	4980
ORIA		E-27 Holder (Without lamp)	Dark Wood Color	LWL202-2R	2960	2590	CHIARA WOOD F9		5 W	WW	LWL026-1	2990	2640
ORIA		E-27 Holder (Without lamp)	Dark Wood Color	LWL203-1S	1780	1570	CHIARA WOOD F10		5 W	WW	LWL027-1	3090	2740
ORIA		E-27 Holder (Without lamp)	Dark Wood Color	LWL203-2S	3380	2980	AURA D1		10 W	WW	LWL125-2	4440	3880
ORIA		E-27 Holder (Without lamp)	Light Wood Color	LWL204-1R	1480	1290	AURA D2		2 W	WW	LWL116	2490	2290
ORIA		E-27 Holder (Without lamp)	Light Wood Color	LWL204-2R	2960	2590	AURA D3		5 W	WW	LWL128	5480	5270
ORIA		E-27 Holder (Without lamp)	Light Wood Color	LWL205-1S	1480	1290							

\*C: Commercial Luminaries and Fixtures | Suitable for operating 12-16 Hrs./day.







▲ NOTE: All other products mentioned here in pricelist are for domestic usage only. Suitable for operating 10-12 Hrs./day.

## INDOOR WALL LIGHTS

Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹
AURA D4		7 W	WW	LODCL07	4480	4260	ELECTRA S2		16 W	WW	LWL137/12	2450	2200
AURA D5		11 W	WW	LWL119	3670	3190	CASSO M1 White		24 W	WH, WW	LWL137/12	1990	1880
CIANA BD2		9 W	WH, WW	LBSL9	2480	2260	CASSO M1 Black		24W	WW	LWL137/12	1990	1880
CIANA BD3		6 W	WW	LWL109R	3580	3240	CASSO M1 Rosewood		24 W	WW	LWL137/12	2180	1940
CIANA BD4		LWL109L	3580	3240	LWL137/12	2180			1940				
CIANA BD5		12 W	WW	LWL115	3370	3190	CASSO H1 White		24W	WH, WW	LWL137/12	2490	2290
AURA ANTIQUE Indoor		E-27 Holder (Without lamp)	Antique Finish	LWLA2E27 AG	1660	1440	CASSO H1 Black		24 W	WH, WW	LWL137/12	2490	2290
Dimension: H: 375 x W: 165mm													
AURA BLACK Indoor		E-27 Holder (Without lamp)	Black Finish	LWLA2E27 BK	1660	1440	CASSO S1 White		24 W	WH, WW	LWL137/12	2490	2290
Dimension: H: 375 x W: 165mm													
ATLAS ANTIQUE Indoor		E-27 Holder (Without lamp)	Antique Finish	LWLA3E27 AG	2270	1960	CASSO S1 Black		24 W	WH, WW	LWL137/12	2490	2290
Dimension: H: 350 x W: 170mm													
ATLAS BLACK Indoor		E-27 Holder (Without lamp)	Black Finish	LWLA3E27 BK	2270	1960	CASSO H2 White		12 W	WH, WW	LWL137/12	1930	1840
Dimension: H: 350 x W: 170mm													
STARLA S1		8 W	WW	LWL1304	1980	1590	CASSO H2 Black		16 W	WH, WW	LWL137/12	1930	1840
STARLA S2		12 W	WW	LWL1316	2540	1980	CRYSTA W1		8W	3-IN-1	LWL137/12	2180	1890
STARLA S3		9 W	WW	LWL1324	1980	1590	CRYSTA W2		12W	3-IN-1	LWL137/12	2280	2060
STARLA S4		8 W	WW	LWL1334SQ	2350	1880	CRYSTA W3		7W	3-IN-1	LWL137/12	2250	1980
STARLA R1		20 W	WW	LWL1346	2480	2260	CRYSTA W4		12W	3-IN-1	LWL137/12	2230	1970
ELECTRA S1		16 W	WW	LWL135/12	2380	2190	CRYSTA W5		12W	3-IN-1	LWL137/12	2270	2050
ELECTRA R1		16 W	WW	LWL136/12	2250	1920	CRYSTA W6		12W	3-IN-1	LWL137/12	3450	2960

**NEW**

## INDOOR ANTIQUE WALL LIGHTS

Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹
ANTIQUE WALL LIGHT		E27 Holder (Without lamp)	1 LIGHT	LWL302	2640	2450	ANTIQUE WALL LIGHT		E27 Holder (Without lamp)	1 LIGHT	LWL305	5450	4960
ANTIQUE WALL LIGHT		E27 Holder (Without lamp)	1 LIGHT	LWL303	9860	8850	STELLINA WALL LIGHT		E14 Holder (Without lamp)	1 LIGHT	LWLSL-H50-1	4960	4450
ANTIQUE WALL LIGHT		E27 Holder (Without lamp)	1 LIGHT	LWL304	2980	2750	STELLINA WALL LIGHT		E14 Holder (Without lamp)	1 LIGHT	LWLSL-H60-1	4360	3940

## STELLINA CHANDELIER LIGHTS

STELLINA H10 HANGING LIGHT		E14 Holder (Without lamp)	6 LIGHTS	LHLSL-H10 WHITE	14660	13460	STELLINA H30 HANGING LIGHT		E14 Holder (Without lamp)	6 LIGHTS	LHLSL-H30 SMOKE GREY	15900	14600
STELLINA H20 HANGING LIGHT		E14 Holder (Without lamp)	8+4 LIGHTS	LHLSL-H20 WHITE	27800	24700	STELLINA H40 HANGING LIGHT		E14 Holder (Without lamp)	10+5 LIGHTS	LHLSL-H40 AMBER	54600	48500
<b>NEW</b> STELLINA H50 HANGING LIGHT		E14 Holder (Without lamp)	8+4 LIGHTS	LHLSL-H50-8+4 BLUE+GOLD	78800	72700	<b>NEW</b> STELLINA H60 HANGING LIGHT		E14 Holder (Without lamp)	6 LIGHTS	LHLSL-H60-6 AMBER	28550	25500
<b>NEW</b> STELLINA H50 HANGING LIGHT		E14 Holder (Without lamp)	6 LIGHTS	LHLSL-H50-6 BLUE+GOLD	38950	34900	<b>NEW</b> STELLINA H70 HANGING LIGHT		E14 Holder (Without lamp)	1 LIGHT	LHLSL-H70 AMBER	11750	10800

## INDOOR HANGING LIGHTS




























CLO R1		30 W	WW	LHL301	12400	10900	AKIRO P1		20 W	WW	LHL305	3250	2970
CLO R2		70 W	WW	LHL302	27500	26200	AKIRO P2		60 W	WW	LHL305-3	10800	9790
CLO S1		40 W	WW	LHL303	13500	11450	LED HANGING LIGHT		54W	NW	LHL309 BK/ LHL309	15200 15200	13500 13500
CLO S2		95 W	WW	LHL304	29500	27750	LED HANGING LIGHT		56W	NW	LHL310 BK/ LHL310	13600 13600	12500 12500

\*C: Commercial Luminaries and Fixtures | Suitable for operating 12-16 Hrs./day.

▲ NOTE: All other products mentioned here in pricelist are for domestic usage only. Suitable for operating 10-12 Hrs./day.





























# INDOOR HANGING LIGHTS

Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹
CRYSTA H1		12W	3-IN-1	LHLCR-7	3450	2960	HANGING LIGHT		3W	3 IN 1	LHL107	8400	7950
HANGING LIGHT		10W	WW,NW	LHL306 LHL306 BK	3650	3150	HANGING LIGHT		95W	3 IN 1	LHL108	31800	29400
HANGING LIGHT		10W	WW	LHL307	3850	3680	HANGING LIGHT		40W	3 IN 1	LHL109	18700	16900
HANGING LIGHT		5W	WW,NW	LHL308 LHL308 BK	2750	2580	HANGING LIGHT		24W	3 IN 1	LHL110	18800	17400
HANGING LIGHT		40W	3 IN 1	LHL101	19800	17900	HANGING LIGHT		40W	3 IN 1	LHL111	18600	16400
HANGING LIGHT		40W	3 IN 1	LHL102	17700	16250	<b>NEW</b> HANGING LIGHT		E-27 Holder (Without lamp)	-	LHL231/1	2970	2650
HANGING LIGHT		95W	3 IN 1	LHL103	28800	27300	<b>NEW</b> HANGING LIGHT		E-27 Holder (Without lamp)	-	LHL231/3	8840	7950
HANGING LIGHT		70W	3 IN 1	LHL104	24800	21800	<b>NEW</b> HANGING LIGHT		E-27 Holder (Without lamp)	Grey Glass	LHL232/1	3870	3390
HANGING LIGHT		24W	3 IN 1	LHL105	16800	15300	<b>NEW</b> HANGING LIGHT		E-27 Holder (Without lamp)	Grey Glass	LHL233/1	3970	3580
HANGING LIGHT		6W	3 IN 1	LHL106 - 1 (1 - LIGHT)	6400	4950	<b>NEW</b> HANGING LIGHT		E-27 Holder (Without lamp)	-	LHL234/1	4950	4380
HANGING LIGHT		18W	3 IN 1	LHL106 - 3 (3 - LIGHT)	14700	13950	<b>NEW</b> HANGING LIGHT		E-27 Holder (Without lamp)	-	LHL235/1	3290	2950
HANGING LIGHT		70W	3 IN 1	LHL106 - 12 (12 - LIGHT)	64000	59800	<b>NEW</b> HANGING LIGHT		E-27 Holder (Without lamp)	Grey Glass	LHL236/1	5980	5290





























INDOOR HANGING LIGHTS							INDOOR HANGING LIGHT FIXTURES						
Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP
<b>NEW</b> HANGING LIGHT		E-27 Holder (Without lamp)	Amber Glass	LHL237/1	3960	3580	NIKO RED		E-27 Holder (Without lamp) 160mm D x 270mm H		LHL208E27	1490	1350
<b>NEW</b> HANGING LIGHT		E-27 Holder (Without lamp)	Amber Glass	LHL238/1	5480	4970	NIKO GREEN		E-27 Holder (Without lamp) 160mm D x 270mm H		LHL209E27	1490	1350
<b>NEW</b> HANGING LIGHT		E-27 Holder (Without lamp)	Wood	LHL239/1	3980	3620	NIKO PINK		E-27 Holder (Without lamp) 160mm D x 270mm H		LHL210E27	1490	1350
ENARA HANGING LIGHT		5W Dimension: Ø 75 x (H) 520 mm	WW	LHL122	3450	3240	NIKO BLACK P1		E-27 Holder (Without lamp) 160mm D x 280mm H		LHL211-1E27	1560	1390
ENARA HANGING LIGHT		5W Dimension: Ø 65 x (H) 520 mm	WW	LHL123	5400	4880	NIKO BLACK P3		E-27 Holder (Without lamp) 160mm D x 280mm H		LHL211-3E27	4480	3850
ENARA HANGING LIGHT		5W Dimension: Ø 60 x (H) 285 mm	WW	LHL125	4250	3980	LINDO BLACK		E-27 Holder (Without lamp) 205mm D x 310mm H		LHL212E BK	2160	1850
<b>INDOOR HANGING LIGHT FIXTURES</b>							LINDO GOLD		E-27 Holder (Without lamp) 205mm D x 310mm H		LHL212E GD	2160	1850
ROCCO P1		E-27 Holder (Without lamp) 420mm D x 300mm H		LHL201E27	2880	2560	OTTO BLACK		E-27 Holder (Without lamp) 245mm D x 270mm H		LHL213E BK	2870	2460
ROCCO P2		E-27 Holder (Without lamp) 420mm D x 300mm H		LHL202E27	2880	2560	OTTO GREY		E-27 Holder (Without lamp) 245mm D x 270mm H		LHL213E GY	2870	2460
ALRO P1		E-27 Holder (Without lamp) 310mm D x 260mm H		LHL203E27	2470	2180	LOBO		E-27 Holder (Without lamp) 240mm D x 330mm H		LHL214E BK	2480	2170
ALRO P2		E-27 Holder (Without lamp) 310mm D x 260mm H		LHL204E27	2470	2180	BELLO GREEN		E-27 Holder (Without lamp) 320mm D x 360mm H		LHL216E GR	1980	1840
CAIRO P1		E-27 Holder (Without lamp) 305mm D x 270mm H		LHL205E27	3190	2760	BELLO GREY		E-27 Holder (Without lamp) 320mm D x 360mm H		LHL216E GY	1980	1840
CAIRO P2		E-27 Holder (Without lamp) 305mm D x 270mm H		LHL206E27	3190	2760	BELLO YELLOW		E-27 Holder (Without lamp) 320mm D x 360mm H		LHL216E YL	1980	1840
CAIRO P3		E-27 Holder (Without lamp) 305mm D x 270mm H		LHL207E27	3190	2760	LITO		E-27 Holder (Without lamp) 400mm D x 265mm H		LHL217E BK	2960	2670

\*C: Commercial Luminaries and Fixtures | Suitable for operating 12-16 Hrs./day.  
 ▲ NOTE: All other products mentioned here in pricelist are for domestic usage only. Suitable for operating 10-12 Hrs./day.

## INDOOR HANGING LIGHT FIXTURES

Product Name	Photo	Wattage/Holder	Product Code	MRP ₹	*DLP ₹	Product Name	Photo	Wattage/Holder	Product Code	MRP ₹	*DLP ₹
BRUNO WH BRUNO GY BRUNO BK		E-27 Holder (Without lamp) 300mm D x 280mm H	LHL218E WH LHL218E GY LHL218E BK	3470 3470 3470	2990 2990 2990	BONITA ANTIQUE		E-27 Holder (Without lamp) BLACK FINISH 165mm D x 800mm H (Height incl. chain length)	LHLA2E27 AG	1690	1490
PREGO		E-27 Holder (Without lamp) 305mm D x 215mm H	LHL219E WD	2960	2670	BONITA BLACK		E-27 Holder (Without lamp) BLACK FINISH 165mm D x 800mm H (Height incl. chain length)	LHLA2E27 BK	1690	1490
NEMO		E-27 Holder (Without lamp) 205mm D x 250mm H	LHL220E GD	2150	1880	EROS BLACK		E-27 Holder (Without lamp) BLACK FINISH 200mm D x 850mm H (Height incl. chain length)	LHLA7ME27 BK	2670	2450
PRIGO P1		E-27 Holder (Without lamp) 130mm D x 320mm H	LHL221E	1980	1780	HITO P1		E-27 Holder (Without lamp) 150mm D x 240mm H	--	1390	1250
LORO GR		E-27 Holder (Without lamp) 180mm D x 210mm H	LHL222E GR	1790	1590	HITO P2		E-27 Holder (Without lamp) 130mm D x 235mm H	--	1390	1250
LORO YL		E-27 Holder (Without lamp) 180mm D x 210mm H	LHL222E YL	1790	1590	TARIO P1		E-27 Holder (Without lamp) 46mm D x 69mm H	LBE27HL GDB	590	520
LORO BL		E-27 Holder (Without lamp) 180mm D x 210mm H	LHL222E BL	1790	1590	TARIO P2		E-27 Holder (Without lamp) 46mm D x 69mm H	LBE27HL AB	590	520
LORO GY		E-27 Holder (Without lamp) 180mm D x 210mm H	LHL222E GY	1790	1590	TARIO P3		E-27 Holder (Without lamp) 46mm D x 69mm H	LBE27HL PB	590	520
LORO WH		E-27 Holder (Without lamp) 180mm D x 210mm H	LHL222E WH	1790	1590	TARIO P4		E-27 Holder (Without lamp) 49mm D x 80mm H	LBE27HL WD	680	590
BRILLO		E-27 Holder (Without lamp) 130mm D x 320mm H	LHL405E	1270	1090	FLO WHITE P1		E-27 Holder (Without lamp) 100mm D x 370mm H	LHL215E WH	1320	1180
CLARO		E-27 Holder (Without lamp) 190mm D x 220mm H	LHL406E	1380	1160	FLO WHITE P3		E-27 Holder (Without lamp) 100mm D x 370mm H	LHL215E3 WH	3960	3580
SABIO		E-27 Holder (Without lamp) 150mm D x 230mm H	LHL408E	1670	1490	FLO BLACK P1		E-27 Holder (Without lamp) 100mm D x 370mm H	LHL215E BK	1320	1180
VETRO H1		E-27 Holder (Without lamp) 140mm D x 200mm H	LHL1132-1GD	1480	1340	FLO BLACK P3		E-27 Holder (Without lamp) 100mm D x 370mm H	LHL215E3 BK	3960	3580
VETRO H2		E-27 Holder (Without lamp) 140mm D x 200mm H	LHL1132-1GY	1480	1340	FLO GREY P1		E-27 Holder (Without lamp) 100mm D x 370mm H	LHL215E GY	1320	1180

## INDOOR HANGING LIGHT FIXTURES

Product Name	Photo	Holder	Product Code	MRP ₹	*DLP ₹	Product Name	Photo	Holder	Product Code	MRP ₹	*DLP ₹
FLO GREY P3		E-27 Holder (Without lamp) 100mm D x 370mm H	LHL215E3 GY	3960	3580	MIYO P3		E-27 Holder (Without lamp) 130mm D x 280mm H	--	4780	4190
FLO GREEN P1		E-27 Holder (Without lamp) 100mm D x 370mm H	LHL215E GR	1320	1180	MIKO P1		E-27 Holder (Without lamp) 130mm D x 280mm H	--	1480	1370
FLO GREEN P3		E-27 Holder (Without lamp) 100mm D x 370mm H	LHL215E3 GR	3960	3580	MIKO P3		E-27 Holder (Without lamp) 130mm D x 280mm H	--	4780	4190
GINO P1		E-27 Holder (Without lamp) 130mm D x 280mm H	LHL221E CU	1880	1670	FARO P3		E-27 Holder (Without lamp) 155mm D x 382mm H	LHL404E3	4950	4290
GINO P3		E-27 Holder (Without lamp) 130mm D x 280mm H	LHL221E3 CU	5480	4860	LONDO P3		E-27 Holder (Without lamp) 155mm D x 255mm H	LHL407E3	3380	2960
PAAVO P1		E-27 Holder (Without lamp) 125mm D x 240mm H	LHL401E	1730	1550	ANZIA AMBER H1		E27 Holder (Without Lamp)	LHL507-1 AMBER	1730	1490
PAAVO P3		E-27 Holder (Without lamp) 125mm D x 240mm H	LHL401E3	5250	4650	ANZIA AMBER H1-3		E27 Holder (Without Lamp)	LHL507-3 AMBER	4880	4270
LIGERO P1		E-27 Holder (Without lamp) 125mm D x 240mm H	LHL402E	1730	1550	ANZIA SMOKE GRAY H2		E27 Holder (Without Lamp)	LHL507-1 SMOKE GRAY	1730	1490
LIGERO P3		E-27 Holder (Without lamp) 125mm D x 240mm H	LHL402E3	5250	4650	ANZIA SMOKE GRAY H2-3		E27 Holder (Without Lamp)	LHL507-3 SMOKE GRAY	4880	4270
OZO P1		E-27 Holder (Without lamp) 200mm D x 190mm H	LHL403E	2140	1890	ANZIA AMBER H3		E27 Holder (Without Lamp)	LHL506-1 AMBER	1880	1640
OZO P3		E-27 Holder (Without lamp) 200mm D x 190mm H	LHL403E3	5980	5420	ANZIA AMBER H3-3		E27 Holder (Without Lamp)	LHL506-3 AMBER	5210	4550
KAYO P1		E-27 Holder (Without lamp) 130mm D x 280mm H	--	1490	1360	ANZIA SMOKE GRAY H3		E27 Holder (Without Lamp)	LHL506-1 SMOKE GRAY	1880	1640
KAYO P3		E-27 Holder (Without lamp) 130mm D x 280mm H	--	4780	4180	ANZIA SMOKE GRAY H3-3		E27 Holder (Without Lamp)	LHL506-3 SMOKE GRAY	5210	4550
MIYO P1		E-27 Holder (Without lamp) 130mm D x 280mm H	--	1470	1370	ANZIA AMBER H4		E27 Holder (Without Lamp)	LHL521-1 AMBER	1780	1490

\*C: Commercial Luminaries and Fixtures | Suitable for operating 12-16 Hrs./day.

▲ NOTE: All other products mentioned here in pricelist are for domestic usage only. Suitable for operating 10-12 Hrs./day.

INDOOR HANGING LIGHT FIXTURES						OUTDOOR WALL LIGHTS (IP54)							
Product Name	Photo	Color/Holder	Product Code	MRP ₹	*DLP ₹	Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	
ANZIA AMBER H4-2		E27 Holder (Without Lamp)	LHL521-2 AMBER	3750	3280	HALO W10		1 x 3 W	WH, WW	LODSG-9	2530	2490	
ANZIA AMBER SINGLE LIGHT		E27 Holder (Without Lamp)	LHL525-1 AMBER	1570	1390	HALO W11		2 x 3 W	WH, WW	LODDG-9	2880	2760	
ANZIA AMBER 5 - LIGHT		E27 Holder (Without Lamp)	LHL525-5 AMBER	8780	7850	HALO W12		1 x 3 W	WH, WW	LARCS3	2450	2230	
ANZIA AMBER 4 - LIGHT		E27 Holder (Without Lamp)	LHL662-4	9950	9450	HALO W13		2 x 3 W	WH	LARCD6	3500	3180	
ANZIA AMBER 9 - LIGHT		E27 Holder (Without Lamp)	LHL507-9	22600	20850	HALO W14		2 x 3 W	WH, WW	LWARC4	1960	1770	
ANZIA SMOKE GREY 4 - LIGHT		E27 Holder (Without Lamp)	LHL525-4	6950	6250	HALO W15		2 x 4 W	WH, WW	LWARC6	2250	1990	
OUTDOOR WALL LIGHTS (IP54)						HALO W16		3 W	WH, WW	LARCS5	2470	2470	
						HALO W17		5 W	WH	LWRRC6	2290	2290	
HALO W1		1 x 3 W	WH, WW	LODARCS-3D	980	850	HALO W18		5 W	WW	LOD544 (White Body)	2250	1990
HALO W2		2 x 3 W	WH, WW	LODARCD-6D	1380	1230	HALO W20		2 x 3 W	WH	LDL06	3350	2990
HALO W3		2 x 3 W	WH, WW	LARCUPD-6D	2690	2380	HALO W35		6 W	WW	LODL06N	1880	1580
HALO W4		1 x 3 W	WH, WW	LODSQS3D	2160	1780	HALO W22		5 W	WW	LOD545	1880	1690
HALO W5		2 x 3 W	WH, WW	LODSQUPD10D	2990	2460	HALO W23		3 W	WW	LODL03	1180	1090
HALO W6		9 W	WW	LODWD5	3370	2980	HALO W24		5 W	WW	LODWS04	1650	1490
HALO W7		1 x 3 W	WW	LODUPGU10	1940	1760	HALO W25		5 W	WW, RGB	LODWS05	1680	1490
HALO W8		2 x 3 W	WW	LODUPDGU10	2700	2460	HALO W26		2 W 2 W	WW WW	LODR02S LODR02S GY	1275 1275	1120 1120
HALO W9		3 W	WH, WW	LODOV3D	2240	2190	HALO W27		4 W 4 W	WW WW	LODR04S LODR04S GY	1890 1890	1680 1680
						HALO W28		2 W 2 W	WW WW	LODS02S LODS02S GY	1135 1135	1030 1030	
						HALO W29		2 W 2 W	WW WW	LODL02S LODL02S GY	1390 1390	1240 1240	

## OUTDOOR WALL LIGHTS (IP54)
































Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹
HALO W30		2 W	WW	LODC02S	1460	1280	ORA OW7		5 W	WH, WW	LCLA05	3450	2650
		2 W	WW	LODC02S GY	1460	1280							
HALO W31		2 x 3 W	WW	LOD426	1090	880	ORA OW8		5 W	WH, WW	LWLA05R	1950	1650
HALO W32		2 x 2 W	WW	LOD424	1290	1090	ORA OW9		5 W	WH, WW	LWLA05S	1950	1650
HALO W33		4 x 2 W	WW	LOD548	1480	1240	SERA OW2		E-27 Holder (Without lamp)	Sand Black	LODW100E	1690	1370
HALO W34		4W	WW	LODL04N	1680	1480	SERA OW3		E-27 Holder (Without lamp)	Sand Black	LODW101E	1440	1180
HALO W36		2 W	WW	LODL02NB	1590	1360	SERA OW4		E-27 Holder (Without lamp)	Sand Black	LODW102E	2950	2580
HALO W37		7 W	WW	LWAR8	2280	1890	SERA OW5		E-27 Holder (Without lamp)	Sand Black	LODW103E	1890	1580
<b>NEW</b>		4 W	WW	LODR04SL1	1580	1580	SERA OW6		B-22 Holder (Without lamp)	Sand Black	LWLOW6	1590	1380
HALO W38		Dimension: 50 x 30 x 50 mm											
<b>NEW</b>		1 W	WW	LODC01SL1	1140	1140	LLONA WL-06		B-22 Holder (Without lamp)	Sand Black	LWLO6	950	790
HALO W39		Dimension: 35 x 35 x 50 mm											
<b>NEW</b>		2 W	WW	LODC02SL1	1190	1190	<b>INDOOR &amp; OUTDOOR (IP54) FOOTLIGHTS &amp; PATHWAY LIGHTS</b>						
HALO W40		Dimension: 35 x 35 x 50 mm											
ORA OW1		5 W	WH, WW	LODSR515	1250	990	FOTIS F1 Indoor Footlight		1 W	WH, WW	LINS1	1150	960
ORA OW2		9 W	WW	LOD919	1980	1630	FOTIS F2 Outdoor Footlight		3 W	WH, WW	LODFTW3	960	780
ORA OW3		3 W	WH, WW	LODWS103	2750	2290	FOTIS F3 Outdoor Footlight		3 W	WH, WW	LODFTG3	960	780
ORA OW4		2 x 3 W	WH, WW	LODWS203	4650	3950	FOTIS F4 Outdoor Footlight		3 W	WH, WW	LODFTV3	2950	2550
ORA OW5		6 W	WH, WW	LODWS105	3960	3380	FOTIS F5 Outdoor Footlight		6 W	WW	LODBLFE27	3570	2950
ORA OW6		2 x 6 W	WH, WW	LODWS205	5280	4590	FOTIS F6 Outdoor Footlight		5 W	WW	LOUS5	3250	2830

\*C: Commercial Luminaries and Fixtures | Suitable for operating 12-16 Hrs./day.

▲ NOTE: All other products mentioned here in pricelist are for domestic usage only. Suitable for operating 10-12 Hrs./day.

INDOOR & OUTDOOR (IP54) FOOTLIGHTS & PATHWAY LIGHTS							BULKHEAD LIGHTS OUTDOOR (IP54)						
Product Name	Photo	Wattage/Holder	Color	Product Code	MRP ₹	*DLP ₹	Product Name	Photo	Wattage/Holder	Color	Product Code	MRP ₹	*DLP ₹
FOTIS F7 Outdoor Footlight		5 W	WW	LOUR5	3250	2830	BONO B3		E 27 Holder Without Lamp	Sand Black	LBK102E	1650	1280
FOTIS F9 Pathway Light *		6 W	WW	LOUR6	4250	3480	BOXY ECO3 LED Bulkhead Light		18W	WH, WW	LBKOV18	1760	1480
FOTIS F10 Inground Light *		3 W	WW	LOUR03N	2360	1960	BOXY ECO4 LED Bulkhead Light		20W	WH, WW	LBKSQ20	1680	1450
FOTIS F11 Footlight IP65		3 W	WW	LODFT8603	1350	1150	BOXY E7 Bulkhead Light		8 W	WH, WW	LBKOV08	390	340
BULKHEAD LIGHTS OUTDOOR (IP54)							BOXY E5 Bulkhead Light		12W	WH, WW	LBKOV12	450	380
							BOXY E6 LED Bulkhead Light		20W	WH, WW	LBKOV20	590	480
BOXY B1		10W	WH, WW	LWLEW10	5270	4580	SQUARO LED Bulkhead Light		10 W	WH,WW	LBKSQD01	450	370
BOXY B2		5W	WH, WW	LWLES10	2960	2580	SQUARO LED Bulkhead Light		20 W	WH,WW	LBKSQD02	650	560
BOXY B3		10W	WH, WW	LWLER10	3280	2850	BOXY S2 SENSOR Bulkhead Light		24W	WH, WW	LBKRDSL24 SEN	1360	1160
BOXY B4		12W	WW	LBKOVSL04	2750	2250	BOXY S1 SENSOR Bulkhead Light		18W	WH, WW	LBKOVSL18 SEN	1180	980
BOXY B5		5W	WH, WW	LBKSQSL04	2250	1930	OCTAVE LED Bulkhead Light		12W	WH, WW	LBKOCV12	780	640
BOXY B6		5W	WH, WW	LODSQG9	3290	2860	OCTAVE LED Bulkhead Light		18W	WH, WW	LBKOCV18	950	820
BULKHEAD LIGHTS OUTDOOR (IP54)							GATE LIGHTS OUTDOOR (IP54)						
							BOXY B7		18W	WH	LODCLOE-27	5230	4560
BOXY B10		10W	WH, WW	LWSQB10	3680	3200	TORNO G2		18W	WW	LGLSBG	9950	8850
BOXY B11		10W	WW	LODWL10	7400	6450	TORNO G3		18W	WH	LGLRGBE-27	10900	9850
BOXY B12		10W	WW	LODWL11	7400	6450	TORNO G4		8W	WH, WW	LODGLR3	3750	3270
BOXY B13		10W	WW	LODWL12	7400	6450	TORNO G5		6W	WH, WW	LGLSQ06	3840	3840
BOXY B14		14W	WW	LODWS14	5980	5450	DORIN		24W	WW+BL	LGLP20	2200	1975
BONO B1		E 27 Holder Without Lamp	Sand Black	LBK100E	1380	1140	VALEN		20W	WW	LGLS20	1190	1080
BONO B2		E 27 Holder Without Lamp	Sand Black	LBK101E	1180	990							

## GATE LIGHTS OUTDOOR (IP54)

























Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹
SONO G1 Fixture		E 27 Holder Without Lamp	Matt Black	LGL10E27	1950	1830	JING 06		B 22 Holder Without Lamp	Body Finish: Black Diffuser: Milky Dimension: 150mm Body: PC	LGL06	690	590
SONO G2 Fixture		E 27 Holder Without Lamp	Sand Black	LGL100E	4450	3980	JING 08		B 22 Holder Without Lamp	Body Finish: Black Diffuser: Milky Dimension: 200mm Body: PC	LGL08	950	770
SONO G3 Fixture		B 22 Holder Without Lamp	Sand Black	LGL101B	3950	3440	JING 10		B 22 Holder Without Lamp	Body Finish: Black Diffuser: Milky Dimension: 250mm Body: PC	LGL10	1260	1080
SONO G4 Fixture		B 22 Holder Without Lamp	Sand Black	LGL102B	3950	3440	REKKA 06		B 22 Holder Without Lamp	Body Finish: Black Diffuser: Line Dimension: 150mm Body: Prismatic / PMMA	LGL06LP	550	450
HELIOS ANTIQUE Fixture (Small)		E 27 Holder Without Lamp	Antique Finish Dimension: Ø: 165 x H: 360mm Pipe Dia: Ø: 56mm	LGLA2E27 AG	1680	1380	REKKA 08		B 22 Holder Without Lamp	Body Finish: Black Diffuser: Line Dimension: 200mm Body: Prismatic / PMMA	LGL08LP	750	630
HELIOS ANTIQUE Fixture (Big)		E 27 Holder Without Lamp	Antique Finish Dimension: Ø: 230 x H: 500mm Pipe Dia: Ø: 78mm	LGLA7E27 AG	3450	2780	REKKA 10		B 22 Holder Without Lamp	Body Finish: Black Diffuser: Line Dimension: 250mm Body: Prismatic / PC	LGL10E	1280	1180
HELIOS ANTIQUE Fixture (Small)		E 27 Holder Without Lamp	Black Dimension: Ø: 165 x H: 360mm Pipe Dia: Ø: 56mm	LGLA2E27 BK	1680	1380	<b>NEW</b> REKKA PLUS		B 22 Holder Without Lamp	Body Finish: Metallic Black Diffuser: Milky White Dimension: Ø195 x 230mm Body: PC	LGLP08	1170	1090
HELIOS ANTIQUE Fixture (Big)		E 27 Holder Without Lamp	Black Dimension: Ø: 230 x H: 500mm Pipe Dia: Ø: 78mm	LGLA7E27 BK	3450	2780	QUBO G1		B 22 Holder Without Lamp	Body Finish: Dark Gray Diffuser: Milky Dimension: 152 x 152 x H 194mm Body: Aluminium / PC	LGL103B	2360	2060
GATE LAMP BASE		---	Black Dimension: Ø: 109 x H: 55mm Pipe Dia: Ø: 50 mm	LGLB	290	220	QUBO G2		B 22 Holder Without Lamp	Body Finish: Dark Gray Diffuser: Milky Dimension: 191 x 191 x H 220mm Body: Aluminium / PC	LGL104B	3290	2880
HESTER H1		B 22 Holder Without Lamp	Black Dimension: 220mm x 220mm X H: 225mm	---	1490	1340	DURRI OR08		B 22 Holder Without Lamp	Body Finish: Black Diffuser: Milky Dimension: 200mm	LGL08M4M	1350	1180
HESTER H2		B 22 Holder Without Lamp	Black Dimension: 215mm x 215mm	---	1490	1340	DURRI OL08		B 22 Holder Without Lamp	Body Finish: Black Diffuser: Milky Dimension: 200mm	LGL08TGML	1350	1180
HESTER H3		B 22 Holder Without Lamp	Black Dimension: 85mm x 85mm x 190mm (h)	---	1560	1380	DURRI MR08		B 22 Holder Without Lamp	Body Finish: Black Diffuser: Milky Dimension: 200mm	LGL08M	980	850
HESTER H4		B 22 Holder Without Lamp	Body Finish: Dark Grey Diffuser: Milky Dimension: 220 x 220 x H:245mm	---	1550	1380	<b>GARDEN LIGHTS (IP54)</b>						
BLAZE B1		B 22 Holder Without Lamp	Body Finish: Black Diffuser: Milky Dimension: Ø 200x H: 240mm Pipe Dia: Ø: 54mm	---	1170	1050	DUNE B1		12 W	WH	LOBRT-70	7950	7950
BLAZE B2		B 22 Holder Without Lamp	Body Finish: Chrome Diffuser: Milky Dimension: Ø 200 x H: 315mm Pipe Dia: Ø: 61mm	---	1090	960	DUNE B5		18 W	WH	LOBRD60	9980	9980
BLAZE B3		B 22 Holder Without Lamp	Body Finish: Chrome Diffuser: Clear Dimension: Ø 200 x H: 333mm Pipe Dia: Ø: 62mm	---	1100	970							
BLAZE B4		B 22 Holder Without Lamp	Body Finish: Black Diffuser: Milky Dimension: Ø 365 x H: 555mm Pipe Dia: Ø: 68mm	---	3450	3130							

\*C: Commercial Luminaires and Fixtures | Suitable for operating 12-16 Hrs./day.











▲ NOTE: All other products mentioned here in pricelist are for domestic usage only. Suitable for operating 10-12 Hrs./day.

▲ Warranty will be valid only if proper installation is done using IP68 Connectors (Inground).

## GARDEN LIGHTS (IP54)




Product Name	Photo	Wattage/Holder	Color	Product Code	MRP ₹	*DLP ₹	Product Name	Photo	Wattage/Holder	Color	Product Code	MRP ₹	*DLP ₹
DUNE B6		10 W	WW	LODBR10	5800	4850	BUBU B5 900		B-22 Holder (Without Lamp)	Dark Grey	---	4280	3890
DUNE B7		12 W	WW	LODBR12	6950	5960							
DUNE B8		12 W	WH, WW Black Body	LODBS12	6390	5850	CUBE S1		5 W	WH, WW	LODSP05	3490	2980
DUNE B9		12 W	WW	LOBSQ2012	4390	3840	CUBE S4		20 W	WW	LODSP20	5980	5370
DUNE B10		12 W	WW	LOBSQ6012	6980	6270	CUBE S5		12 W	WW	LSSPK12TR	3490	2990
DUNE B11		7 W	WW	LOBSQ08	6180	5460	CUBE S6		30 W	WW	LODSP30	8390	7450
DUNE B12		12 W	WW	LODBG08	5280	4680	CUBE S7		30 W	GR	LODSP30	8590	7840
DUNE B13		12 W	WW	LODBM12	5560	4880	CUBE S7		3 W	WW	LSSPK03TR	1460	1280
BUBU B1		E-27 Holder (Without Lamp)	Sand Black	LODB100E	1570	1350	CUBE S7		3 W	WW	LSSPK03TR SPK	1580	1280
BUBU B2		E-27 Holder (Without Lamp)	Sand Black	LODB101E	3260	2890	CASTOR ANTIQUE Fixture		E 27 Holder Without Lamp	Antique Finish	LBF012E27 AG	6250	5780
BUBU B3		E-27 Holder (Without Lamp)	Sand Black	LODB102E	5900	4750	CASTOR BLACK Fixture		E 27 Holder Without Lamp	Black	LBF012E27 BK	6250	5780
BUBU B4		B-22 Holder (Without Lamp)	Dark Grey	---	3660	3480	CASTOR BLACK Fixture		E 27 Holder Without Lamp	Black	LBF028E27 BK	18650	16900
BUBU B5 450		B-22 Holder (Without Lamp)	Dark Grey	---	2740	2470	TRITON ANTIQUE Post Top Fixture		E 27 Holder Without Lamp	Antique Finish	LPF025E27 AG	26800	23800

## GARDEN LIGHTS (IP54)

Product Name	Photo	Wattage/Holder	Color	Product Code	MRP ₹	*DLP ₹	Product Name	Photo	Wattage/Holder	Color	Product Code	MRP ₹	*DLP ₹
TRITON BLACK Post Top Fixture		E 27 Holder Without Lamp	Black	LPF025E27 BK	26800	23800	ZEUS Post Top Hanging LED Light		30W 50W	WH, WW	LPL30H BK LPL50H BK	23950 24650	20940 21600
		Dimension : D 800mm x H 2500mm							* Prices inclusive of Arm. * Pole charges Extra.				
ZEUS Post Top LED Light (Grey Body)		40W 60W	WH, WW, NW	LPL440N LPL460N	13750 14650	11950 12940	ZEUS Post Top Hanging LED Light		30W x 2 50W x 2	WH, WW	LPL60H BK LPL100H BK	45850 46700	39900 42850
		Pipe Dia: Ø: 80mm							* Prices inclusive of Arm. * Pole charges Extra.				
ZEUS Post Top LED Light (Grey Body)		12W 18W	WH, WW	LGL12 LGL18	4450 5850	3890 5250							
		Pipe Dia: Ø: 50mm Pipe Dia: Ø: 53mm						* Pole cost extra and pole length as per requirement.					
ZEUS Post Top LED Light (Grey Body)		30W 40W	WH, WW	LGL30 LGL40	7870 8350	6880 7480							
		Pipe Dia: Ø: 68mm Pipe Dia: Ø: 68mm						* Pole cost extra and pole length as per requirement.					
TRITON ANTIQUE Post Light Fixture		E 27 Holder Without Lamp	Antique Finish	LPF025E27-2 AG	23850	20840							
		Dimension : D 860mm x H 2500mm											
TRITON BLACK Post Light Fixture		E 27 Holder Without Lamp	Black	LPF025E27-2 BK	23850	20840							
		Dimension : D 860mm x H 2500mm											
ZEUS Post Top LED Light (Grey Body)		30W / 40W 60W	WH, WW, NW	LPL430 LPL440	16900 17800	15800 16400							
		Pipe Dia: Ø: 64mm Pipe Dia: Ø: 64mm						* Pole cost extra and pole length as per requirement.					
ZEUS Post Top LED Light		30W 50W	WH, WW	LPL30L BK LPL50L BK	9960 10650	8950 9550							
		Pipe Dia: Ø: 75mm Pipe Dia: Ø: 80mm						* Pole cost extra and pole length as per requirement.					

### POLE FOR POST TOP LIGHT



Product Name	Photo	Length	Bottom Dia & Length	Top Dia & Length	Product Code	MRP ₹	*DLP ₹
Decorative Pole		3 mtr.	10.5" x 10.5" x 0.85 m	3" x 2.25 m	LPDC3M	16800	14900
(Powder coated)							
Pole for Post of Lantern		2 mtr.	3" x 0.75 m	2" x 1.25 m	LPLPOLE 2MTR DG LPLPOLE 2MTR BK	13800	12300
		3 mtr.	3" x 1 m	2" x 2 m	LPLPOLE 3MTR DG LPLPOLE 3MTR BK	16900	15200
		4 mtr.	3" x 1.5 m	2" x 2.5 m	LPLPOLE 4MTR DG LPLPOLE 4MTR BK	17900	16300
		5 mtr.	4" x 2 m	3" x 3 m	LPLPOLE 5MTR DG LPLPOLE 5MTR BK	31300	28500
		6 mtr.	4" x 2 m	3" x 4 m	LPLPOLE 6MTR DG LPLPOLE 6MTR BK	33200	29900
Heavy Pole for Post of Lantern		3 mtr.	3" x 1 m	2" x 2 m	LPLPOLE 3MTR HY BK	22800	20700
		4 mtr.	3" x 1.5 m	2" x 2.5 m	LPLPOLE 4MTR HY BK	39800	36900
		5 mtr.	4" x 1.5 m	3" x 2.5 m	LPLPOLE 5MTR HY BK	56600	51500
		6 mtr.	4" x 2 m	3" x 4 m	LPLPOLE 6MTR HY BK	68500	62300

\*C: Commercial Luminaries and Fixtures | Suitable for operating 12-16 Hrs./day.

▲ NOTE: All other products mentioned here in pricelist are for domestic usage only. Suitable for operating 10-12 Hrs./day.

LED UNDER WATER LIGHTS (IP68)								ALCUNO LED LINEAR LIGHTING COMPONENTS						
Product Name	Photo	Wattage/ Holder	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.	Product Name	Photo	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
Inground LED Pool Light		12W/ 24VDC	WH, WW	LUWGP12****	6500	5900	20	Aluminium Profile Surface		Aluminium Finish	LPL1807	170 per mtr.	140 per mtr.	2mtr
Underwater Fountain Light		12W/ 24VDC	WW	LUWF12F****	16950	14800	10	Aluminium Profile Concealed		Aluminium Finish	LPL1209	180 per mtr.	140 per mtr.	2mtr
Underwater COB Spot Light		8W/ 24VDC	WW	LUWS8****	8400	7300	20	Surface Aluminium Profile		Aluminium Finish	LPL1805	210 per mtr.	190 per mtr.	2mtr
Inground/ Underwater Light		12W/ 24VDC	WW	LUW12R**	11800	10500	12	Surface Aluminium Profile		Aluminium Finish	LPL1414	250 per mtr.	220 per mtr.	2mtr
<p> * Warranty will be valid only if connections are made using IP68 gel based Connectors. For more details contact: Luker Service.</p>														
ALCUNO LED LINEAR LIGHTING COMPONENTS								ALCUNO LED LINEAR LIGHTING COMPONENTS						
Aluminium Profile Concealed			Aluminium Finish	LPL1413 (Suitable only LPLS120 strip)	210 per mtr.	190 per mtr.	2mtr	Surface Corner Aluminium Profile		Aluminium Finish	LPL2115	200 per mtr.	180 per mtr.	2mtr
				LPL2514	320 per mtr.	290 per mtr.	2mtr							
				LPL1809	210 per mtr.	190 per mtr.	2mtr							
				LPL1010 (Suitable only LPLS120 strip)	200 per mtr.	180 per mtr.	2mtr							
		Black Finish with White Diffuser	LPL2514 BK	360 per mtr.	340 per mtr.	2mtr.	Surface Aluminium Profile		White Powder coated	LPL3535	1350 per mtr.	1130 per mtr.	2mtr	
Aluminium Profile Concealed			Aluminium Finish	LPL4026	690 per mtr.	660 per mtr.	2mtr	Surface Aluminium Profile		White Powder coated	LPL5015	990 per mtr.	890 per mtr.	2mtr
Aluminium Profile Concealed			White Powder coated	LPL5035	1150 per mtr.	990 per mtr.	2mtr.	Surface Aluminium Profile		Aluminium Finish	LPL2015	370 per mtr.	330 per mtr.	2mtr
Aluminium Profile Surface			White Powder coated	LPL7050	2090 per mtr.	1880 per mtr.	2.4mtr.	Surface Aluminium Profile		Aluminium Finish	LPL2025	780 per mtr.	640 per mtr.	2mtr
		Black Finish with White Diffuser	LPL7050 BK	2150 per mtr.	1930 per mtr.	2.4mtr.								
Aluminium Profile Concealed			Black Finish with White Diffuser	LPL4320 BK	620 per mtr.	560 per mtr.	2mtr.	Surface Aluminium Profile		Aluminium Finish	LPL2025	780 per mtr.	640 per mtr.	2mtr
Aluminium Profile Concealed			Aluminium Finish	LPL2407	170 per mtr.	140 per mtr.	2mtr	Surface Aluminium Profile		Aluminium Finish	LPL3020	530 per mtr.	490 per mtr.	2mtr
					Black Finish with White Diffuser	LPL3020 BK	550 per mtr.			510 per mtr.	2mtr			

# ALCUNO LED LINEAR LIGHTING STRIP & DRIVE



Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.	Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
Profile Strip Light 5mm		12W per mtr 12V	WH, WW, NW, BL	LPLS1205MM	170 per mtr.	160 per mtr.	5mtr	Profile Slek Drive		3 Amps	Dimension 160 x 58 x 18mm	LPLSD03	1170	1170	1
Profile Strip 120 LED per / mtr		12W per mtr 12V	WH, WW, NW, BL	LPLS120	180 per mtr.	160 per mtr.	5mtr	Profile Slek Drive		5 Amps	Dimension 185 x 63.5 x 22mm	LPLSD05	1780	1780	1
Profile Strip 180 LED per / mtr		18W per mtr 12V	WH, WW, NW, BL	LPLS180	280 per mtr.	270 per mtr.	5mtr	Profile Slek Drive		8 Amps	Dimension 230 x 46.5 x 22mm	LPLSD08	2620	2620	1
Profile Strip 240 LED		20W per mtr 12V	WH, WW & NW	LPLS240	320 per mtr.	290 per mtr.	5mtr								

## CCT TUNEABLE/DIMMABLE LED STRIP



## 24V TRIAC DIMMABLE DRIVER

(Suitable for dimming 24V LED INDOOR Strip)

CCT Tuneable Strip 180 LED/Mtr		15W per mtr 12v	3-IN-1	LPLS180D	320 per mtr.	320 per mtr.	5 mtr	24V TRIAC DIMMABLE DRIVER		150 W/ 24 V	-	LTRADD 15024	5950	5850	-
CCT Tuneable Strip 120 LED/Mtr.		12W per mtr 12v	3-IN-1	LS2835D	240 per mtr.	220 per mtr.	5 mtr								

\*Lighting dimmer not included, to be purchased separately  
Check the compatibility of the DIMMER before using with the TRIAC DRIVER.

## 12/24V CCT TUNEABLE STRIP CONTROLLER & REMOTE



12/24V 2CH Tuneable Strip Controller		120/240W (2.4G RF)	-	LDCV-RFC-240	1750	1750	1	RF Remote Control		2.4G RF	-	RFC1REMT	690	690	1
--------------------------------------	--	--------------------	---	--------------	------	------	---	-------------------	--	---------	---	----------	-----	-----	---

## RGB 24V LED STRIP & SMART CONTROLLER



RGB Indoor Strip 60 LED/Mtr.		14.8W per mtr 24V	RGB	LSI5050 24V	390 per mtr.	390 per mtr.	5 mtr	24V/5 CH* RGBCWW Strip Controller (TUYA Sigmesh)		24V/250W, 5CH	-	LDCV-SMT-250	2280	2280	1
------------------------------	--	-------------------	-----	-------------	--------------	--------------	-------	--	--	---------------	---	--------------	------	------	---

\*24V Drive to be purchased separately

## ALCUNO ACCESSORIES

Surface Mounting Clips		Suitable for LPL2514	Chrome Finish	LPLCL01	15	15	1	120° Top Angle Connector			Chrome	LPL45EXCN	90	90	1
Recessed Mounting Spring Clips		Suitable for LPL4435	Chrome Finish	LPLCL02	45	45	1	90° Side Angle Connector		Suitable for LPL3535 LPL4435 LPL5035 LPL7050	Chrome	LPL90INCN	90	90	1
Straight Connector		Suitable for LPL3535 LPL4435 LPL5035 LPL7050	Chrome	LPLSCN	80	80	1	90° Top Angle Connector			Chrome	LPL90EXCN	90	90	1
120° Side Angle Connector		Suitable for LPL3535 LPL4435 LPL5035 LPL7050	Chrome	LPL45INCN	90	90	1	Y-Connector			Chrome	LPL Y CN Y Connector	180	180	1

\*C: Commercial Luminaries and Fixtures | Suitable for operating 12-16 Hrs./day.

▲ NOTE: All other products mentioned here in pricelist are for domestic usage only. Suitable for operating 10-12 Hrs./day.

## LUSSO LED LINEAR LIGHTING (ASSEMBLED)



Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.	Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
LUSSO Linear Light (Hanging / Surface)		43 W (4 Ft)	WH, WW, NW	LPL70501.2M	4670	3850	1	LUSSO Linear Light		48 W	WH, NW (L 1200 x W 50 x H 75mm)	LPL48	4275	4275	1
		WH, WW, NW	LPL70501.2M Black Body	4770	3950	1									
	86 W (8 Ft)	WH, WW, NW	LPL70502.4M	8890	6840	1									
		WH, WW, NW	LPL70502.4M Black Body	9090	6940	1									
LUSSO Linear Light (Hanging / Surface)		40 W	<b>3-IN-1</b>	LPL5532 3-IN-1	3750	3380	1		Dimension : 1200mm L x 32mm W x 55mm H	Switch Operated Color Selection					
LUSSO Linear Light (Concealed)		36 W (1 Mtr.)	WH, WW, NW	LPL50351M	3440	3440	1								
		72 W (2 Mtr.)	WH, WW, NW	LPL50352M	6880	6880	1								

## CABINET LIGHT - LED LINEAR SLEEK PROFILE

## ACCESSORIES

Cabinet Light		5 W (1 Ft)	WH, WW	LPL2209 5W	520	450	100	Panel Light String		Hanging String for Panel Light - 1 set Std. Length : 1 mtr.	LSTRG50	550	550	1
		8 W (2 Ft)	WH, WW	LPL2209 8W	780	680	100							
Cabinet Light		18 W (4 Ft)	WH, WW	LPL2209 18W	1390	1280	50	Double Tube String		Hanging String for Double Tube	LSTRG40	450	450	1

## SOLTERO COMMERCIAL LED SOLAR STREET LIGHT



	Wattage	Colour	Product Code	Solar Panel	Battery	MRP ₹	*DLP ₹
	12 W	WH	LSTCSOL12	40 W	Lithium 12AH - 12.8 V	22800	19500
				Frame for panel			4450
	18 W	WH	LSTCSOL18	60 W	Lithium 18AH - 12.8 V	25900	23500
				Frame for panel			4950
	40 W	WH	LSTCSOL40	120 W	Lithium 36AH - 12.8 V	39950	36800
				Frame for panel			5400
	60 W	WH	LSTCSOL60	160 W	Lithium 54AH - 12.8 V	55500	49400
				Frame for panel			6900

\*Cost of Pole & Panel Frame Extra.



\*\*Solar streetlights will turn ON automatically in the absence of sunlight.  
First 4 hours it glows with 100% brightness and thereafter goes into power saving mode - with 50% brightness.



# DMX LED LIGHTS

Product Name	Photo	Power	Color	Beam Angle	Control Mode	Product Code	MRP	*DLP	Std. Pkg.
--------------	-------	-------	-------	------------	--------------	--------------	-----	------	-----------








## LED FLOOD LIGHT

DMX LED Flood Lights		24W* 24V	RGB	30°	DMX 512 (1 Pixel)	LFL24LN S1 RGB	15600	14950	1
DMX R-LINE LED Flood Lights		36W* 24V	RGBW	30°	DMX 512 (1 Pixel)	LFL36LN RL-1 RGBW (W = 6000K)	14900	13680	1
		48W* 24V	RGBW	30°	DMX 512 (1 Pixel)	LFL48LN RL-1 RGBW (W = 6000K)	15900	14870	1
DMX LED Flood Lights		60W* 24V	RGBW	30°	DMX 512 (1 Pixel)	LFL60LN S1 RGBW (W = 6000K)	22650	21980	1
		85W* 24V	RGBW	30°	DMX 512 (1 Pixel)	LFL85LN RGBW (W = 6000K)	26450	26450	1
DMX S-LINE LED Flood Lights		85W* 24V	RGBW	10°	DMX 512 (1 Pixel)	LFL85LN SL-1 RGBW (W = 6000K)	29750	28990	1

## LINKABLE LINEAR WALL WASHER

Linkable Linear Wall Washer		24W* 24V	RGBW	45°	DMX 512 (4 Pixel)	LLW RGB DMX 24 24 1M	11750	11750	1
		36W* 24V	RGBW	45°	DMX 512 (4 Pixel)	LLW RGB DMX 36 24 1M	12960	12960	1

## ACCESSORIES & CONTROLLER

Product Name	Photo	Product Code	MRP ₹	*DLP ₹	Std. Pkg.	Product Name	Photo	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
DMX T-Connector Cable		LDMXCT2P2M	1950	1950	1	DMX Touch Controller		LDMXTCNTL16	29950	25380	1
3 Pin DMX Signal Connector Cable		LDMXCS1.5M	950	950	1	<b>NEW</b> DMX Touch Controller		LDMXTPCEX8S	14900	12380	1
5 Pin DMX Power & Signal Connector (Jumper) Cable		LDMXCJ3.0M	1550	1550	1	24V / 150W IP67 - 5 Year Warranty Driver		LUWD150 5Y	4480	4160	1
						24V / 200W IP67 - 5 Year Warranty Driver		LUWD200 5Y	4890	4670	1

\*24V DC Constant voltage external power supply not included. To be purchased separately.

**NEW**

# 3 YEAR WARRANTY PRODUCTS

Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.	Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
<b>CERON ANTI-GLARE COB LIGHT</b>															
CERON ANTI-GLARE LED COB LIGHT		7W	WH,WW,NW	LCAG07 B	1430	1280	50	CERON ANTI-GLARE LED COB LIGHT		18 W	WH,WW,NW	LCAG18 B	2580	2290	20
		Beam Angle 36°		Dimension: Ø 40 x 70 mm Cut-out: Ø 35 mm						Beam Angle 38°		Dimension: Ø 66 x 105 mm Cut-out: Ø 60 mm			
CERON ANTI-GLARE LED COB LIGHT		12 W	WH,WW,NW	LCAG12 B	1960	1760	50	CERON ANTI-GLARE LED COB LIGHT		24 W	WH,WW,NW	LCAG24 B	3490	3140	20
		Beam Angle 40°		Dimension: Ø 55 x 85 mm Cut-out: Ø 50 mm						Beam Angle 50°		Dimension: Ø 78 x 111 mm Cut-out: Ø 70 mm			
CERON ANTI-GLARE LED COB LIGHT		7W	WH,WW,NW	LCAG07 W	1430	1280	50	CERON ANTI-GLARE LED COB LIGHT		18 W	WH,WW,NW	LCAG18 W	2580	2290	20
		Beam Angle 36°		Dimension: Ø 40 x 70 mm Cut-out: Ø 35 mm						Beam Angle 38°		Dimension: Ø 66 x 105 mm Cut-out: Ø 60 mm			
CERON ANTI-GLARE LED COB LIGHT		12 W	WH,WW,NW	LCAG12 W	1960	1760	50	CERON ANTI-GLARE LED COB LIGHT		24 W	WH,WW,NW	LCAG24 W	3490	3140	20
		Beam Angle 40°		Dimension: Ø 55 x 85 mm Cut-out: Ø 50 mm						Beam Angle 50°		Dimension: Ø 78 x 111 mm Cut-out: Ø 70 mm			
CERON ANTI-GLARE LED COB LIGHT		7W	WH,WW,NW	LCAG07 C	1580	1490	50	CERON ANTI-GLARE LED COB LIGHT		18 W	WH,WW,NW	LCAG18 C	2790	2480	20
		Beam Angle 36°		Dimension: Ø 40 x 70 mm Cut-out: Ø 35 mm						Beam Angle 38°		Dimension: Ø 66 x 105 mm Cut-out: Ø 60 mm			
CERON ANTI-GLARE LED COB LIGHT		12 W	WH,WW,NW	LCAG12 C	1990	1890	50	CERON ANTI-GLARE LED COB LIGHT		24 W	WH,WW,NW	LCAG24 C	3490	3140	20
		Beam Angle 40°		Dimension: Ø 55 x 85 mm Cut-out: Ø 50 mm						Beam Angle 50°		Dimension: Ø 78 x 111 mm Cut-out: Ø 70 mm			

## STRADA P1 STREETLIGHTS

STRADA P1 STREET LIGHT		45 W	WH	LST045 LN P1	3600	3160	-	STRADA P1 STREET LIGHT		90 W	WH	LST090 LN P1	6600	5790	-	
STRADA P1 STREET LIGHT		60 W	WH	LST060 LN P1	4180	3650	-		<b>NEW</b>		120 W	WH	LST120 LN P1	7950	6360	-
									<b>NEW</b>		150 W	WH	LST150 LN P1	10650	9340	-

**NEW**

## INDUSTRIAL BATTEN IP65

INDUSTRIAL BATTEN IP65		40 W	WH	LINB040 IP65	3980	3670	-	INDUSTRIAL BATTEN IP65		80 W	WH	LINB080 IP65	4950	4790	-
		Dimension: 1275 x 70 x 80 mm								Dimension: 1275 x 100 x 80 mm					

**NEW**

## HIGHMAST - SPORTS FLOODLIGHT - IP65

HIGHMAST SPORTS FLOODLIGHT		250 W	WH	LFL250HM LN	14470	13990	-	HIGHMAST SPORTS FLOODLIGHT		500 W	WH	LFL500HM LN	32650	29980	-
		Beam Angle 30°								Beam Angle 30°					

# 5 YEAR WARRANTY PRODUCTS

Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.	Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
<b>ALCOR LN5Y LED FLOOD LIGHTS</b>															
ALCOR LN5Y Flood Light		30 W	WH, WW	LFL30TGLN 5Y	2940	2620	--	ALCOR LN5Y Flood Light		200 W	WH, WW	LFL200TGLN 5Y	13940	12900	--
												250 W	WH, WW	LFL250TGLN 5Y	17580
ALCOR LN5Y Flood Light		50 W	WH, WW	LFL50TGLN 5Y	3350	2930	--	ALCOR LN5Y Flood Light		300 W	WH, WW	LFL300TGLN 5Y	22560	19620	--
												350 W	WH	LFL350TGLN 5Y	26650
ALCOR LN5Y Flood Light		120 W	WH, WW	LFL120TGLN 5Y	9180	8780	--	ALCOR LN5Y Flood Light		400 W	WH, WW	LFL400TGLN 5Y	27380	25570	--
												500 W	WH, WW	LFL500TGLN 5Y	39850

**FARO WELL GLASS LED LIGHTS**

Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.	Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
FARO Well Glass Light		40 W	WH	LW0405Y	3640	3080	12	FARO Well Glass Light		70 W	WH	LW0705Y	5770	5150	8

**AVIOR HIGH BAY LED LIGHTS - OUTDOOR**

AVIOR High Bay Outdoor		80 W	WH	LOHY080 LN 5Y Lens Type	8490	7590	4	AVIOR High Bay Outdoor		150 W	WH	LOHY150 LN 5Y Lens Type	13800	11750	1
		100 W	WH	LOHY100 LN 5Y Lens Type	10880	8890	4			200 W	WH	LOHY200 LN 5Y Lens Type	16970	13980	1
		120 W	WH	LOHY120 LN 5Y Lens Type	11600	9450	1	AVIOR High Bay Outdoor		150 W	WH	LOHY150 FL 5Y Lens Type	11800	10950	1

**LINEAR HIGHBAY LED LIGHTS (IP-66)**

**OUTDOOR INDUSTRIAL BATTEN (IP-65)**

LINEAR Highbay IP-66 High Lumen		40 W	WH, WW	LLHBY40	13680	13680	--	OUTDOOR Industrial Batten IP-65		40 W	WH, WW	LTOD40N	5460	5460	--
		75 W	WH, WW	LLHBY75	14890	14890	--								

**METAL BODY LED DOWNLIGHT**

OPTIONAL DIMMING :

DURO Down Light Metal Body		12 W	WH,WW,NW	LDR12MTL5Y Dimension : Ø 120mm X 40mm Ceiling Cut-out : Ø 95mm	1360	1180	36	DURO Down Light Metal Body		12 W	WH,WW,NW	LDS12MTL5Y Dimension : 120 X 120 X 40mm Ceiling Cut-out : 95 X 95mm	1360	1180	36
DURO Down Light Metal Body		18 W	WH,WW,NW	LDR18MTL5Y Dimension : Ø 145mm X 40mm Ceiling Cut-out : Ø 120mm	1650	1430	36	DURO Down Light Metal Body		18 W	WH,WW,NW	LDS18MTL5Y Dimension : 145 X 145 X 40mm Ceiling Cut-out : 120 X 120mm	1650	1430	36
DURO Down Light Metal Body		24 W	WH,WW,NW	LDR24MTL5Y Dimension : Ø 175mm X 40mm Ceiling Cut-out : Ø 145mm	2350	1980	36	DURO Down Light Metal Body		24 W	WH,WW,NW	LDS24MTL5Y Dimension : 175 X 175 X 40mm Ceiling Cut-out : 145 X 145mm	2350	1980	36
DURO Down Light Metal Body		30 W	WH,WW,NW	LDR30MTL5Y Dimension : Ø 175mm X 40mm Ceiling Cut-out : Ø 145mm	2480	2160	36	DURO Down Light Metal Body		30 W	WH,WW,NW	LDS30MTL5Y Dimension : 175 X 175 X 40mm Ceiling Cut-out : 145 X 145mm	2480	2160	36
DURO Down Light Metal Body		36 W	WH,WW,NW	LDR36MTL5Y Dimension : Ø 175mm X 40mm Ceiling Cut-out : Ø 145mm	2480	2160	36	DURO Down Light Metal Body		36 W	WH,WW,NW	LDS36MTL5Y Dimension : 220 X 220 X 40mm Ceiling Cut-out : 195 X 195mm	2950	2690	36

**CLEANROOM BACKLIT LED PANEL (IP-65)**

**BACKLIT LED PANEL (IP-20)**


CLEANROOM BACKLIT Panel (IP65) 2 x 2		40 W	WH, NW	LKM22405YIP65	6600	5760	--	BACKLIT Panel (IP20) 2 x 2		40 W	WH	LKM2240LN5Y	3960	3960	--
		60 W	WH, NW	LKM22605YIP65	7300	6480	--	LUMOS Retrofit 4 ft Tube		18 W	WH	LT1818T-5Y	980	980	25/30

**LUMOS RETROFIT LED TUBE**

**STRADA LN 5Y LED STREET LIGHTS**

STRADA LN 5Y Street Light		60 W	WH, WW	LST060 LN 5Y	4390	4390	--	STRADA LN 5Y Street Light		200 W	WH, WW	LST200 LN 5Y	12590	12590	--
STRADA LN 5Y Street Light		90 W	WH, WW	LST090 LN 5Y	6490	6490	--	STRADA LN 5Y Street Light		250 W	WH, WW	LST250 LN 5Y	15690	15690	--
STRADA LN 5Y Street Light		120 W	WH, WW	LST120 LN 5Y	6890	6890	--	STRADA LN 5Y Street Light		300 W	WH, WW	LST300 LN 5Y	18450	18450	--
STRADA LN 5Y Street Light		160 W	WH, WW	LST160 LN 5Y	11170	11170	--								

# Energy series... LED Lighting Solutions



## LED RECESSED SPOTLIGHT

Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.	Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
AYLA Spotlight		1W	WH,WW,NW, RD,BL,GR,PK	LESR01N	100	90	100	AYLA Spotlight		3W	WH,WW,NW	LESR03	150	150	100
<b>NEW</b> VEO Spotlight		1W	WH,WW,RD,BL,GR,PK	LESMR01	120	120	100	BELLO Spotlight (Driver Type)		2W	WH,WW	LLCBELLORD02	130	120	100
AYLA Spotlight		2W	WH,WW,RD,BL,GR,PK	LESR02	110	90	100	<b>LOUIS LED DOWNLIGHT</b>							

<b>NEW</b> VEO Spotlight		1W	WH,WW,RD,BL,GR,PK	LESMR01	120	120	100
--------------------------	--	----	-------------------	---------	-----	-----	-----

AYLA Spotlight		2W	WH,WW,RD,BL,GR,PK	LESR02	110	90	100
----------------	--	----	-------------------	--------	-----	----	-----

## JUNCTION BOX DOWNLIGHTS

BUZZ Junction Box Downlight		3W	WH,WW,NW RD,BL,GR,PK	LDRJB03NS	120	90	100
-----------------------------	--	----	----------------------	-----------	-----	----	-----

PORTA Junction Box Downlight		3W	WH,WW,NW RD,BL,GR,PK	LLDLPORTJRD03	140	110	50
------------------------------	--	----	----------------------	---------------	-----	-----	----

PORTA Deep Junction Box Downlight*		15W	WH, WW	LLDLPORTJRD15	580	580	30
------------------------------------	--	-----	--------	---------------	-----	-----	----

## LED CEILING LIGHTS - INDOOR

LUAN S1 Sleek Ceiling Light		3 W	WH, WW RD, BL,GR, PK	LCL03SRDN	110	90	100 / 200
-----------------------------	--	-----	----------------------	-----------	-----	----	-----------

## LED CEILING LIGHTS - OUTDOOR

LUAN O1 Ceiling Light Outdoor		3 W	WW	LC0BBSRR5403	540	490	20
-------------------------------	--	-----	----	--------------	-----	-----	----

## CIRCA SURFACE CEILING LIGHTS

CIRCA Surface Ceiling Light		6 W	WW	LLCECIRCARD06	310	310	30
-----------------------------	--	-----	----	---------------	-----	-----	----

CIRCA Surface Ceiling Light		15 W	WW	LLCECIRCARD15	590	590	30
-----------------------------	--	------	----	---------------	-----	-----	----

## LOUIS LED DOWNLIGHT

LOUIS Downlight		3W	WH,WW	LECOB03 WH	240	190	100
-----------------	--	----	-------	------------	-----	-----	-----

LOUIS Downlight		3W	WH,WW	LECOB03 CH	240	190	100
-----------------	--	----	-------	------------	-----	-----	-----

LOUIS Downlight		3W	WH,WW	LECOB03 RG	240	190	100
-----------------	--	----	-------	------------	-----	-----	-----

LOUIS Downlight		7W	WH,WW	LECOB07 WH	470	350	100
-----------------	--	----	-------	------------	-----	-----	-----

LOUIS Downlight		7W	WH,WW	LECOB07 CH	470	350	100
-----------------	--	----	-------	------------	-----	-----	-----

LOUIS Downlight		7W	WH,WW	LECOB07 RG	470	350	100
-----------------	--	----	-------	------------	-----	-----	-----

LOUIS Downlight		12W	WH,WW,NW	LECOBBWH12 BK	730	660	100
-----------------	--	-----	----------	---------------	-----	-----	-----

## SPARK EMERGENCY BULB

SPARK Emergency Bulb B22		9 W	WH	LEBGB09 DB	490	490	50
--------------------------	--	-----	----	------------	-----	-----	----

## VESTA LED SLIM PANELS

Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.	Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
VESTA Slim Panel		3W	WH, WW, NW	LEPS03 Dimensions : 90mm x 90mm Ceiling Cut-out: 70mm x 70mm	390	295	30	VESTA Slim Panel		3W	WH, WW, NW	LEPR03 Dimensions : Ø 83mm Ceiling Cut-out: Ø 69mm	390	295	30
VESTA Slim Panel		6W	WH, WW, NW	LEPS06 Dimensions : 120mm x 120mm Ceiling Cut-out: 100mm x 100mm	520	390	30	VESTA Slim Panel		6W	WH, WW, NW	LEPR06 Dimensions : Ø 120mm Ceiling Cut-out: Ø 100mm	520	390	30
VESTA Slim Panel		9W	WH, WW, NW	LEPS09 Dimensions : 145mm x 145mm Ceiling Cut-out: 130mm x 130mm	640	470	30	VESTA Slim Panel		9W	WH, WW, NW	LEPR09 Dimensions : Ø 145mm Ceiling Cut-out: Ø 130mm	640	470	30
VESTA Slim Panel		12W	WH, WW, NW	LEPS12 Dimensions : 166mm x 166mm Ceiling Cut-out: 150mm x 150mm	690	570	30	VESTA Slim Panel		12W	WH, WW, NW	LEPR12 Dimensions : Ø 169mm Ceiling Cut-out: Ø 150mm	690	570	30
VESTA Slim Panel		15W	WH, WW, NW	LEPS15 Dimensions : 190mm x 190mm Ceiling Cut-out: 170mm x 170mm	790	660	20	VESTA Slim Panel		15W	WH, WW, NW	LEPR15 Dimensions : Ø 190mm Ceiling Cut-out: Ø 170mm	790	660	20
VESTA Slim Panel		18W	WH, WW, NW	LEPS18 Dimensions : 218mm x 218mm Ceiling Cut-out: 200mm x 200mm	880	760	20	VESTA Slim Panel		18W	WH, WW, NW	LEPR18 Dimensions : Ø 218mm Ceiling Cut-out: Ø 200mm	880	760	20
VESTA Slim Panel		30W	WH	LEPS30 Dimensions : 292mm x 292mm Ceiling Cut-out: 273mm x 273mm	1450	1190	10	VESTA Slim Panel		30W	WH	LEPR30 Dimensions : Ø 298mm Ceiling Cut-out: Ø 282mm	1450	1190	10

## VESTA LED SURFACE PANELS

VESTA Surface Panel		6W	WH, WW	LEPSRR06 Dimensions : Ø 115mm x 28mm (H)	590	490	30	VESTA Surface Panel		6W	WH, WW	LEPSRS06 Dimensions : 115mm x 115mm x 28mm (H)	590	490	30
VESTA Surface Panel		12W	WH, WW	LEPSRR12 Dimensions : Ø 160mm x 28mm (H)	780	620	30	VESTA Surface Panel		12W	WH, WW	LEPSRS12 Dimensions : 160mm x 160mm x 28mm (H)	780	620	30
VESTA Surface Panel		18W	WH, WW	LEPSRR18 Dimensions : Ø 208mm x 28mm (H)	960	790	10	VESTA Surface Panel		18W	WH, WW	LEPSRS18 Dimensions : 200mm x 200mm x 28mm (H)	960	790	10




## ESSO LED ENERGY PANELS

ESSO Energy Panel		5 W	WH, WW, NW	LEPS05D Dimensions : 82mm x 82mm x 37mm Ceiling Cut-out: 62mm x 62mm	180	175	30	ESSO Energy Panel		5 W	WH, WW, NW	LEPR05D Dimensions : Ø 80mm x 36mm Ceiling Cut-out: Ø 60mm	195	175	30
ESSO Energy Panel		8 W	WH, WW, NW	LEPS08D Dimensions : 115mm x 115mm x 35mm Ceiling Cut-out: 100mm x 100mm	250	245	30	ESSO Energy Panel		8 W	WH, WW, NW	LEPR08D Dimensions : Ø 115mm x 35mm Ceiling Cut-out: Ø 100mm	250	245	30
ESSO Energy Panel		12 W	WH, WW, NW	LEPS12D Dimensions : 145mm x 145mm x 35mm Ceiling Cut-out: 125mm x 125mm	350	345	30	ESSO Energy Panel		12 W	WH, WW, NW	LEPR12D Dimensions : Ø 145mm x 30mm Ceiling Cut-out: Ø 125mm	350	345	30
ESSO Energy Panel		18 W	WH, WW, NW	LEPS18D Dimensions : 165mm x 165mm x 35mm Ceiling Cut-out: 150mm x 150mm	590	580	30	ESSO Energy Panel		18 W	WH, WW, NW	LEPR18D Dimensions : Ø 165mm x 35mm Ceiling Cut-out: Ø 150mm	590	560	30



## HACO LED DOWNLIGHTS

HACO Downlight		5 W	WH, WW, NW RD, BL, PK, GN	LEDR05N Dimensions : 110mm x 50mm Ceiling Cut-out: 75mm	160	140	30	HACO Downlight		7 W	WH, WW, NW RD, BL, PK, GN	LEDR07N Dimensions : 110mm x 50mm Ceiling Cut-out: 75mm	190	150	30
HACO N1 Downlight		5 W	WH, WW, NW RD, BL, PK, GN	LEDR05 N1 Dimensions : 110mm x 45mm Ceiling Cut-out: 77mm	160	140	30	HACO N1 Downlight		7 W	WH, WW, NW RD, BL, PK, GN	LEDR07 N1 Dimensions : 110mm x 45mm Ceiling Cut-out: 77mm	190	150	30
HACO Downlight		8 W	WH, WW, NW	LEDS08 Dimensions : 112mm x 112mm x 35mm Ceiling Cut-out: 100mm x 100mm	360	310	60	HACO Downlight		8 W	WH, WW, NW	LEDR08 Dimensions : Ø 116mm x 35mm Ceiling Cut-out: Ø 100mm	360	310	60
HACO Downlight		15 W	WW, NW	LEDS15 Dimensions : 162mm x 162mm x 35mm Ceiling Cut-out: 150mm x 150mm	860	600	40	HACO Downlight		15 W	WW, NW	LEDR15 Dimensions : Ø 166mm x 35mm Ceiling Cut-out: Ø 150mm	860	590	40
HACO Downlight		22 W	WH, WW, NW	LEDS22 Dimensions : 216mm x 216mm x 35mm Ceiling Cut-out: 205mm x 205mm	1080	900	20	HACO Downlight		22 W	WH, WW, NW	LEDR22 Dimensions : Ø 216mm x 35mm Ceiling Cut-out: Ø 205mm	1080	860	20



## HACO LED DOWNLIGHTS

Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.	Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.	
HACO <b>3-IN-1</b> Downlight		7 W	WHT NWH WW, Blue Pink Violet, Blue Green Cyan, Red Blue Pink, Green Pink White	HACO 7W	280	190	60	HACO NEO 9W LED DOWNLIGHT		9 W	WH,WW,NW	LHDR09 N	290	250	50	
								Dimension: Ø 110 x 22 mm Cut-out: Ø 80 mm	<b>NEW</b>	HACO NEO 9W LED DOWNLIGHT		9 W	WH,WW,NW	LHDR09 N1	290	250



## LUNA ANTI-GLARE LED DOWNLIGHTS

LUNA Anti-Glare Downlight		5 W	WH, WW, NW	LAGDS05	380	380	50	LUNA Anti-Glare Downlight		5 W	WH, WW, NW	LAGDR05	380	380	50	
LUNA Anti-Glare Downlight		7 W	WH, WW, NW	LAGDS07	490	490	50	LUNA Anti-Glare Downlight		12 W	WH, WW, NW	LAGDR12	790	790	30	
LUNA Anti-Glare Downlight		12 W	WH, WW, NW	LAGDS12	790	790	30									



## ENERGY LED STRIP & STRIP DRIVER

Energy LED Strip Light (60 LED)		4.8W/Mtr.	WH, WW	LPLS60E	80 per mtr	70 per mtr	5 mtr	LED Strip Drive 12V		2A/24W	87 x 36 x 26mm	LESD02	480	410	-
		4.8W/Mtr.	RD, GN, BL, PK	LPLS60E	90 per mtr	80 per mtr	5 mtr			3A/36W	97 x 38 x 26mm	LESD03	680	580	-
										5A/60W	115 x 40 x 26mm	LESD05	840	780	-
										8A/96W	152 x 46 x 30mm	LESD08	1300	1190	-
										12.5A/150W	189 x 52 x 30mm	LESD12	1590	1480	-
										16A/192W	182 x 62 x 30mm	LESD16	1890	1760	-
										20A/240W	212 x 63 x 30mm	LESD20	2290	2180	-

## FLARE LED FLOODLIGHTS

FLARE Flood Light		20W	WW	LFLD20N GY	890	810	40	FLARE Flood Light		50W	WW	LFLD50N GY	1540	1380	-
		30W	WW	LFLD30N GY	1090	1080	30			100W	WW	LFLD100N GY	3180	3180	-

## FLARE NEO F1 FLOOD LIGHTS

FLARE NEO F1 Flood Light		10W	WH, WW	LFL10FN1	690	620	20	FLARE NEO F1 Flood Light		100W	WH, WW	LFL100FN1	3180	2140	20
FLARE NEO F1 Flood Light		20W	WH, WW	LFL20FN1	890	710	20			150W	WH	LFL150FN1	4250	3980	10
FLARE NEO F1 Flood Light		30W	WH, WW	LFL30FN1	1140	990	20			200W	WH	LFL200FN1	5480	5240	10

## FLARE NEO FLOOD LIGHTS

FLARE NEO F1 Flood Light		50W	WH, WW	LFL50FN1	1540	1180	20	FLARE NEO Flood Light		50W	WH	LFL50FN	1540	1380	20
--------------------------	---	-----	--------	----------	------	------	----	-----------------------	--	-----	----	---------	------	------	----

## LEDA NEO LED STREET LIGHTS

LEDA Street Light		20W	WH	LEST20NS	1280	1090	20	LEDA Street Light		50W	WH	LEST50NS	1890	1660	10
LEDA Street Light		30W	WH	LEST30NS	1480	1290	20	LEDA Street Light		100W	WH	LEST100NS	3580	3080	10

# ORIT LED MIRROR LIGHTS

Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.	Product Name	Photo	Wattage	Color	Product Code	MRP ₹	*DLP ₹	Std. Pkg.
ORIT T1 <b>3 IN 1</b>		12W	<b>3 IN 1</b>	LMR13 3IN1	1950	1780	20	ORIT T2 <b>3 IN 1</b>		18W	<b>3 IN 1</b>	LMR18 3IN1	1940	1790	20
ORIT T3 <b>3 IN 1</b>		9W	<b>3 IN 1</b>	LMROT3 3IN1	1080	990	20								

# LED LINEAR PROFILE & STRIP

Profile Strip 120 LED per mtr.		7W/Mtr.	WH, WW, NW	LPLS120E12	120 per mtr	105 per mtr	5 mtr	Aluminium Profile Concealed		Aluminium	LPL2414E	220 per mtr	190 per mtr	2mtr
			GR, BL, RD	LPLS120E	190 per mtr	150 per mtr	5 mtr			Black Body with White Diffuser	LPL2414E BK	230 per mtr	200 per mtr	2mtr
Profile Strip 240 LED per mtr.		12W/Mtr.	WH, WW, NW	LPLS240E20	240 per mtr	180 per mtr	5 mtr/ 250mtr Box							

# ELIO LED WALL LIGHTS

ELIO M1		12 W	WH, WW	LWLEM1 White/Black Body	1590	1540	-	ELIO L1		8 W	WH, WW	LWLEL1	1490	1490	-
Dimensions : 120mm x 25mm x 194mm (H)								Dimensions : 110mm x 40mm x 108mm (H)							

# ESSO NEO DOWNLIGHTS

ESSO NEO Downlight		8 W	WH, WW, NW	LEPR08DN	250	240	20	ESSO NEO Downlight		12 W	WH, WW, NW	LEPR12DN	320	320	20
Dimensions : Ø 120mm x 25mm (H) Cutout : Ø 93mm								Dimensions : Ø 145mm x 30mm (H) Cutout : Ø 115mm							


# LED LINEAR LIGHTING PROFILES

Aluminium Profile Surface		Aluminium Finish	LPL2014E	180 per mtr.	160 per mtr.	2mtr	Aluminium Profile Surface		Aluminium Finish	LPL1707E	150 per mtr.	120 per mtr.	2mtr
Aluminium Profile Surface		Aluminium Finish	LPL1308E	190 per mtr.	180 per mtr.	2mtr	Aluminium Profile Concealed		Aluminium Finish	LPL2307E	160 per mtr.	125 per mtr.	2mtr

# UNIS - LINKABLE LED BATTEN

## Product Features

- Customized lighting layout
- No complex additional wiring
- Flexible to change lighting designs any time
- Modular type for easy installation
- Can fix on wall & ceiling
- Available in multiple color cct options
- Aluminium body for better heat dissipation
- Good brightness & long life led



White (WH)

Warm White (WW)

Neutral White (NW)



**LUKER ELECTRIC TECHNOLOGIES PVT. LTD.**

CIN: U31909KL2015PTC038352

- Regd Office** : 34/1912-C1, Mattathil Lane, BTS Road, Kochi-682024, Ernakulam, Kerala
- Corp. Office** : 2nd Floor, Jain Tower, NH-17 Bypass, Opp. Lulu Mall, Edappally, Kochi-682 024,  
All Kerala - Trivandrum - 9895418525, Kottayam - 9895011400, Ernakulam - 9497181030, Calicut - 9747477717, Tamilnadu - 9994099980.
- Factory** : 54, Krishnarayapuram Thottasalai, Old Cochin Bypass Road, Chettipalayam, Coimbatore – 641201, Tamilnadu, India.
- Tamil Nadu** : Coimbatore: No.22, A.T.T. Colony, First Floor, A.V. Centre, V.O.C. Park Road, Coimbatore-641018, Ph: 0422 2309977, 9994481477  
Chennai: No.11/6, Damodar Street, Chetpet, Chennai-600031, Ph: +91 9944222007
- Hyderabad** : Door No.101, First Floor, Abhinandan Apt, Plot No. E32, Vikramपुरi Housing Colony, Secunderabad - 500009, Ph: +91 040-27746268, 9866077902, 9866190316 | Email: hyd@lukerindia.com
- Mumbai** : 1806, Lodha Supremus, Saki Vihar Road, Opp. M.T.N.L. Building, Andheri (East), Mumbai-400072, Ph: +91 9820009055, +91 9769207676
- Ahmedabad** : G-102, Smarana Bakeri City, Near Torrent Power, Sonal Cinema Road, Vejalpur, Ahmedabad-380051, Gujarat, Ph: +91 9687300643  
Email: sales@lukerindia.com
- Kolkata** : 4A, Pollock Street, Swalka Centre, 4th Floor, Room No. 408, Kolkata - 700001

**Representative offices at :** **Warrangal** - 7893039571, **Karim Nagar** - 9652136716, **Kakinada** - 9000554811, **Mangalore** - 7022119165, **Salem** - 9994447996 / 9994013192, **Thirunelveli** - 9994493242, **Madurai** - 7708108810, Trichy - 8056180666, **Vellore** - 9677295261, **Pondicherry** - 9944406353, **Pune** - 9890696933, **Nagpur** - 9850395269, **Nasik** - 7769091911, **Baroda** - 9687300643, **Raipur** - 9399613842, 9827216350, **Bhopal** - 9300082600, **Kolkata** - 9831184486, **Vijayawada** - 8019969551, **Visakhapatnam** - 9246999368, **Guntur** - 8019969551, **Goa** - 9158159062, **Indore** - 9329754005, **Ahmedabad** - 9687300643, **Surat** - 9825506072, **Rajkot** - 9687300643, **Jabalpur** - 9407154296, **Gwalior** - 9329754005, **Eluru** - 9000326440, **Rajahmundry** - 9000554811, **Tirupati** - 9866965656, **Khammam** - 9160018382, **Nizamabad** - 9703780070, **Patna** - 7762995833, **Siliguri** - 7430020990.

**Luker Electric Technologies Inc.**  
1 Cragwood RD STE 103A, S Plainfield, NJ 07080, U S A | Ph: +1 (914) 573-1616 | www.lukerus.com

Luker Inc. Dean Park Road, Scarpoorough, Toronto, Canada	Luker Inc. 25, Bon Church Road, ELM Grove Brighton, United Kingdom	Luker Inc. 9 Ivy Court, Cranbourne North Victoria 3977, Melbourne	Luker Electric Tech. LLC 173, Road 1111/311, Manama, P.O. Box 1049 Kingdom of Bahrain
--	--	---	---

**Consumer Care No.: 1800 120 2350, 1800 570 2360**