


USHA[®]
the Joy of Air[®]

POWERED BY 
100%
COPPER MOTOR
WITH HIGH TORQUE




USHA[®]

the Joy of Air



CEILING FANS | TABLE FANS | PEDESTAL FANS | WALL FANS | EXHAUST FANS | SPECIAL APPLICATION FANS



-  <https://x.com/UshaIntl>
-  <https://www.facebook.com/FansbyUsha/>
-  https://www.instagram.com/usha_int/

USHA care[®]
Toll Free 1800 1033 111
— www.ushafans.com —

Disclaimer: Colours and graphics shown are for representation purpose only, actual products may vary. Conditions apply.
Due to innovation/technical improvements, the specifications are subject to change without prior notice.

USHA[®]
the Joy of Air



Style and comfort have never complemented each other like this before.
Presenting a wide range of stylish fans from Usha that will leave you spoilt for choices.
A Fan to suit every need and every mood. Choose the one that fits your imagination
and fills the air with joy and comfort in abundance.

100%
COPPER MOTOR
WITH HIGH TORQUE

Energy Efficient
Copper's low electrical resistivity ensures reduced power consumption, resulting in higher energy savings.


Consistent Airflow
The superior efficiency of copper motors guarantees strong, steady airflow for better cooling.

Higher Power Output
With copper's excellent conductivity, the motor achieves higher power output with less energy loss, delivering optimal fan performance.

Enhanced Performance
Copper motors deliver more efficient and reliable operation, ensuring smooth and powerful fan performance.

Durable and Long-Lasting
Built with high-quality materials, these motors are designed to endure regular use, providing long-term reliability.

***Built to last,
Powered by Technology.***



ADMIRE SERIES 5-16	BLDC TECHNOLOGY 17-30	HI - TREND SERIES 31-42	UNIVERSAL SERIES 43-58
TABLE FANS 59-66	PEDESTAL FANS 67-82	WALL FANS 83-94	EXHAUST FANS 95-108
SPECIAL APPLICATION FANS 109-117	CEILING FAN SELECTION GUIDE 118-119	COMPANY SHOWROOMS 120-121	LOCATION SALES OFFICES 122



TECHNOLOGY NOW
MEETS AESTHETICS
TO GIVE YOU

ADMIRE SERIES

Who says fans are just dull and boring? Meet the super-stylish Admire Series that is worthy of stealing the limelight of your home. While they perform to fetch you compliments, their aesthetics leave everyone speechless.

Admire series. A masterpiece to admire.



Fontana Lotus

Fontana Orchid

Fontana Maple

Fontana One

100%
COPPER MOTOR
WITH HIGH TORQUE

Grandiose

Aldora™

100%
COPPER MOTOR
WITH HIGH TORQUE

100%
COPPER MOTOR
WITH HIGH TORQUE




Steel



Gold Ivory



Black Chrome



Gold Ivory



Black Chrome



Steel



MULTI-DIRECTIONAL
REMOTE



MULTI-DIRECTIONAL
REMOTE


FONTANA LOTUS (With Underlight)

- Wide tip blades for high air delivery and air spread
- Separate chain cords for light
- Stylish high gloss electroplated motor with removable under light
- Superior high permeability grade electric steel lamination for improved life
- 5 speed control with Remote


FONTANA LOTUS (Without Underlight)

- Wide tip blades for high air delivery and air spread
- Stylish high gloss electroplated motor with removable under light
- Superior high permeability grade electric steel lamination for improved life
- 5 speed control with Remote

Key Specifications:



Key Specifications:





Antique Brass



MULTI-DIRECTIONAL REMOTE

FONTANA MAPLE (With Underlight)

- Wide tip blades for high air delivery and air spread
- Separate chain cords for light
- Stylish high gloss electroplated motor with removable under light
- Superior high permeability grade electric steel lamination for improved life
- 5 speed control with Remote

**100%
COPPER MOTOR**
WITH HIGH TORQUE



Steel



Key Specifications:

Air Delivery 220 m³/min

Speed 300 rpm

Sweep Size 1.25 m (1250 mm)



Antique Brass




MULTI-DIRECTIONAL REMOTE

FONTANA MAPLE (Without Underlight)

- Wide tip blades for high air delivery and air spread
- Stylish high gloss electroplated motor with removable under light
- Superior high permeability grade electric steel lamination for improved life
- 5 speed control with Remote

**100%
COPPER MOTOR**
WITH HIGH TORQUE



Steel



Key Specifications:

Air Delivery 220 m³/min

Speed 300 rpm

Sweep Size 1.25 m (1250 mm)

100%
COPPER MOTOR
WITH HIGH TORQUE



Gold Ivory



MULTI-DIRECTIONAL
REMOTE

FONTANA ONE (With Underlight)

- Wide tip blades for high air delivery and air spread
- Separate chain cords for light
- Stylish high gloss electroplated motor with removable under light
- Superior high permeability grade electric steel lamination for improved life
- 5 speed control with Remote



Antique Brass

Key Specifications:


Air Delivery 220 m³/min

Speed 300 rpm

Sweep Size 1.27 m (1270 mm)



100%
COPPER MOTOR
WITH HIGH TORQUE



Gold Ivory



MULTI-DIRECTIONAL
REMOTE

FONTANA ONE (Without Underlight)

- Wide tip blades for high air delivery and air spread
- Stylish high gloss electroplated motor with removable under light
- Superior high permeability grade electric steel lamination for improved life
- 5 speed control with Remote

Key Specifications:

Air Delivery 220 m³/min

Speed 300 rpm

Sweep Size 1.27 m (1270 mm)






Gold Ivory

MULTI-DIRECTIONAL REMOTE

FONTANA ORCHID (With Underlight)

- Wide tip blades for higher air delivery and air speed
- Separate chain cords for light
- Stylish high gloss electroplated motor with removable under light
- Superior high permeability grade electric steel lamination for improved life
- 5 speed control with Remote






Steel

**100%
COPPER MOTOR
WITH HIGH TORQUE**

MORE STARS
MORE SAVINGS

**2
YEARS WARRANTY
ON MOTOR**

Key Specifications:

-  Air Delivery 220 m³/min
-  Speed 300 rpm
-  Sweep Size 1.28 m (1280 mm)



Gold Ivory

MULTI-DIRECTIONAL REMOTE

FONTANA ORCHID (Without Underlight)

- Wide tip blades for higher air delivery and air speed
- Stylish high gloss electroplated motor
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- 5 speed control with Remote



Steel

**100%
COPPER MOTOR
WITH HIGH TORQUE**

MORE STARS
MORE SAVINGS

**2
YEARS WARRANTY
ON MOTOR**

Key Specifications:

-  Air Delivery 220 m³/min
-  Speed 300 rpm
-  Sweep Size 1.28 m (1280 mm)



Baker's Brown



GRANDIOSE

IR REMOTE

- Decorative designer underlight fan with dimmable led light, 3 CCT
- 100% Copper Motor with BEE star rating for energy consumption
- Convenience of IR remote
- High air delivery
- Metallic paint finish



Pearl White



Hues Gold



Admiral Blue

**100%
COPPER MOTOR**
WITH HIGH TORQUE

Key Specifications:

Air Delivery
225 m³/min

Speed
350 rpm

Sweep Size
1.2 m (1200 mm)



Antique Copper

ALDORA™

- Electroplated for aesthetic appeal
- 250 m³/min high air delivery
- High lift angle of blades for wider air spread
- 4 Blade fan with 1320 mm sweep size



Brushed Nickel



Antique Brass



Brushed Black Chrome

**100%
COPPER MOTOR**
WITH HIGH TORQUE


Key Specifications:

Air Delivery
250 m³/min

Speed
260 rpm

Sweep Size
1.32 m (1320 mm)





MEET THE NEXT BIG INNOVATION.

MICROCHIP CONTROLLED 100% COPPER BLDC MOTOR

ENERGY EFFICIENT, HIGH TORQUE AND LOW
TEMPERATURE RISE FOR LONGER MOTOR LIFE

An epitome of energy-saving technology in Ceiling Fans, BLDC Motor Technology enhances your comfort by reducing power consumption and hence, by lowering the electricity bills. What's more! While it saves energy, it keeps the performance of the Fan intact.



HIGH PERFORMANCE EVEN AT LOW VOLTAGES

Voltage fluctuations wouldn't affect your fan again, thanks to the BLDC Motor Technology that makes the fan perform to its fullest even during low voltages.



UP TO 50% ENERGY SAVING

Discover intelligent operation with BLDC Motor Technology that's designed to save up to 50% energy without impacting the fan's performance.



HIGH EFFICIENCY

Wastage isn't acceptable to BLDC Motor Technology. That's why it utilizes higher input power and puts it to good use.



HIGH TORQUE

While it saves energy, it gives more power to the fan by increasing its torque level.



AN EPITOME OF ENERGY SAVING TECHNOLOGY IN CEILING FANS

BLDC SERIES

Introducing the Brushless Direct Current (BLDC) motor: In the world of electric motors, the BLDC motor offers a blend of efficiency and reliability that's hard to beat. With up to 50% less power consumption compared to traditional AC motors, it's not only cost-effective but also environmentally friendly.



Heleous®



EX 9™



EX 9 Glo™



Aeroedge™

100%
COPPER MOTOR
WITH HIGH TORQUE



Aeroedge Plus™



Technix BLDC Deco



Technix™



Techno Air™



Energia 32



Midnight Black

E-Series-Ex9™

MULTI-DIRECTIONAL REMOTE

- Automotive inspired design
- 3 Layered automotive paint for radiant finish and protection against dust & corrosion
- Whisper Quiet Operation



Sea Salt Blue

Moon White

Moonlight Black

Sea Salt Grey

Sparkle Brown

100%
COPPER MOTOR
WITH HIGH TORQUE

- BI-DIRECTIONAL MOVEMENT
- 40 W POWER CONSUMPTION
- WHISPER-QUIET OPERATION

Key Specifications:

- Air Delivery 240 m³/min
- Speed 300 rpm
- Sweep Size 1.20 m (1200 mm)

Microchip+
BLDC
TECHNOLOGY





Black



MULTI-DIRECTIONAL REMOTE

E-Series-Ex9 Glo™

- Microchip controlled BLDC motor technology: BEE 5 Star rated ceiling fan for low energy consumption
- Illuminated ring with 3 CCT light
- Point anywhere RF remote
- Automotive finish design
- Whisper Quiet Operation



40 W POWER CONSUMPTION



WHISPER-QUIET OPERATION



Key Specifications:



Air Delivery 240 m³/min



Speed 300 rpm



Sweep Size 1.2 m (1200 mm)




**100%
COPPER MOTOR**
WITH HIGH TORQUE



White



Brown



Imperial Blue



MULTI-DIRECTIONAL REMOTE

HELEOUS®

- Aerodynamic ABS blades for smooth and silent air flow
- Microchip controlled 100% Copper BLDC motor
- Multi-directional Remote
- Bi-Directional movement
- Whisper Quiet Operation



BI-DIRECTIONAL MOVEMENT



43 W POWER CONSUMPTION



WHISPER-QUIET OPERATION



Key Specifications:



Air Delivery 260 m³/min



Speed 310 rpm



Sweep Size 1.22 m (1220 mm)
Also available in 0.91 m (910 mm)



**100%
COPPER MOTOR**
WITH HIGH TORQUE



Sparkle White



Brown



IR REMOTE

Aeroedge Plus™

- Bi-directional rotation for year-round comfort
- LED Speed indicator
- Timer mode and Boost mode for added convenience
- IR Remote for control at your fingertips




Smoke Brown

**100%
COPPER MOTOR**
WITH HIGH TORQUE



Rich White



Key Specifications:



Microchip+
BLDC
TECHNOLOGY



Rich White

MULTI-DIRECTIONAL
REMOTE

Aeroedge™

- RF Remote for control at your fingertips
- Whisper Quiet Operation
- 5 speed control with remote
- Aerodynamic blades for higher air delivery




Matt Brown

**100%
COPPER MOTOR**
WITH HIGH TORQUE



Ivory



Key Specifications:



Microchip+
BLDC
TECHNOLOGY





Brown

Technix BLDC Deco

- Microchip Controlled BLDC Motor Technology
- BEE 5 star rated ceiling fan
- Aerodynamic blade design for high air delivery
- Whisper Quiet Operation



28 W POWER CONSUMPTION



WHISPER-QUIET OPERATION

Key Specifications:



Air Delivery
215 m³/min



Speed
350 rpm



Sweep Size
1.2 m (1200 mm)



100%
COPPER MOTOR
WITH HIGH TORQUE




Ivory



White

BLDC



White

Technix™

- Microchip Controlled BLDC Motor Technology
- BEE 5 star rated ceiling fan
- Aerodynamic blade design for high air delivery
- Whisper Quiet Operation



28 W POWER CONSUMPTION



WHISPER-QUIET OPERATION

Key Specifications:



Air Delivery
215 m³/min



Speed
350 rpm



Sweep Size
1.2 m (1200 mm)



100%
COPPER MOTOR
WITH HIGH TORQUE



Brown



Rich White

Techno Air

- BLDC motor technology working with wall regulator
- Super efficient motor which requires just 32 watts for high air delivery
- Double ball bearing for longer life
- Fan with extra safety wire for prevention of falling
- Aerodynamic blade design for high air delivery



Rich Brown

32 W POWER CONSUMPTION |
 WHISPER-QUIET OPERATION

Microchip+
BLDC
TECHNOLOGY



Key Specifications:

Air Delivery 220 m³/min |
 Speed 350 rpm |
 Sweep Size 1.2 m (1200 mm)



100%
COPPER MOTOR
WITH HIGH TORQUE



Rich White

Energia 32

IR REMOTE

- High Torque motor and constant speed even at low voltage
- Cool motor with energy efficiency reduces air conditioning bill
- Remote for convenience
- Consumes only 7 Watts at lowest fan speed
- No humming noise, longer power backup on inverter



Rich Brown

32 W POWER CONSUMPTION |
 WHISPER-QUIET OPERATION

Microchip+
BLDC
TECHNOLOGY




Key Specifications:

Air Delivery 220 m³/min |
 Speed 375 rpm |
 Sweep Size 1.2 m (1200 mm)



100%
COPPER MOTOR
WITH HIGH TORQUE



DESIGNED TO MATCH
YOUR INTERIORS

HI-TREND SERIES FANS

Usha's Hi Trend fans are thoughtfully designed to complement your interiors while delivering high performance, optimal air delivery, and a touch of modern elegance.



Bloom Daffodil®



Bloom Primrose®



Bloom Magnolia™



Striker Galaxy®

100%
COPPER MOTOR
WITH HIGH TORQUE



Striker Platinum™



Striker Millennium™



Super Striker™



Striker® Neo



Striker® One



Sparkle Red & Black

Bloom Daffodil®

- Beautifully crafted dual-color designs for the modern décor with Goodbye Dust finish
- Dust resistant, water & oil resistant and stain resistant.
- Performs well even at low voltage
- Unique blade design for high air delivery and thrust

100%
COPPER MOTOR
WITH HIGH TORQUE



Sparkle White



Golden Copper



Sparkle Grey & Black




Sparkle Golden & Brown



Smoke Brown



Key Specifications:






Sparkle Grey & Blue

Bloom Magnolia™

- Beautifully crafted dual-color designs for the modern décor with Goodbye Dust finish
- Dust resistant, water & oil resistant and stain resistant.
- Performs well even at low voltage
- Unique blade design for high air delivery and thrust



Key Specifications:



**100%
COPPER MOTOR**
WITH HIGH TORQUE



Sparkle White



Sparkle Golden & Brown



Sparkle Golden & Cherry

Bloom Primrose®

- Beautifully crafted dual-color designs for the modern décor with Goodbye Dust finish
- Dust resistant, water & oil resistant and stain resistant
- Performs well even at low voltage
- Unique blade design for high air delivery and thrust



Key Specifications:



**100%
COPPER MOTOR**
WITH HIGH TORQUE



Sparkle Golden & Brown



Sparkle White





Dark Grey

Striker Galaxy®

- Lacquer metallic paint for better aesthetics
- Beautifully crafted for modern decor
- Double ball bearing for whisper-quiet operation and durability
- Superior grade electric steel lamination for long life
- Performs well even at low voltage
- BEE star rated ceiling fan for low energy consumption



Pearl White



Wooden with Gold Trims



Bright Gold



Mild Grey



Coffee Brown

**100%
COPPER MOTOR**
WITH HIGH TORQUE

- DUAL COLOUR DESIGNS
- WHISPER-QUIET OPERATION
- SCRATCH & STAIN RESISTANT
- AERODYNAMIC BLADES

Key Specifications:

- Air Delivery 230 m³/min
- Speed 385 rpm
- Sweep Size 1.2 m (1200 mm)



Wooden with Gold Trims

Striker Platinum™

- Lacquer metallic paint for better aesthetics
- Beautifully crafted for modern decor
- Double ball bearing for whisper-quiet operation and durability
- Superior grade electric steel lamination for long life
- Performs well even at low voltage
- BEE star rated ceiling fan for low energy consumption



Pearl White



Carbon Grey



Brown



Lavender Chrome



Dove Grey

**100%
COPPER MOTOR**
WITH HIGH TORQUE

- DUAL COLOUR DESIGNS
- OIL & MOISTURE RESISTANT
- SCRATCH & STAIN RESISTANT
- DUST RESISTANT

Key Specifications:

- Air Delivery 230 m³/min
- Speed 385 rpm
- Sweep Size 1.2 m (1200 mm)






Dark Brown

Striker Millennium™

- Lacquer metallic paint for better aesthetics
- High air delivery due to unique blade angle
- Double ball bearing for whisper-quiet operation and durability
- Superior grade electric steel lamination for long life
- Performs well even at low voltage
- BEE star rated ceiling fan for low energy consumption

**100%
COPPER MOTOR
WITH HIGH TORQUE**



Pearl White

Friar Grey

Smalt Blue

- DUAL COLOUR DESIGNS
- WHISPER-QUIET OPERATION
- SCRATCH & STAIN RESISTANT
- AERODYNAMIC BLADES

Key Specifications:

- Air Delivery 225 m³/min
- Speed 380 rpm
- Sweep Size 1.2 m (1200 mm)



Charcoal

Super Striker™

- Superior high permeability grade electric steel lamination for longer life
- Beautifully crafted for modern decor
- Wide tip aerodynamic blades for high air delivery & spread
- Double ball bearing for whisper-quiet operation and durability
- BEE Star rated ceiling fan for low energy consumption

**100%
COPPER MOTOR
WITH HIGH TORQUE**



Pearl White

Suva Grey

Dark Brown

- DUAL COLOUR DESIGNS
- OIL & MOISTURE RESISTANT
- SCRATCH & STAIN RESISTANT
- DUST RESISTANT

Key Specifications:

- Air Delivery 230 m³/min
- Speed 385 rpm
- Sweep Size 1.2 m (1200 mm)





Cocoa Bean

Striker® Neo

- Superior high permeability grade electric steel lamination for improved life
- Available in glossy powder coated paint for superior finish and longer life
- Performs well even at low voltage
- Double ball bearing for whisper-quiet operation and durability
- BEE star rated ceiling fan for low energy consumption

100%
COPPER MOTOR
WITH HIGH TORQUE




Pearl White



Grey Brown



Shuttle Gray



Key Specifications:



Chocolate Grey

Striker® One

- Superior high permeability grade electric steel lamination for improved life
- Available in glossy powder coated paint for superior finish and longer life
- Performs well even at low voltage
- Double ball bearing for whisper-quiet operation and durability
- BEE star rated ceiling fan for low energy consumption

100%
COPPER MOTOR
WITH HIGH TORQUE



Pearl White



Dark Grey



Spanish Green



Key Specifications:





A RANGE OF FANS THAT
KEEPS DUST AT BAY.

UNIVERSAL FANS

Good looks, great quality make these fans no-nonsense, do good machines. Optimal speeds, attractive looks and efficient functioning make them the all-time favourites any day.



Racer Chrome®



Airostrong Curve®



Airostrong Angle®



Energia ISI



Racer®



Striker®



Striker Plus®



Allure™ Deluxe



Technix Plus™

100%
COPPER MOTOR
WITH HIGH TORQUE



Swift Alpha



Swift® Alpha Chrome



Smoke Brown

Racer Chrome®

- High lift angle of blade for wider air spread
- Beautiful chrome rings and trims to complement the best in class performance
- Superior high permeability grade electric steel lamination for improved life
- Glossy powder coated paint for superior finish and longer life



Rich Ivory

Rich Brown

White Bronze

Rich White & Silver

100%
COPPER MOTOR
WITH HIGH TORQUE

Key Specifications:



Rich Brown

Racer®

- High lift angle of blade for wider air spread
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- Glossy powder coated paint for superior finish and longer life



Rich Blue

Rich Red

White

Rich Ivory

100%
COPPER MOTOR
WITH HIGH TORQUE

Key Specifications:





Metallic Black

Airostrong Angle®

- High lift angle of blade for wider air spread
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- Metallic paint for superior finish and longer life

100%
COPPER MOTOR
WITH HIGH TORQUE



Metallic White

Luxon Gold

Metallic Ivory

Key Specifications:

- Air Delivery 220 m³/min
- Speed 390 rpm
- Sweep Size 1.2 m (1200 mm)



Metallic Baker's Brown

Airostrong Curve®

- High lift angle of blade for wider air spread
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- Metallic paint for superior finish and longer life

100%
COPPER MOTOR
WITH HIGH TORQUE



Metallic White

Metallic Bronze

Key Specifications:

- Air Delivery 215 m³/min
- Speed 350 rpm
- Sweep Size 1.2 m (1200 mm)






Rich White

Striker®

- Superior high permeability grade electric steel lamination for improved life
- High gloss powder coated paint for superior finish
- High lift angle of blade for wider air spread
- Performs well even at low voltage
- High rpm and unique blade angle provides high air delivery & spread



Rich Ivory

Rich Brown

Coffee Brown


Matt Brown

100%
COPPER MOTOR
WITH HIGH TORQUE

Key Specifications:

 Air Delivery
230 m³/min

 Speed
380 rpm

 Sweep Size
1.2 m (1200 mm)



Smoke Brown

Stiker Plus®

- Specially designed motor with wider blades for optimum air delivery and speed
- V2 grade ball bearing for whisper quiet operation and durability
- Superior fan performance from energy saving motor
- Superior grade electric steel lamination for long life



Rich Ivory


Rich White

100%
COPPER MOTOR
WITH HIGH TORQUE

Key Specifications:

 Air Delivery
220 m³/min

 Speed
370 rpm

 Sweep Size
1.2 m (1200 mm)






Rich White

Allure™ Deluxe

- Wide Tip Blades for High Air Delivery & Air Speed
- Electroplated decoration for elegant looks
- Superior high permeability grade electric steel lamination for improved life
- Performs well even at low voltage
- V2 grade ball bearing for whisper-quiet operation and durability

Key Specifications:



Also available in 1200 mm with 4 blades.

100%
COPPER MOTOR
WITH HIGH TORQUE

Rich Ivory



Rich Brown




Rich Brown

Energia ISI

- High Torque motor and constant speed even at low voltage
- Cool motor with energy efficiency reduces air conditioning bill
- Remote for convenience
- Consumes only 7 Watts at lowest fan speed
- No humming noise, longer power backup on inverter

Key Specifications:



100%
COPPER MOTOR
WITH HIGH TORQUE

Rich White






Matt Brown

Swift Alpha

- Aerodynamic design
- High gloss powder coated paint for superior finish
- High lift angle of blade for wider air spread
- Performs well even at low voltage

Key Specifications:



**100%
COPPER MOTOR**
WITH HIGH TORQUE

Rich Ivory



Rich White



Smoke Grey




Rich White Gold

Swift® Alpha Chrome

- Superior high permeability grade electric steel lamination for improved life
- Beautiful chrome rings and trims to complement the best in class performance
- High gloss powder coated paint for superior finish
- High lift angle of blade for wider air spread
- Performs well even at low voltage

Key Specifications:



**100%
COPPER MOTOR**
WITH HIGH TORQUE

Smoke Grey



Smoke Brown



Rich Ivory





Technix Plus™

- 3 Star BEE rated decorative fan with low power consumption of 43 W
- High lift angle of blade for wider air spread
- Saves electricity
- Superior high permeability grade electric steel lamination for improved life
- Glossy powder coated paint for superior finish and longer life

100%
COPPER MOTOR
WITH HIGH TORQUE



43 W POWER CONSUMPTION

Key Specifications:

- Air Delivery 215 m³/min
- Speed 330 rpm
- Sweep Size 1.2 m (1200 mm)

2
YEARS WARRANTY ON MOTOR

SPECIFICATIONS SHEET

Admire Series

S.No.	Model Name	Sweep Size	Air Delivery	Speed	Power Input	Warranty
1	Fontana Lotus (With Underlight)	1.23 m (1230 mm)	220 m ³ /min	300 rpm	55 W	2 Years
2	Fontana Lotus (Without Underlight)	1.23 m (1230 mm)	220 m ³ /min	300 rpm	55 W	2 Years
3	Grandiose	1.2 m (1200 mm)	225 m ³ /min	350 rpm	55 W	2 Years
4	Aldora	1.32 m (1320 mm)	250 m ³ /min	260 rpm	58 W	2 Years
5	Fontana Maple (With Underlight)	1.25 m (1250 mm)	220 m ³ /min	300 rpm	55 W	2 Years
6	Fontana Maple (Without Underlight)	1.25 m (1250 mm)	220 m ³ /min	300 rpm	55 W	2 Years
7	Fontana One (With Underlight)	1.27 m (1270 mm)	220 m ³ /min	300 rpm	55 W	2 Years
8	Fontana One (Without Underlight)	1.27 m (1270 mm)	220 m ³ /min	300 rpm	55 W	2 Years
9	Fontana Orchid (With Underlight)	1.28 m (1280 mm)	220 m ³ /min	300 rpm	55 W	2 Years
10	Fontana Orchid (Without Underlight)	1.28 m (1280 mm)	220 m ³ /min	300 rpm	55 W	2 Years

BLDC Series

S.No.	Model Name	Sweep Size	Air Delivery	Speed	Power Input	Warranty
1	Heleous	1.2 m (1220 mm)	260 m ³ /min	310 rpm	43 W	2 Years
2	Heleous	0.91 m (910 mm)	200 m ³ /min	420 rpm	38 W	2 Years
3	E-Series-Ex9 Glo	1.2 m (1200 mm)	240 m ³ /min	300 rpm	40 W	2 Years
4	E-Series-Ex9	1.2 m (1200 mm)	220 m ³ /min	300 rpm	40 W	2 Years
5	AeroEdge Plus	1.2 m (1200 mm)	220 m ³ /min	350 rpm	35 W	2 Years
6	AeroEdge	1.2 m (1200 mm)	220 m ³ /min	350 rpm	35 W	2 Years
7	TechnoAir	1.2 m (1200 mm)	220 m ³ /min	350 rpm	32 W	2 Years
8	Technix Deco BLDC	1.2 m (1200 mm)	215 m ³ /min	350 rpm	28 W	2 Years
9	Energia 32	1.2 m (1200 mm)	220 m ³ /min	375 rpm	32 W	2 Years
10	Technix BLDC	1.2 m (1200 mm)	215 m ³ /min	350 rpm	28 W	2 Years

Hi Trend Series

S.No.	Model Name	Sweep Size	Air Delivery	Speed	Power Input	Warranty
1	Bloom Daffodil	1.25 m (1250 mm)	240m ³ /min	380 rpm	58 W	2 Years
2	Bloom Primrose	1.25 m (1250 mm)	225m ³ /min	350 rpm	56 W	2 Years
3	Bloom Magnolia	1.25 m (1250 mm)	225m ³ /min	350 rpm	56 W	2 Years
4	Striker Galaxy	1.2 m (1200 mm)	230m ³ /min	385 rpm	56 W	2 Years
5	Striker Platinum	1.2 m (1200 mm)	230m ³ /min	385 rpm	56 W	2 Years
6	Striker Millenium	1.2 m (1200 mm)	225m ³ /min	385 rpm	55 W	2 Years
7	Super Striker	1.2 m (1200 mm)	230m ³ /min	385 rpm	56 W	2 Years
8	Striker One	1.4 m (1400 mm)	250m ³ /min	315 rpm	60 W	2 Years
9	Striker One	1.2 m (1200 mm)	225m ³ /min	380 rpm	56 W	2 Years
10	Striker One	0.9 m (900 mm)	150m ³ /min	420 rpm	45 W	2 Years
11	Striker One	0.6 m (600 mm)	111m ³ /min	830 rpm	72 W	2 Years
12	Striker Neo	1.4 m (1400 mm)	250m ³ /min	315 rpm	60 W	2 Years
13	Striker Neo	1.2 m (1200 mm)	225m ³ /min	380 rpm	55 W	2 Years
14	Striker Neo	0.9 m (900 mm)	150m ³ /min	420 rpm	45 W	2 Years
15	Striker Neo	0.6 m (600 mm)	111m ³ /min	830 rpm	72 W	2 Years

Universal Series


S.No.	Model Name	Sweep Size	Air Delivery	Speed	Power Input	Warranty
1	Racer Chrome	1.2 m (1200 mm)	210 m ³ /min	400 rpm	50 W	2 Years
2	Racer Chrome	0.9 m (900 mm)	150 m ³ /min	430 rpm	45 W	2 Years
3	Racer Chrome	0.6 m (600 mm)	100 m ³ /min	860 rpm	65 W	2 Years
4	Racer	1.2 m (1200 mm)	210 m ³ /min	400 rpm	50 W	2 Years
5	Racer	0.9 m (900 mm)	150 m ³ /min	430 rpm	45 W	2 Years
6	Racer	0.6 m (600 mm)	100 m ³ /min	860 rpm	65 W	2 Years
7	Airostrong Angle	1.2 m (1200 mm)	220 m ³ /min	390 rpm	54 W	2 Years
8	Airostrong Curve	1.2 m (1200 mm)	215 m ³ /min	350 rpm	39 W	2 Years
9	Striker	1.4 m (1400 mm)	250 m ³ /min	300 rpm	60 W	2 Years
10	Striker	1.2 m (1200 mm)	230 m ³ /min	380 rpm	55 W	2 Years
11	Striker	1.05 m (1050 mm)	180 m ³ /min	410 rpm	49 W	2 Years
12	Striker	0.9 m (900 mm)	135 m ³ /min	400 rpm	43 W	2 Years
13	Striker	0.6 m (600 mm)	100 m ³ /min	860 rpm	65 W	2 Years
14	Swift Alpha Chrome	1.2 m (1200 mm)	210 m ³ /min	350 rpm	50 W	2 Years
15	Allure Deluxe	1.2 m (1200 mm)	225 m ³ /min	340 rpm	54 W	2 Years
16	Allure Deluxe	0.6 m (600 mm)	100 m ³ /min	840 rpm	65 W	2 Years
17	Swift Alpha	1.2 m (1200 mm)	210 m ³ /min	350 rpm	50 W	2 Years
18	Enegria ISI	1.2 m (1200 mm)	210 m ³ /min	330 rpm	50 W	2 Years
19	Enegria ISI	1.4 m (1400 mm)	250 m ³ /min	280 rpm	60 W	2 Years
20	Allure Dlx 4 Blade	1.2 m (1200 mm)	225 m ³ /min	330 rpm	55 W	2 Years
21	Technix Plus	1.2 m (1200 mm)	215 m ³ /min	330 rpm	43W	2 Years



SMART BREEZE,
ANYWHERE YOU NEED.

USHA TABLE FANS

Bring home the perfect company for your balcony, study or your kitchen. Compact and easy to carry, these table fans are the best bet anytime, anywhere. With a wide variety of sweeps, speeds and designs, go ahead and personalise air to your convenience.



Striker® Hi-Speed



Striker Plus® Hi-Speed



Mist Air® Flo



MaxxAir® Ultra

100%
COPPER MOTOR
WITH HIGH TORQUE



MaxxAir®




Striker® Hi-Speed

Strike it big with this high performance fan. The high speed and high air delivery fan is specially designed to suit Indian weather conditions.

Features:


- 100% Copper motor for longer performance
- High air delivery large sweep plastic blades
- Aerodynamic blade design for high air delivery



White

100%
COPPER MOTOR
WITH HIGH TORQUE

Key Specifications:



Striker® Plus Hi-Speed

The fan blends style with performance, featuring a 100% Copper Motor with Auto Thermal Protection, smooth oscillation, easy tilt adjustment, and a rust-free body. Its high-speed operation and vibrant design ensure durability and elegance in any room.

Features:

- Rust Free Body with 100% Copper Motor
- High Speed Fan
- Unique Pivot Arrangement for easy tilt Mechanism



Blue



Red




White



Black

100%
COPPER MOTOR
WITH HIGH TORQUE

Key Specifications:





Mist Air® Flo

Experience the perfect balance of performance and design with USHA Mist Air Flo. This MADE IN INDIA fan comes with aerodynamic polypropylene blades and rust free body to give you a long lasting and comfortable cooling experience.


Features:

- 100% Copper motor for longer performance
- High air delivery large sweep plastic blades
- Aerodynamic blade design for high air delivery

Key Specifications:



100%
COPPER MOTOR
WITH HIGH TORQUE



Maroon



Light Blue



White



Dark Blue


Maxx Air® Ultra

Ensuring high speed performance like this fan comes with an elegant body design and aerodynamic polypropylene blades to deliver higher air flow.

Features:

- 100% Copper motor for longer performance
- Anti-Rust protection with plastic blades
- 3 Speed settings
- Aerodynamic blade design for high air delivery

Key Specifications:



100%
COPPER MOTOR
WITH HIGH TORQUE



Maroon



Light Blue



White



Golden

100%
COPPER MOTOR
WITH HIGH TORQUE

Maxx Air®

Experience maximum comfort and assured safety in this elegant dual color fan with aerodynamic polypropylene blades for better air delivery and an easy tilting mechanism.

Features:

- 100% Copper motor for longer performance
- Anti-Rust protection with plastic blades
- 3 Speed settings
- Aerodynamic blade design for high air delivery

Key Specifications:



Air Delivery
70 m³/min



Speed
1350 rpm



Sweep Size
40 cm (400 mm)



Blue White



Red White



Blue-Black



White



Purple White



Orange White





VERSATILE.
JUST THE WAY
THEY SHOULD BE.

PEDESTAL FAN

The all season favourite, be it the verandah, house garden or inside your home, these fans are well equipped to convert hot and humid environment to cool and refreshing space. Not just that, they also complement your air conditioners perfectly.



Cyclotron™



Maxx Air Ultra™



Maxx Air™



Striker® Plus
Hi-Speed



Striker®
Hi-Speed



Mist Air® Flo



Mist Air® Icy
With Remote

100%
COPPER MOTOR
WITH HIGH TORQUE



Colossus



Farrata®



Farrata® EX



Farrata® VX



Farrata®
Oscillating



Turbo 180

Cyclotron®

With a Unique grill design to deliver super powerful air throw, USHA Cyclotron is the cutting edge 5 blade fan which not only gives you faster cooling but also comes with silent performance.

Features:

- 100% Copper motor for longer performance
- Anti-Rust protection with plastic blades
- Aerodynamic blade design for high air delivery



Black



White

100%
COPPER MOTOR
WITH HIGH TORQUE

Key Specifications:



Air Delivery
67 m³/min



Speed
1200 rpm



Sweep Size
40 cm (400 mm)



Air Throw
9 m



2
YEARS WARRANTY
ON MOTOR

Maxx Air Ultra™

Fan with aerodynamically balanced blades for better performance. Auto resettable thermal over load protector for durability. Jerk free movement with uniform oscillation.

Features:

- 100% Copper motor for longer performance
- Anti-Rust protection with plastic blades
- Aerodynamic blade design for high air delivery



Maroon



Golden



Light Blue



White

100%
COPPER MOTOR
WITH HIGH TORQUE

Key Specifications:



Air Delivery
70 m³/min




Speed
1350 rpm



Sweep Size
40 cm (400 mm)



2
YEARS WARRANTY
ON MOTOR




Maxx Air®

Experience icy cool comfort and assured safety in this elegant dual color fan with a resettable fuse and easy tilting mechanism.

Features:

- 100% Copper motor for longer performance
- Anti-Rust protection with plastic blades
- Aerodynamic blade design for high air delivery


Key Specifications:



Air Delivery
70 m³/min



Speed
1350 rpm



Sweep Size
40 cm (400 mm)



Blue Black



Red White



Blue White



Orange White



White



Purple White

100%
COPPER MOTOR
WITH HIGH TORQUE



Striker® Plus Hi-Speed



Powered by a high-speed 100% Copper Motor, rust-free body, and adjustable tilt, this durable fan ensures efficient, long-lasting cooling for homes and offices.

Features:

- Rust Free Body with 100% Copper Motor
- High Speed Fan
- Unique Pivot Arrangement for easy tilt Mechanism

Key Specifications:



Air Delivery
100 m³/min



Speed
2100 rpm



Sweep Size
40 cm (400 mm)



100%
COPPER MOTOR
WITH HIGH TORQUE



Red



White



Blue



Black

Striker® Hi-Speed



Strike it big with this high performance fan. This high speed and high air delivery fan is specially designed to suit Indian weather conditions.

Features:

- 100% Copper motor for longer performance
- Anti-Rust protection with plastic blades
- Aerodynamic blade design for high air delivery

Key Specifications:



Air Delivery
100 m³/min



Speed
2100 rpm



Sweep Size
40 cm (400 mm)



100%
COPPER MOTOR
WITH HIGH TORQUE



White

Mist Air Flo

Experience the perfect balance of performance and design with USHA Mist Air Flo. This MADE IN INDIA fan comes with aerodynamic polypropylene blades and rust free body to give you a long lasting and comfortable cooling experience.

Features:

- 100% Copper motor for longer performance
- Anti-Rust protection with plastic blades
- Aerodynamic blade design for high air delivery

Key Specifications:



Air Delivery
70 m³/min



Speed
1350 rpm



Sweep Size
40 cm (400 mm)



100%
COPPER MOTOR
WITH HIGH TORQUE

Maroon

Light Blue

Dark Blue

White

Mist Air Icy[®] with Remote

The innovative remote control fan with smart features like 3 intelligent wind modes, sleep timer and 5 blade high speed function for icy cool comfort.

Features:

- 100% Copper motor for longer performance
- Anti-Rust protection with plastic blades
- Aerodynamic blade design for high air delivery

Key Specifications:



Air Delivery
65 m³/min



Speed
1180 rpm



Sweep Size
40 cm (400 mm)



100%
COPPER MOTOR
WITH HIGH TORQUE

White

Pedestal



Colossus

Presenting Colossus Aluminium Blade Fans. With the power of strong aluminium blades, Colossus boasts of long lasting, rust free performance and High air delivery.

Features:

- 100% Copper motor for longer performance
- Rust protection with aluminium blades
- Aerodynamic blade design for high air delivery



Golden



Blue



Red

100%
COPPER MOTOR
WITH HIGH TORQUE

Key Specifications:




Air Delivery
92 m³/min



Speed
1320 rpm



Sweep Size
40 cm (400 mm)



Turbo 180

This wide oscillating metal blade fan will surely complement your décor and provide breeze in every corner with its high air delivery.

Features:

- Breeze in every corner with wide oscillation
- Aerodynamic Metal Blades for high air delivery
- Unique pivot arrangement for easy tilt mechanism



Black

100%
COPPER MOTOR
WITH HIGH TORQUE

Key Specifications:



Air Delivery
105 m³/min



Speed
1350 rpm



Sweep Size
45 cm (450 mm)




Farrata®

Usha Farrata with its powerful 500 mm metal blades gives high air thrust and its heavy base and strong body ensure comfort in a wide area.

Features:


- 100% Copper motor for longer performance
- High air delivery large sweep metal blades
- Aerodynamic blade design for high air delivery



Grey

100%
COPPER MOTOR
WITH HIGH TORQUE


Key Specifications:



Air Delivery
90 m³/min



Speed
1350 rpm



Sweep Size
50 cm (500 mm)



Farrata® EX

Usha Farrata Ex with its powerful 500 mm metal blades gives high air thrust and its heavy base and strong body ensure comfort in a wide area.

Features:

- 100% Copper motor for longer performance
- High air delivery large sweep metal blades
- Aerodynamic blade design for high air delivery



Grey

100%
COPPER MOTOR
WITH HIGH TORQUE

Key Specifications:



Air Delivery
110 m³/min



Speed
1380 rpm



Sweep Size
50 cm (500 mm)



Farrata® VX

Usha Farrata VX with its powerful 500 mm metal blades gives high air thrust and its heavy base and strong body ensure comfort in a wide area.

Features:

- 100% Copper motor for longer performance
- High air delivery large sweep metal blades
- Aerodynamic blade design for high air delivery



Grey

100%
COPPER MOTOR
WITH HIGH TORQUE


Key Specifications:



Air Delivery
100 m³/min



Speed
1350 rpm



Sweep Size
50 cm (500 mm)




Farrata® Oscillating

Farrata oscillating fan ensures wide airflow, featuring powerful 500 mm metal blades and a sturdy, stable design for large spaces.

Features:

- 100% Copper motor for longer performance
- Jerk Free & Uniform Oscillation
- Aerodynamic blade design for high air delivery



Grey

100%
COPPER MOTOR
WITH HIGH TORQUE

Key Specifications:



Air Delivery
120 m³/min



Speed
1350 rpm



Sweep Size
50 cm (500 mm)





AIR THAT KNOWS
NO BOUNDARIES

USHA WALL FANS

These light weight, sleek Usha wall fans are the power house of features. These style icons spread happiness to every corner of the room efficiently without any fuss.



Striker®
Hi-Speed



Striker Plus®
Hi-Speed



Mist Air® Icy
With Remote



Turbo 180


100%
COPPER MOTOR
WITH HIGH TORQUE



Mist Air® Flo



Cyclotron®



Colossus



Maxx Air®




Maxx Air Ultra®

100%
COPPER MOTOR
WITH HIGH TORQUE



Black



White


Cyclotron®

With a unique grill design to deliver super powerful air throw, USHA Cyclotron is the cutting edge 5 blade fan which not only gives you faster cooling but also comes with silent performance.

Features:

- 100% Copper motor for longer performance
- Anti-Rust protection with plastic blades
- Aerodynamic blade design for high air delivery

Key Specifications:



100%
COPPER MOTOR
WITH HIGH TORQUE



White



Dark Blue



Light Blue



Maroon


Mist Air® Flo

Experience the perfect balance of performance and design with USHA Mist Air Flo. This MADE IN INDIA fan comes with aerodynamic polypropylene blades and rust free body to give you a long lasting and comfortable cooling experience.

Features:

- 100% Copper motor for longer performance
- High air delivery large sweep plastic blades
- Aerodynamic blade design for high air delivery

Key Specifications:



100%
COPPER MOTOR
WITH HIGH TORQUE



Maxx Air®

Experience maximum comfort and assured safety in this elegant fan with a resettable fuse and easy tilting mechanism.

Features:

- 100% Copper motor for longer performance
- High air delivery large sweep plastic blades
- Aerodynamic blade design for high air delivery



Red White

Blue White



White



Orange White




Purple White



Blue and Black

Key Specifications:



Air Delivery
70 m³/min



Speed
1350 rpm



Sweep Size
40 cm (400 mm)



Maxx Air® Ultra

Fan with aerofoil plastic blades for high air delivery and auto thermal protection. Jerk free movement with uniform oscillation.


Features:

- 100% Copper motor for longer performance
- Anti-Rust protection with plastic blades
- Aerodynamic blade design for high air delivery

Key Specifications:



100%
COPPER MOTOR
WITH HIGH TORQUE



Colossus

Presenting Colossus Aluminium Blade Fans. With the power of strong aluminium blades, Colossus boasts of long lasting, rust free performance and high air delivery


Features:

- 100% Copper motor for longer performance
- Anti-Rust protection with metal blades
- Aerodynamic blade design for high air delivery

Key Specifications:



100%
COPPER MOTOR
WITH HIGH TORQUE




Striker® Hi-Speed



Striker is now back with high speed and high air delivery. This fan is specially designed to suit Indian weather conditions. Easy operations with pull cord for speed and oscillation regulation.

Features:

- 100% Copper motor for longer performance
- High air delivery large sweep plastic blades
- Aerodynamic blade design for high air delivery



White

Key Specifications:



Air Delivery
100 m³/min



Speed
2100 rpm



Sweep Size 40 cm (400 mm)
Also Available In 30 cm (300 mm)
sweep size.



100%
COPPER MOTOR
WITH HIGH TORQUE

Striker Plus® Hi-Speed



The fan delivers powerful cooling with a high-speed 100% Copper Motor, rust-free body, and thermal protection. Its easy tilt, smooth oscillation, and string-based control ensure flexibility, durability, and effortless operation.

Features:

- Auto Thermal Protector to protect motor during thermal overloading
- String based control for easy operation
- Jerk Free & Uniform Oscillation



Red



Blue



White

Key Specifications:



Air Delivery
100 m³/min



Speed
2100 rpm



Sweep Size
40 cm (400 mm)



100%
COPPER MOTOR
WITH HIGH TORQUE

Mist Air Icy[®] With Remote

The innovative remote control fan with smart features like 3 intelligent wind modes, sleep timer function for icy cool comfort.

Features:

- 100% Copper motor for longer performance
- Anti-Rust protection with plastic blades
- Aerodynamic blade design for high air delivery



White




Key Specifications:



Air Delivery
67 m³/min



Speed
1280 rpm



Sweep Size
40 cm (400 mm)



100%
COPPER MOTOR
WITH HIGH TORQUE

Turbo 180

This wide oscillating metal blade fan will surely complement your décor and provide breeze in every corner with its high air delivery.

Features:

- Breeze in every corner with wide oscillation
- Aerodynamic Metal Blades for high air delivery
- Unique pivot arrangement for easy tilt mechanism



Black


Key Specifications:



Air Delivery
105 m³/min



Speed
1350 rpm



Sweep Size
45 cm (450 mm)



100%
COPPER MOTOR
WITH HIGH TORQUE



SMART FRESHNESS FOR ENCLOSED SPACES

EXHAUST FANS

Usha's range of exhaust fans control the quality of the air in an enclosed space by getting rid of smoke, moisture, fumes and odour. Their automatic front/back shutter and rust proof body also ensure a healthy and happy environment overall.



Crisp Air Premia® CV



Crisp Air Premia® AS Plus



Crisp Air Premia® BV



Crisp Air™ VX



Crisp Air™ AX




Crisp Air Premia® AF


100%
COPPER MOTOR
WITH HIGH TORQUE




Striker® Hi-Speed




Aeroclean®



Aeroclean® Plus DBB



Aeroclean® Pro



Turbo® Heavy Duty

100%
COPPER MOTOR
WITH HIGH TORQUE



100%
COPPER MOTOR
WITH HIGH TORQUE



Crisp Air Premia® CV

Suitable for false ceilings, this trendy, automatic back shutter exhaust fan is designed to complement a modern home. Available in 260 X 260 frame size.

Features:

- 100% Copper motor for longer performance
- Corrosion protection with rust proof body and blades
- Lightweight and low noise performance

		
Sweep Size	Air Delivery	RPM
12 cm (120 mm)	100 m ³ /h	1050 rpm



Crisp Air Premia® AS Plus


Low noise, high rpm exhaust fan with strong air suction. This automatic front shutter exhaust is ideal for window and wall mounted indoor installations.

Features:

- 100% Copper motor for longer performance
- Corrosion protection with rust proof body and blades
- Lightweight and low noise performance

		
Sweep Size	Air Delivery	RPM
15 cm (150 mm)	220 m ³ /h	1800 rpm





Crisp Air Premia® BV

Suitable for your bathroom or kitchen, this stylish exhaust fan comes with an automatic front shutter with low noise feature. Ideal for glass window mounting.

Features:


- 100% Copper motor for longer performance
- Corrosion protection with rust proof body and blades
- Lightweight and low noise performance

100%
COPPER MOTOR
WITH HIGH TORQUE



Key Specifications:

		
Sweep Size	Air Delivery	RPM
15 cm (150 mm)	210 m ³ /h	1350 rpm



Crisp Air™ VX

With special blade design for higher suction this lightweight exhaust fan is low on noise and high on fresh air delivery. This fan is suitable for any domestic usage.

Features:

- 100% Copper motor for longer performance
- Corrosion protection with rust proof body and blades
- Lightweight and low noise performance

100%
COPPER MOTOR
WITH HIGH TORQUE



Available in:  White  Black

Key Specifications:

		
Sweep Size	Air Delivery	RPM
15 cm (150 mm)	200 m ³ /h	1380 rpm
20 cm (200 mm)	520 m ³ /h	1380 rpm
25 cm (250 mm)	900 m ³ /h	1280 rpm





Crisp Air™ AX

Refresh the air around you with this stylish plastic exhaust which comes in attractive colors and a back shutter. This fan is suitable for any domestic usage.

Features:

- 100% Copper motor for longer performance
- Corrosion protection with rust proof body and blades
- Lightweight and low noise performance

100%
COPPER MOTOR
WITH HIGH TORQUE



Available in: ☞ White ☞ Ivory

Key Specifications:

Sweep Size	Air Delivery	RPM
10 cm (100 mm)	140 m ³ /h	2400 rpm
15 cm (150 mm)	250 m ³ /h	2200 rpm



Crisp Air Premia® AF

Designed to get noticed, this exhaust fan comes with hidden blades and easy screwless installation for low noise performance. Ideal for mounting on a wall, ceiling or glass.

Features:

- 100% Copper motor for longer performance
- Corrosion protection with rust proof body and blades
- Lightweight and low noise performance

100%
COPPER MOTOR
WITH HIGH TORQUE




Available in: ☞ White ☞ Ivory ☞ Stainless Steel

Key Specifications:

Sweep Size	Air Delivery	RPM
15 cm (150 mm)	350 m ³ /h	2200 rpm





Striker® Hi-Speed

Redefining the future of high performance, USHA Striker Exhaust Fan operates at an ultra high speed to give you a fresh experience 70% faster. Moreover, its 100% Copper motor with ball bearings, making sure the operation is as quiet as possible.

Features:

- 100% Copper motor for longer performance
- Corrosion protection with rust proof body and blades
- Lightweight and low noise performance

100%
COPPER MOTOR
WITH HIGH TORQUE



Available in: White Brown Black

Key Specifications:

Sweep Size	Air Delivery	RPM
15 cm (150 mm)	450 m ³ /h	2350 rpm
20 cm (200 mm)	800 m ³ /h	2100 rpm



Turbo® Heavy Duty

This ISI: 2312 Marked heavy duty motor metal exhaust fan is specially designed for industrial use. Available in multiple sizes, speeds and in single phase and 3 phase motors.

Features:

- 100% Copper motor for longer performance
- Anti corrosive treatment and attractive metal finish
- Heavy duty motor for sturdy performance & rugged use


100%
COPPER MOTOR
WITH HIGH TORQUE



Key Specifications:

Sweep Size	Air Delivery	RPM
30 cm (300 mm)	1145/1710 m ³ /h	900/1400 rpm
38 cm (380 mm)	2000/3200 m ³ /h	900/1400 rpm
45 cm (450 mm)	3900/6120 m ³ /h	900/1400 rpm
60 cm (600 mm)	9400 m ³ /h	900 rpm





Aeroclean®

Aeroclean Exhaust Fan with Goodbye Oil and Dust lacquer coating. These exhaust fans resist the accumulation of oil and dust on the blades. They will make your kitchen easy to clean and healthy.




Features:

- 100% Copper motor for longer performance
- Special Goodbye Oil and Dust lacquer coating
- Lightweight and low noise performance



100%
COPPER MOTOR
WITH HIGH TORQUE

Key Specifications:

 Sweep Size	 Air Delivery	 RPM
23 cm (230 mm)	700 m ³ /h	1325 rpm
30 cm (300 mm)	1050 m ³ /h	1325 rpm



Aeroclean® Plus DBB

Aeroclean Plus DBB Exhaust Fan with Goodbye Oil and Dust lacquer coating. These exhaust fans resist the accumulation of oil and dust on the blades. They will make your kitchen easy to clean and healthy. Packed with heavy duty motor with double ball bearing for longer performance and durability.




Features:

- 100% Copper motor for longer performance
- Special Goodbye Oil and Dust lacquer coating
- Lightweight and low noise performance




100%
COPPER MOTOR
WITH HIGH TORQUE

Key Specifications:

 Sweep Size	 Air Delivery	 RPM
23 cm (230 mm)	750 m ³ /h	1400 rpm
30 cm (300 mm)	1600 m ³ /h	1325 rpm





Aeroclean® Pro

Aeroclean Pro high speed exhaust fan with Goodbye Oil and Dust lacquer coating. These exhaust fans resist the accumulation of Oil and dust on the blades. They will make your kitchen easy to clean and healthy. High speed exhaust fans for excellent performance.



Features:

- 100% Copper motor for longer performance
- Special Goodbye Oil and Dust lacquer coating
- Lightweight and low noise performance

100%
COPPER MOTOR
WITH HIGH TORQUE



Key Specifications:

 Sweep Size	 Air Delivery	 RPM
15 cm (150 mm)	350 m ³ /h	2400 rpm
23 cm (230 mm)	1000 m ³ /h	2500 rpm





SMART FRESHNESS FOR ENCLOSED SPACES

SPECIAL FANS

Charm your guests with this one-of-a-kind special application range of fans. They will surprise you with their unique and exclusive features like superior air circulation, sleek design and efficient air delivery.




Mist Air® Prime



Dynamo®



Dominaire® Wall



Dominaire® Pedestal

100%
COPPER MOTOR
WITH HIGH TORQUE

Mist Air® Prime

Personalise your comfort with Usha's tower fan. Its 2 hours manual timer, tubular blower and wide oscillation make air flow efficient and effective.

Features:

- Ultra-thin body, compact and attractive design that fits anywhere
- 3 Speed settings and 2 hour timer to personalize your comfort
- Tubular centrifugal blower and wide oscillation feature for effective air circulation



100%
COPPER MOTOR
WITH HIGH TORQUE

		
Sweep Size	Air Delivery	RPM
NA	20 m ³ /h	1300 rpm



Dynamo®

A high speed personal fan which can be installed on the wall, table or ceiling. Personalise your comfort with multi-tilting mechanism and easy portability.

Features:


- Multi-utility fans
- Compact and attractive modern design
- High RPM



100%
COPPER MOTOR
WITH HIGH TORQUE

		
Sweep Size	Air Delivery	RPM
23 cm (230 mm)	1100 m ³ /h	2650 rpm






Dominaire® Wall

Designed for heavy industrial use, this air circulator has been built aerodynamically with precision built oscillating mechanism and conforms to ISI standards.



Features:

- Multi-utility fans
- Compact and attractive modern design
- High RPM

100%
COPPER MOTOR
WITH HIGH TORQUE



Key Specifications:

 Sweep Size	 Air Delivery	 RPM
45 cm (450 mm)	7500 m ³ /h	1440 rpm
60 cm (600 mm)	16000 m ³ /h	1440 rpm
75 cm (750 mm)	22200 m ³ /h	1440 rpm

Performance conforms to IS: 2997-1964 standards



Dominaire® Pedestal

Heavy duty performance guaranteed in this pedestal fan with a cast iron base for greater stability and aluminium alloy blades for high air delivery. ISI marked.




Features:

- Aluminium alloy blades for high air delivery
- Corrosion protection with powder coated paint
- Available in multiple sizes

100%
COPPER MOTOR
WITH HIGH TORQUE



Key Specifications:

 Sweep Size	 Air Delivery	 RPM
45 cm (450 mm)	7500 m ³ /h	1440 rpm
60 cm (600 mm)	16000 m ³ /h	1440 rpm
75 cm (750 mm)	22200 m ³ /h	1440 rpm

Performance conforms to IS: 2997-1964 standards



SPECIFICATIONS SHEET

Table Fans

Sno	Model	Sweep Size	Air Delivery	RPM	Power Input	Warranty
1	Striker Hi-Speed	40 cm (400 mm)	100 m ³ /min	2100 rpm	120 W	2 Years
2	Mist Air Flo	40 cm (400 mm)	70 m ³ /min	1350 rpm	55 W	2 Years
3	Maxx Air	40 cm (400 mm)	70 m ³ /min	1350 rpm	55 W	2 Years
4	Maxx Air Ultra	40 cm (400 mm)	70 m ³ /min	1350 rpm	55 W	2 Years
5	Striker Plus Hi-Speed	40 cm (400 mm)	100 m ³ /min	2100 rpm	120 W	2 Years

Pedestal Fans

Sno	Model	Sweep Size	Air Delivery	RPM	Power Input	Warranty
1	Cyclotron	40 cm (400 mm)	67 m ³ /min	1200 rpm	55 W	2 Years
2	Maxx Air Ultra	40 cm (400 mm)	70 m ³ /min	1350 rpm	120 W	2 Years
3	Striker Hi-Speed	40 cm (400 mm)	100 m ³ /min	2100 rpm	135 W	2 Years
4	Colossus	40 cm (400 mm)	92 m ³ /min	1320 rpm	70 W	2 Years
5	Mist Air Flo	40 cm (400 mm)	70 m ³ /min	1350 rpm	55 W	2 Years
6	Mist Air Icy With Remote	40 cm (400 mm)	65 m ³ /min	1180 rpm	50 W	2 Years
7	Maxx Air	40 cm (400 mm)	70 m ³ /min	1350 rpm	55 W	2 Years
8	Farrata	50 cm (500 mm)	90 m ³ /min	1350 rpm	160 W	2 Years
9	Farrata EX	50 cm (500 mm)	110 m ³ /min	1380 rpm	145 W	2 Years
10	Farrata VX	50 cm (500 mm)	100 m ³ /min	1350 rpm	140 W	2 Years
11	Turbo 180	45 cm (450 mm)	105 m ³ /min	1350 rpm	95 W	2 Years
12	Striker Plus Hi-Speed	40 cm (400 mm)	100 m ³ /min	2100 rpm	120 W	2 Years
13	Farrata Oscillating PF	50 cm (500 mm)	120 m ³ /min	1350 rpm	150 W	2 Years

Wall Fans

Sno	Model	Sweep Size	Air Delivery	RPM	Power Input	Warranty
1	Cyclotron	40 cm (400 mm)	67 m ³ /min	1200 rpm	55 W	2 Years
2	Striker Hi-Speed	40 cm (400 mm)	100 m ³ /min	2100 rpm	135 W	2 Years
3	Striker Hi-Speed	30 cm (300 mm)	100 m ³ /min	2100 rpm	90 W	2 Years
4	Colossus	40 cm (400 mm)	92 m ³ /min	1320 rpm	70 W	2 Years
5	Mist Air icy with Remote	40 cm (400 mm)	67 m ³ /min	1280 rpm	55 W	2 Years
6	Mist Air Flo	40 cm (400 mm)	70 m ³ /min	1350 rpm	55 W	2 Years
7	Maxx Air	40 cm (400 mm)	70 m ³ /min	1350 rpm	55 W	2 Years
8	Maxx Air Ultra	40 cm (400 mm)	70 m ³ /min	1350 rpm	55 W	2 Years
9	Turbo 180	45 cm (450 mm)	105 m ³ /min	1350 rpm	95 W	2 Years
10	Striker Plus Hi-Speed	40 cm (400 mm)	100 m ³ /min	2100 rpm	120 W	2 Years

Special Fans

Sno	Model	Sweep Size	Air Delivery	RPM	Power Input	Warranty
1	Mist Air Prime	NA	20 m ³ /h	1300 rpm	35 W	2 Years
2	Dynamo	23 cm (230 mm)	1100 m ³ /h	2650 rpm	50 W	1 Year
3	Dominaire Wall	45 cm (450 mm)	7500 m ³ /h	1440 rpm	100 W	2 Years
4	Dominaire Wall	60 cm (600 mm)	16000 m ³ /h	1440 rpm	180 W	2 Years
5	Dominaire Wall	75 cm (750 mm)	22200 m ³ /h	1440 rpm	250 W	2 Years
6	Dominaire Pedestal	45 cm (450 mm)	7500 m ³ /h	1440 rpm	100 W	2 Years
7	Dominaire Pedestal	60 cm (600 mm)	16000 m ³ /h	1440 rpm	180 W	2 Years
8	Dominaire Pedestal	75 cm (750 mm)	22200 m ³ /h	1440 rpm	250 W	2 Years






Exhaust Fans

Sno	Model	Sweep Size	Air Delivery	RPM	Power Input	Warranty
1	Crisp Air Premia CV	12 cm (120 mm)	100 m ³ /h	1050 rpm	19 W	2 Years
2	Crisp Air Premia AS Plus	15 cm (150 mm)	220 m ³ /h	1800 rpm	24 W	2 Years
4	Crisp Air Premia BV	15 cm (150 mm)	210 m ³ /h	1350 rpm	21 W	2 Years
5	Crisp Air VX	15 cm (150 mm)	200 m ³ /h	1380 rpm	30 W	2 Years
6	Crisp Air VX	20 cm (200 mm)	520 m ³ /h	1380 rpm	35 W	2 Years
7	Crisp Air VX	25 cm (250 mm)	900 m ³ /h	1280 rpm	40 W	2 Years
8	Crisp Air AX	10 cm (100 mm)	140 m ³ /h	2400 rpm	16 W	2 Years
9	Crisp Air AX	15 cm (150 mm)	250 m ³ /h	2200 rpm	23 W	2 Years
10	Crisp Air Premia AF	15 cm (150 mm)	350 m ³ /h	2200 rpm	22 W	2 Years
11	Striker Hi-Speed	15 cm (150 mm)	450 m ³ /h	2350 rpm	40 W	2 Years
12	Striker Hi-Speed	20 cm (200 mm)	800 m ³ /h	2100 rpm	60 W	2 Years
13	Turbo Heavy Duty	30 cm (300 mm)	1145 m ³ /h	900 rpm	55 W	2 Years
14	Turbo Heavy Duty	30 cm (300 mm)	1710 m ³ /h	1400 rpm	90 W	2 Years
15	Turbo Heavy Duty	38 cm (380 mm)	2000 m ³ /h	900 rpm	100 W	2 Years
16	Turbo Heavy Duty	38 cm (380 mm)	3200 m ³ /h	1400 rpm	160 W	2 Years
17	Turbo Heavy Duty	45 cm (450 mm)	3900 m ³ /h	900 rpm	145 W	2 Years
18	Turbo Heavy Duty	45 cm (450 mm)	6120 m ³ /h	1400 rpm	410 W	2 Years
19	Turbo Heavy Duty	60 cm (600 mm)	9400 m ³ /h	900 rpm	555 W	2 Years
20	Aeroclean	23 cm (230 mm)	700 m ³ /h	1325 rpm	48 W	2 Years
21	Aeroclean	30 cm (300 mm)	1050 m ³ /h	1325 rpm	63 W	2 Years
22	Aeroclean Plus DBB	23 cm (230 mm)	750 m ³ /h	1400 rpm	45 W	2 Years
23	Aeroclean Plus	30 cm (300 mm)	1600 m ³ /h	1325 rpm	72 W	2 Years
24	Aeroclean Pro	15 cm (150 mm)	350 m ³ /h	2400 rpm	42W	2 Years
25	Aeroclean Pro	23 cm (230 mm)	1000 m ³ /h	2500 rpm	65 W	2 Years

FAN SELECTION GUIDE

Star Rating System

Service Value=Air Delivery (m³/min)/ Wattage (W)

					
Sweep Size >1050 mm to <=1500 mm	>=4.0 to <4.5	>=4.5 to <5	>=5.0 to <5.5	>=5.5 to <6	>= 6.0
Sweep Size >750 mm to <=1050 mm	>=3.1 to <3.6	>=3.6 to <4.1	>=4.1 to <4.6	>=4.6 to <5.1	>= 5.1
Sweep Size >=600 mm to <=750 mm	>=1.5 to <2	>=2 to <2.5	>=2.5 to <3	>=3 to <3.5	>=3.5

Things you should know

- RPM** stands for Rotations Per Minute, it refers to how many times the fan blades complete a full rotation in one minute.
- Air delivery** for fans refers to the volume of air that a fan can move or circulate in a given amount of time. It is usually measured in Cubic Meters per Minute (m³/min)
- RPM alone doesn't determine air delivery — blade size, shape, and motor power also play a role.
- 100% Copper Motor:** All our fans feature a copper motor, which significantly reduces heat buildup. This not only improves the durability of the fan but also ensures it runs more efficiently over time.
- Safety Features:** Every USHA ceiling fan is equipped with a safety cable that enhances its stability and provides additional support. This feature adds an extra layer of safety, ensuring the fan stays securely in place.


Sweep Size is the full diameter of the fan



Bigger sweep = better coverage for larger rooms

Based on Area (Square Footage) of the room

FIND THE RECOMMENDED BLADE SWEEP SIZE



USHA[®] COMPANY SHOPS

Shop Name	Email Id	Shop Address
ANDHRA PRADESH		
Vijayawada	vijaywada_shop@usha.com	Shop No's 3 & 4, 27-14-52, Mahalakshmi Towers, Near Buckingham Post Office, Vijayawada, Andhra Pradesh- 520002
Vishakhapatnam	vishakhapatnam_shop@usha.com	D.No.:26-15-142, AVN College Down, Town Kotha Road, Andhra Pradesh-530001
HYDERABAD		
Hyderabad - Dilsukh Nagar	dilsukhnagar_shop@usha.com	17-126, Beside Indian Bank, RD No.3, Kamala Nagar, V.V Nagar, Chaitanyapuri, Dilsukhnagar, Hyderabad- 500060
Hyderabad - Kukatpally	kukatpally_shop@usha.com	Sy No:5-5-34/1, Opp The Chennai Silks, Metro Pillar No:864, Y-Junction, Kukatpally, Hyderabad-500072
NORTH EAST - ASSAM		
Guwahati	guwahati_shop@usha.com	G.S Road, Urban City Complex, Christian Basti, Beside City Centre, Guwahati-781005
Dibrugarh	dibrugarh_shop@usha.com	Mancotta Road, Thana Chariali, Opp: Apst Bus Stand, Dibrugarh-786001
BIHAR		
Patna	patna_shop@usha.com	Amber Tower, Exhibition Road, Near Petrol Pump, Patna-800001
Darbhanga	darbhanga_shop@usha.com	Rajkumarganj Rd, Near V Mart Mall, Kathalbari, Darbhanga, Bihar-846004
JHARKHAND		
Ranchi	ranchi_shop@usha.com	Sri Ram Newatia Arcade, H B Road, Lalpur, Ranchi, Jharkhand-834001
DELHI NCR		
Delhi - Nai Sadak	naisarak_shop@usha.com	5571, Katra Rathi Naisarak, Chandni Chowk, New Delhi-110006
Delhi - Kirti Nagar	kirtinagar_shop@usha.com	A-23, Tagore Market, Kirti Nagar, New Delhi-110015
Delhi - Kamla Nagar	kamlanagar_shop@usha.com	8 & 9 Municipal Market, Kamla Nagar, New Delhi-110007
GUJRAT		
Ahmedabad	ahmedabad_shop@usha.com	Shop No. 6 & 7, Vraj Complex, Opp Dhananjay Tower, Nr Shyamal cross Road, Satellite, Ahmedabad - 380015
Rajkot	rajkot_shop@usha.com	9, Bhakti Nagar Station Plot, Ravin Chambers, Opp. Satya Vijay Patel Ice Cream, Gondal Road, Rajkot - 360002
KERALA		
Ernakulam - Jose Junction	josejunction_shop@usha.com	DD Trade Centre, MG Road, Ernakulam-682016
Ernakulam - Telestar	telestar_shop@usha.com	Telestar Building, Ravipuram, Ernakulam-682016
Trivandrum	trivandrum_shop@usha.com	TC.82/5166, QRS Squire Building, Pulimoodu, Near Ayurveda College, M.G Road, Trivandrum-695001
Alleppey	alleppey_shop@usha.com	C.C.S.B Road, East Of Iron Bridge, Alappuzha-688011

Shop Name	Email Id	Shop Address
KARNATAKA		
Bangalore - K.H.Road	bangalore_shop@usha.com	Shakti Comfort, First Floor, K.H Road # 54/102, Above ICICI Bank, Bangalore-560027
Mysore	mysore_shop@usha.com	# 134, D.D URS Road, Devraja Mohalla, Mysore- 570001
Hubli	hubli_shop@usha.com	No 7, Corporation Building, Lamington Road, Hubli-580020
Mangalore	mangalore_shop@usha.com	#16-4-312/6, Adonais Tower, Falnir Road, Highland, Mangalore, Karnataka-575002
Bangalore - Jaya Nagar	jayanagar_shop@usha.com	No 1597, 40th Cross, 22nd Main, 4th T Block, Jayanagar, Bangalore-560041
MADHYA PRADESH		
Bhopal	bhopal_shop@usha.com	7 Hamidia Road, Below Hotel Rajdoot, Near Gurudwara Main Gate, Bhopal-462001
Jabalpur	jabalpur_shop@usha.com	7, Shyam Arcade, Commercial Complex, Malviya Chowk, Jabalpur-482002
Indore	indore_shop@usha.com	7-A, Upper Ground Floor, Mangal City Complex, Scheme No.54, PU-04, Near Vijay Nagar Square, Indore-452010
CHHATISGARH		
Raipur	raipur_shop@usha.com	26-27 Guru Ghasidas Plaza, G.E. Road, Amapara, Raipur-492001
ORRISA		
Cuttack	cuttack_shop@usha.com	94/95, LGF Netaji Subas Bose Arcade, Jail Road, Dargha Bazar, Cuttack-753001
Bhubaneswar	bhubaneswar_shop@usha.com	5, Western Market Building, Unit-2, Bhubaneswar-751009
RAJSTHAN		
Jaipur	jaipur_shop@usha.com	175, Ground floor, Maya Mansion, Opp. G.P.O, M.I.Road, Jaipur-302001
TAMIL NADU		
Chennai - Mount Road	mt.rd._shop@usha.com	Hamid Building, NO.190, Anna Salai, Thousand Light, Chennai-600006
Chennai - Adyar	adyar_shop@usha.com	No 12, 3rd Cross Street, Kathuribai Nagar, Adyar, Chennai - 600020
Coimbatore - St.Bank Road	stbankrd_shop@usha.com	33 State Bank Road, Near RHR Hotel, Opposite Railway Junction, Coimbatore- 641018
Coimbatore - Oppankara	anakara_shop@usha.com	118, Oppanakkara Street, Next to Sathya Agencies, Coimbatore- 641001
Madurai	madurai_shop@usha.com	31 - Town hall Rd, Near SACS, Madurai -625001
UTTAR PRADESH		
Agra	agra_shop@usha.com	Sanjay Palace Agra Shop, G-32/9, Sanjay Palace, Commercial Complex, Opp. LIC Building, Agra-282002
Bareilly	bareilly_shop@usha.com	6, Civil Lines, Prashad Talkies Building, Bareilly-243001
Lucknow	lucknow_shop@usha.com	Adjacent Mayfair Building, Mahatma Gandhi Marg, Hazratganj - 226001
Kanpur - Mall Road	mallroad_shop@usha.com	25/2 The Mall Road, Kanpur - 208001 (In front of S.N.SEN Balika Vidhyalaya)
Allahabad - M.G. Road	mgroad_shop@usha.com	Palace Cinema Compound, 19 M.G. Marg, Civil Lines, Prayagraj-211001
WEST BENGAL		
Durgapur	durgapur_shop@usha.com	Nachan Road, Benachity, Durgapur-713213
Kolkata - Chowringhee	chowringhee_shop@usha.com	15/6 J.L. Nehru Road, Grand Hotel Arcade, Kolkata-700013
Kolkata - Manicktala	manicktala_shop@usha.com	122/1B, A.P.C.Road, Manicktala, Beside Chaya Cinema Hall, Kolkata-700006
Kolkata - Barasat	barasat_shop@usha.com	51/1, Bijoy Laxmi Colony, Post- Nabapally, City - Barasat, Kolkata-700126

LOCATION SALES OFFICES

